

Our ref: 604-OEENVPER-382227 Graylands Campus Project

Level 3, 500 Hay Street
Subiaco, WA 6008
T +61 8 9211 1111

Date: 01 September 2025

Phil Davidson
Principal Project Manager
Office of Major Infrastructure Delivery
516 Hay Street, Subiaco
WA 6008

Dear Phil,

Graylands Campus Project– environmental impact summary

This letter report has been prepared to describe and assess the significance of the potential direct environmental impacts to flora, vegetation and fauna associated with the proposed development of the Graylands Campus Project (GCP).

The broader Graylands Hospital Campus, and the GCP development area, is situated on Lot 15061 on Plan 036844 Mount Claremont in the City of Nedlands (the site). The site is directly bound by Brockway Road to the east, John XXIII Avenue to the north, Mooroo Drive to the west and Camelia Avenue to the south (Figure 1). The proposed GCP development area (the investigation area) is approximately 4.60 hectares (ha) as outlined in Figure 1 and is located in the northeast corner of the Graylands Hospital Campus.

The entirety of the site has been subject to previous clearing and development since at least 1953 to facilitate the existing land use purposes as Western Australia's largest mental health inpatient facility (Landgate 2025)¹. From a review of historical aerial imagery, the investigation area appears to contain planted trees in a parkland cleared setting.

The key objectives of this report are to:

- Provide an overview of the flora and vegetation and terrestrial fauna values relevant to the existing vegetation within the investigation area
- Determine the state and Commonwealth environmental approval requirements to facilitate any removal of existing vegetation within the investigation area.

¹ Landgate Map Viewer Plus 2025. <https://map-viewer-plus.app.landgate.wa.gov.au/index.html>. Accessed May 2025.




Figure 1: Site map overlaid with indicative development plan

Figure 2 provides an overlay of the indicative disturbance and retention areas for the GCP development plan in relation to the surveyed trees.

The building / infrastructure footprints, inclusive of patient courtyards and secure perimeter, and perimeter management zones (i.e. external perimeter zone, internal management zone, perimeter sterile zone) have been identified as disturbance areas. All trees situated within or intersecting within the building / infrastructure footprints and perimeter management zones have been identified for removal.

A 5 metre (m) buffer has been applied to all buildings, including patient courtyards, to address the potential loss of trees during building construction. All trees situated outside of the building / infrastructure footprints and perimeter management zones but within the 5 m buffer have the potential to be retained / removed during construction.

Areas outside of the building / infrastructure footprints, buffers and management zones are assumed to be retention areas. The trees situated outside of these areas are assumed to be retained.

A minor portion of the investigation area intersects the mapped extent of Registered State Heritage Place (13630): Graylands Hospital. Up to four trees within Registered State Heritage Place (13630) may be removed because of the GCP development.




Figure 2: GCP development area and surveyed trees

Approach

In preparing this environmental impact summary, the following approach has been adopted:

- Determined key list of conservation significant features including fauna, vegetation and flora of the investigation area using database searches

Our ref: 604-OEENVPER-382227 Graylands Campus Project

- Conducted a tree survey, inclusive of the investigation area, to assess and qualify all trees with a DBH >300 millimetres (mm). In addition to classifying the vegetation type and condition; and evaluate the conservation significance of the vegetation in terms of presence of Threatened and Priority flora and Threatened and Priority Ecological Communities (TECs and PECs)
- Conducted a targeted black cockatoo assessment using Matters of National Environmental Significance: Significant Impact Guidelines 1.1 (Department of the Environment (DotE) 2013)² and the *Environment Protection and Biodiversity Conservation Act 1999* (EPBC Act) Referral guidelines for 3 threatened black cockatoo species (Department of Agriculture, Water and the Environment (DAWE) 2022)³.

Dandjoo search

Prior to the tree assessment being undertaken, a search of the Department of Biodiversity, Conservation and Attractions' (DBCAs) Dandjoo database, using a circle search within a 5 kilometre (km) radius of the central coordinate -31.96261° and 115.79003°, was undertaken to determine a list of terrestrial flora and fauna species that have been recorded within 5 km of the investigation area (Appendix A). The Dandjoo database contains point records of where a particular flora and / or fauna species has been identified (i.e. a known occurrence).

The Dandjoo search results, including the conservation significant fauna and flora species (i.e. those protected under the *Biodiversity Conservation Act 2016* (BC Act) and / or the EPBC Act or considered priority species by the DBCAs) recorded proximate to the investigation area have been provided in Appendix A.

Based on the lack of native understorey within the investigation area, conservation significant species from the database search with potential to occur within the investigation area are limited to three species of black cockatoo as outlined in Table 1. Marine species, wetland bird species (blue-billed duck) and ground-dwelling species (malleefowl) are not discussed in Table 1 as they are highly unlikely to occur on or visit the investigation area as it contains no suitable habitat (i.e. water bodies, wetland vegetation, native understorey).

² Department of the Environment. 2013. Matters of National Environmental Significance – Significant impact guidelines 1.1: *Environment Protection and Biodiversity Conservation Act 1999*. Commonwealth of Australia, Canberra.

³ Department of Agriculture, Water and the Environment. 2022. Referral guideline for 3 WA threatened black cockatoo species: Carnaby's Cockatoo, Baudin's Cockatoo and the Forest Red-tailed Black cockatoo. Canberra, Australian Capital Territory

Table 1: Likelihood of occurrence for three black cockatoo species within the site

Species name	Conservation status		Habitat requirements	Likelihood of occurrence
	BC Act listed	EPBC Act		
<i>Zanda baudinii</i> Baudin's black cockatoo	Endangered	Endangered	- This species generally breeds in woodland or forest but may also breed in partially cleared woodland or forest, including isolated trees. It nests in hollows in live or dead trees, with many eucalypt species may providing suitable hollows (DAWE 2022)³. For the purposes of the habitat assessment undertaken in this report, RPS has assumed that all eucalypt species have the potential to provide breeding habitat - Baudin's cockatoo primarily forages on seeds of marri and jarrah, in woodlands and forest, and seeds of native proteaceous plant species (for example, <i>Banksia</i> spp., <i>Dryandra</i> spp. and <i>Hakea</i> spp.). During the breeding season they feed primarily on native vegetation, particularly marri (seeds, flowers, nectar and grubs) (DAWE 2022)³ - Night roosting is generally in or near riparian environments or other permanent water sources. Any tall trees may provide roosting habitat, but particularly jarrah, flooded gum, blackbutt, tuart and introduced eucalypts (blue gum (<i>E. globulus</i>), lemon scented gum (<i>Corymbia citriodora</i>)) (DAWE 2022)³.	Unlikely - Potential foraging habitat for this species within the investigation area includes <i>Corymbia calophylla</i> and <i>Eucalyptus marginata</i> - Mature eucalypt trees are present in the investigation area with a DBH of 300 mm or more which may provide potential future breeding habitat (Figure 5) - The investigation area is not within the modelled range of occurrence for this species.
<i>Zanda latirostris</i> Carnaby's black cockatoo	Endangered	Endangered	- This species generally breeds in intact or partially cleared woodland or forests, including isolated trees. It nests in hollows in live or dead trees, with many eucalypt species may providing suitable hollows (DAWE 2022)³. For the purposes of the habitat assessment undertaken in this report, RPS has assumed that all eucalypt species have the potential to provide breeding habitat - Carnaby's cockatoo primarily forages on native shrubland, kwongan heathland and woodland on seeds, flowers and nectar of native proteaceous plant species (<i>Banksia</i> spp., <i>Hakea</i> spp. and <i>Grevillea</i> spp.), as well as <i>Callistemon</i> spp. and marri. Also seeds of introduced species including <i>Pinus</i> spp., <i>Erodium</i> spp., wild radish, canola, almonds, macadamia and pecan	Possible - Potential foraging habitat for this species within the investigation area includes <i>Agonis flexuosa</i>, <i>Araucaria heterophylla</i>, <i>Casuarina cunninghamiana</i>, <i>Corymbia calophylla</i>, <i>Eucalyptus citriodora</i>, <i>E. gomphocephala</i>, <i>E. marginata</i>, <i>E. todtiana</i> and <i>Tipuana tipu</i> - Mature eucalypt trees are present in the investigation area with a DBH of 300 mm or more which may provide potential future breeding habitat (Figure 5) - The investigation area is within the modelled non-breeding range for this species.

Species name	Conservation status		Habitat requirements	Likelihood of occurrence
	BC Act listed	EPBC Act		
			nuts; insects and insect larvae; occasionally apples and persimmons and liquidambar (DAWE 2022)³ This species roosts in or near riparian environments or natural or artificial water sources. Any tall trees may provide roosting habitat, particularly flat-topped yate (<i>Eucalyptus occidentalis</i>), salmon gum, wandoo, marri, karri, blackbutt, tuart, introduced eucalypts and introduced pines (DAWE 2022)³.	
<i>Calyptorhynchus banksia naso</i> Forest red-tailed black cockatoo	Vulnerable	Vulnerable	- This species generally breeds in intact or partially cleared woodland or forests, including isolated trees. It nests in hollows in live or dead trees, with many eucalypt species may providing suitable hollows (DAWE 2022)³. For the purposes of the habitat assessment undertaken in this report, RPS has assumed that all eucalypt species have the potential to provide breeding habitat - Forest red-tailed black cockatoo primarily forages on the seeds of jarrah and marri in woodlands and forest, and edges of karri forests, including wandoo and blackbutt. However, the species also forages on <i>Allocasuarina</i> cones, fruits of Snottygobble (<i>Persoonia longifolia</i>) and Mountain Marri (<i>C. haematoxylon</i>) - Other less important foods include Blackbutt, Bullich, <i>Allocasuarina fraseriana</i>, <i>Hakea</i> spp., Tuart, Redheart Moit (<i>E. decipiens</i>) and Bushy Yate (<i>E. lehmanni</i>). In addition, some introduced eucalypts such as River Red Gum (<i>E. camaldulensis</i>) and Rose Gum (<i>E. grandis</i>). On the Swan Coastal Plain, often feeds on introduced Cape Lilac (<i>Melia azedarach</i>), <i>E. caesia</i>, <i>E. erythrocorys</i>, Lemon-scented Gum and Kaffir Plum (<i>Harpephyllum caffrum</i>) (DAWE 2022)³.	Possible - Potential foraging habitat for this species within the investigation area includes <i>Corymbia calophylla</i>, <i>Eucalyptus camaldulensis</i>, <i>E. citriodora</i>, <i>E. erythrocorys</i>, <i>E. gomphocephala</i>, <i>E. grandis</i>, <i>E. lehmannii</i> and <i>E. marginata</i> - Mature eucalypt trees are present in the investigation area with a DBH of 300 mm or more which may provide potential future breeding habitat (Figure 5) - The investigation area is within the modelled likely to occur range for this species.

Tree assessment

A tree survey was undertaken by RPS' ecologist Vi Saffer and Graduate Environmental Consultants Steve Madamecila, Darcy Terpstra and Richard Storey from 27 March to 1 April for the broader Graylands Hospital Campus to assist with identifying potential constraints to the proposed GCP development and inform future detailed site planning.

The assessment undertaken by RPS for the Graylands Hospital Campus, inclusive of the GCP development, comprised of:

- Assessing all trees with a DBH >300 mm, including those which have been previously located by the arborist tree survey (The Arbor Centre Consultancy 2023)⁴
- Assessing the investigation area as a foraging and roosting site for black cockatoos
- Identifying all tuart trees within the investigation area (no minimum DBH criteria is applicable)
- Assessing the vegetation condition underneath all tuart trees.

Targeted black cockatoo habitat assessment

A targeted black cockatoo habitat assessment was also undertaken in accordance with:

- *Referral guidelines for 3 WA threatened black cockatoo species: Carnaby's cockatoo (*Zanda latirostris*), Baudin's cockatoo (*Zanda baudinii*) and the forest red-tailed black cockatoo (*Calyptorhynchus banksii naso*) (DAWE 2022)³.*

These guidelines indicate that habitat assessments should assess the extent, type and quality of the vegetation present, including the presence and extent of plants known to be used by black cockatoos. In potential breeding habitat, measurements of the DBH of trees must be made to determine whether the tree meets the definition of 'breeding habitat'. Surveys for black cockatoo foraging habitat should be done in any vegetation containing foraging species and common food items. Any area within the range of the black cockatoos that contains known food or nesting plant species is considered to be potential habitat for the species.

All trees with a DBH >300 mm were recorded with the following data:

- Tree species
- GIS location data (GDA94) recorded with a hand-held GPS unit (only accurate to five metres)
- Presence / absence of potential breeding hollows.

One *Eucalyptus lehmannii* (bushy yate) tree was identified within the investigation area as having hollows, however, the hollows were not of suitable dimensions to support black cockatoo breeding (Table 2) (Figure 5).

⁴ The Arbor Centre Consultancy. 2023. Stage 1: Preliminary Tree Survey Report – Graylands Hospital, Mount Claremont, Western Australia. Report prepared for Department of Finance. Perth, Western Australia.

Results

Flora and vegetation

The investigation area is located in the Interim Biogeographic Regionalisation of Australia bioregion of the Swan Coastal Plain and the Perth (SWA02) subregion. This subregion comprises a low-lying coastal plain covered with woodlands dominated by Banksia and tuart on sandy soils, *Casuarina obesa* on outwash plains and paperbark in swampy areas (Mitchell et al. 2002)⁵.

Prior to clearing, the vegetation complexes within the investigation area would have comprised the Karrakatta Complex Central and South. This vegetation complex includes predominantly open forest of *Eucalyptus gomphocephala* (tuart), *Eucalyptus marginata* (jarrah), *Corymbia calophylla* (marri) and woodland of *Eucalyptus marginata* (jarrah) - Banksia species (Heddlie et al. 1980)⁶.

The investigation area comprised of planted trees with no intact native understorey present. The area is therefore considered 'parkland cleared' or 'landscaped' with no structure in the understorey. The northern portion of the investigation area comprises the existing Claremont Therapeutic Riding Centre, which is predominantly cleared land with two main infrastructure buildings and fencing for the riding school (Plate 1).



Plate 1: Stables / paddocks within the northern portion of the investigation area

⁵ Mitchell, D. Williams, K. and A. Desmond. 2002. Swan Coastal Plain 2 (SWA2 – Swan Coastal Plain subregion).

⁶ Heddlie, E.M., Loneragan, O.W. and J.J. Havel. 1980. Vegetation of the Darling System. IN: DCE 1980 Atlas of Natural Resources, Darling System, Western Australia. Department of Conservation and Environment, Perth, Western Australia.

The southern portion of the investigation area is mainly comprised of car park and facility lay-down areas. The vegetation within southern portion of the investigation area is limited to car park and street tree plantings (Plate 2).



Plate 2: Parkland cleared setting in southern portion of investigation area, facility lay-down area / car park evident

A total of 114 trees were recorded within the investigation area with a DBH > 300 mm, the details of which are provided in Table 2. Foraging potential of the identified individuals was assessed according to the EPBC Act *Referral guidelines for 3 threatened black cockatoo species* (DAWE 2022)³ and is discussed in the subsequent sections.

Tuart (*Eucalyptus gomphocephala*) woodlands and forest of the Swan Coastal Plain ecological community

Four tuart trees were identified within the investigation area. A primary defining feature of the EPBC Act listed Tuart (*Eucalyptus gomphocephala*) woodlands and forests of the Swan Coastal Plain ecological community (Tuart TEC) is the presence of at least two living established tuart trees in the uppermost canopy layer and that there is a gap of no more than 60 m between the outer edges of the canopies of adjacent Tuart trees.

Consistent with Approved Conservation Advice (incorporating listing advice) for the Tuart (*Eucalyptus gomphocephala*) woodlands and forests of the Swan Coastal Plain ecological community (Threatened

Our ref: 604-OEENVPER-382227 Graylands Campus Project

Species Scientific Committee (TSSC) 2019)⁷, 30 m canopy buffers were applied to each tuart tree to determine tuart patch boundaries. Three tuart trees were within the minimum buffer zone of 30 m and hence formed a 0.52 ha patch (Patch 1; Figure 3).

According to the condition categories and thresholds for patches of tuart woodlands and forests, the biotic thresholds for this patch are considered poor (TSSC 2019)⁷. The tuart trees are situated in a 'parkland cleared' landscape and there is an absence of native understorey vegetation cover / native understorey species. This patch (Patch 1; Figure 3) would therefore not be considered part of the Tuart TEC, as it does not meet the minimum condition threshold and category requirements of native cover and species richness for patches of this size (between 0.5 ha and 5 ha).

Given the parkland cleared setting of the GCP development area and that the recorded trees have been planted, it is not considered that any other conservation significant ecological communities (e.g. EPBC Act listed Banksia woodlands of the Swan Coastal Plain ecological community) are present on site. With specific reference to the Banksia woodlands of the Swan Coastal Plain ecological community, there were also no Banksia trees recorded by the tree survey.

⁷ Threatened Species Scientific Committee. 2019. Approved Conservation Advice (incorporating listing advice) for the Tuart (*Eucalyptus gomphocephala*) woodlands and forests of the Swan Coastal Plain ecological community.



Figure 3: Tuart patches within the investigation area

Our ref: 604-OEENVPER-382227 Graylands Campus Project

Table 2: Surveyed trees with a DBH >300 mm within the investigation area

Taxon	Status	No. of individuals	Hollows present (Yes / No)	Approximate height range (metres)	Foraging
<i>Agonis flexuosa</i> (Peppermint)	Planted (native)	7	N	4 - 22	Potential (Carnaby's cockatoo)
<i>Angophora costata</i> (Sydney red gum)	Planted (non-endemic)	1	N	11	Nil
<i>Angophora floribunda</i> (Rough-barked apple)	Planted (non-endemic)	4	N	10 - 18	Nil
<i>Araucaria heterophylla</i> (Norfolk Island pine)	Planted (non-endemic)	2	N	8	Potential (Carnaby's cockatoo)
<i>Casuarina cunninghamiana</i> (River she-oak)	Planted (native)	3	N	7 - 30	Potential (Carnaby's cockatoo)
<i>Corymbia calophylla</i> (Marri)	Planted (native)	5	N	15	Potential (Carnaby's and forest red-tailed black cockatoo)
<i>Eucalyptus cladocalyx</i> Sugar gum	Planted (non-native)	1	N	9	Nil
<i>Corymbia maculata</i> (Spotted gum)	Planted (mixed naturalised)	1	N	22	Nil
<i>Eucalyptus camaldulensis</i> (River red gum)	Planted (mixed naturalised)	18	N	12 - 20	Potential (Forest red-tailed black cockatoo)
<i>Eucalyptus citriodora</i> (Lemon scented gum)	Planted (non-endemic)	10	N	14 - 28	Potential (Carnaby's and forest red-tailed black cockatoo)
<i>Eucalyptus erythrocorys</i> (Red cap gum)	Planted (native)	6	N	5	Potential (Forest red-tailed black cockatoo)
<i>Eucalyptus gomphocephala</i> (Tuart)	Planted (native)	4	N	15 - 20	Potential (Carnaby's and forest red-tailed black cockatoo)
<i>Eucalyptus grandis</i> (Rose gum)	Planted (non-endemic)	27	N	12 - 25	Potential (Forest red-tailed black cockatoo)

Our ref: 604-OEENVPER-382227 Graylands Campus Project

Taxon	Status	No. of individuals	Hollows present (Yes / No)	Approximate height range (metres)	Foraging
<i>Eucalyptus lehmannii</i> (Bushy yate)	Planted (native)	7	Y	5 - 10	Potential (Forest red-tailed black cockatoo)
<i>Eucalyptus leucoxylon</i> (Yellow gum)	Planted (non-endemic)	1	N	11	Nil
<i>Eucalyptus marginata</i> (Jarrah)	Planted (native)	2	N	14 - 18	Potential (Carnaby's and forest red-tailed black cockatoo)
<i>Eucalyptus minniritchi</i> (Minniritchi mallee)	Planted (native)	1	N	5	Potential (Carnaby's and forest red-tailed black cockatoo)
<i>Eucalyptus tereticornis</i> Forest red gum	Planted (non-native)	2	N	25	Nil
<i>Eucalyptus</i> sp.	Planted (non-endemic)	3	N	7 - 13	Nil
<i>Eucalyptus tottiana</i> (Pricklybark)	Planted (native)	1	N	7	Potential (Carnaby's cockatoo)
<i>Melaleuca quinquenervia</i> (Broad leaf paperbark)	Planted (non-native)	6	N	5 - 18	Nil
<i>Pinus radiata</i> (Monterey pine)	Planted (non-native)	1	N	14	Potential (Carnaby's cockatoo)
Total		114	-	-	-

Fauna

Given the small size of the investigation area (approximately 4.60 ha), historical clearing and lack of connectivity to large tracts of intact native habitat, it is considered unlikely that the investigation area would provide potential habitat for larger ground dwelling species (e.g. malleefowl). These species are presumed to be locally absent from the investigation area. Wetland species, such as the blue-billed duck, are also considered to be locally absent due to a lack of freshwater / wetland habitat.

Trees within the investigation area are mostly non-endemic plantings and as such are considered to be of low habitat value for native fauna species. The investigation area does not contain any remnant native fauna habitat.

Potential black cockatoo foraging habitat

Evidence of low level black cockatoo foraging within the investigation area was identified during the field assessment associated with the following tree species:

- Minniritchi mallee (*Eucalyptus minniritchi*) (1 record)
- Monterey pine (*Pinus radiata*) (1 record)
- Red cap gum (*Eucalyptus erythrocorys*) (1 record).

Figure 4 identifies the location of potential foraging habitat across the investigation area and indicates the extent of canopy cover considered to represent black cockatoo foraging habitat (1.33 ha).

Potential foraging habitat within the investigation area, identified according to the EPBC Act *Referral guidelines for 3 threatened black cockatoo species* (DAWE 2022)³ and Plants used by Carnaby's Black Cockatoo (Groom 2011)⁸, includes:

- *Agonis flexuosa* (weeping peppermint tree)
- *Angophora floribunda* (rough-barked apple)
- *Araucaria heterophylla* (Norfolk Island pine)
- *Casuarina cunninghamiana* (river she-oak)
- *Corymbia calophylla* (marri)
- *Corymbia ficifolia* (WA red flowering gum)
- *Eucalyptus camaldulensis* (river red gum)
- *Eucalyptus citriodora* (lemon scented gum)
- *Eucalyptus erythrocorys* (red cap gum)
- *Eucalyptus gomphocephala* (tuart)
- *Eucalyptus lehmannii* (bushy yate)
- *Eucalyptus marginata* (jarrah)
- *Eucalyptus minniritchi* (minniritchi mallee)
- *Eucalyptus tottiana* (prickly bark)
- *Pinus radiata* (monterey pine)
- *Tipuana tipu* (pride of Bolivia).

⁸ Gloom, C. 2011. Plants used by Carnaby's Black Cockatoo. Department of Environment and Conservation. Perth, Western Australia.

Our ref: 604-OEENVPER-382227 Graylands Campus Project

For the purposes of impact calculations, an indicative disturbance area boundary was overlaid on the investigation area to determine the relative impacts to existing flora and fauna / fauna habitat values from potential construction, infrastructure and facilities / engineering requirements. The following areas identified in Figure 2 comprise the indicative disturbance area:

- External perimeter zone (based on a 6 m buffer)
- Internal management zone (based on a 6 m buffer)
- Perimeter sterile zone (based on a 10 m buffer)
- All buildings, infrastructure and courtyards (inclusive of 5 m buffer)
- Secure perimeter.

Of the 1.33 ha of potential foraging habitat present within the investigation area, up to 0.89 ha was located within the indicative disturbance area, whilst approximately 0.33 ha of potential foraging habitat has been avoided / retained. The remaining extent of potential foraging habitat (0.12 ha) falls within the 5 m buffer of the buildings and courtyards (Figure 4).

The quality of the foraging habitat was assessed based on the foraging quality scoring tool template provided in the *Referral guideline for 3 WA threatened black cockatoo species* (DAWE 2022)³. The quality score of the foraging habitat was determined to be 10, which is considered high-quality foraging habitat (Table 3).

Table 3: Foraging quality score

Attribute	Context adjustor	Discussion	Score
The starting value is a score of 10, as the impact area of the site is: • Greater than 1 ha in size • Within the range of the species			10
Foraging potential	Subtract 2 from your score if there is no evidence of feeding debris on your site.	Evidence of low level black cockatoo foraging within the investigation area was identified during the field assessment associated with the following tree species: • Minniritchi mallee (<i>E. minniritchi</i>) (1 record) • Monterey pine (<i>Pinus radiata</i>) (1 record) • Red cap gum (<i>Eucalyptus erythrocorys</i>) (1 record).	10
Connectivity	Subtract 2 from your score if you have evidence to conclude that there is no other foraging habitat within 12 km of your site.	There is potential foraging habitat within 12 km of the investigation area. Key areas of vegetation within the vicinity of the investigation area includes: • 19.7 ha of bushland containing potential habitat within Bush Forever site No. 218: Shenton Bushland, Shenton Park approximately 0.57 km east of the investigation area (Department of Planning, Lands and Heritage [DPLH] 2000)⁹ • 31.5 ha of bushland containing potential habitat within Bush Forever site No. 119, Underwood Avenue Bushland Shenton Park, approximately 1.29 km north-east of the investigation area (DPLH 2000)⁹ • 361.7 ha of bushland containing potential habitat available within Bush Forever site No. 312: Bold Park and Adjacent Bushland, City Beach approximately 1.3 km north-west of the investigation area (DPLH 2000)⁹ • 320.8 ha of bushland containing potential habitat within Bush Forever site No. 317:	10

⁹ Bush Forever Areas – 2000 (DPLH-019). <https://maps.slip.wa.gov.au/landgate/locate/> Accessed May 2025.

Attribute	Context adjustor	Discussion	Score
		Kings Park, approximately 2.67 km east of the investigation area (DPLH 2000) ⁹ .	
Proximity to breeding	Subtract 2 if you have evidence to conclude that your site is more than 12 km from breeding habitat.	The investigation area is not within 12 km of the mapped buffer of a confirmed breeding site (DBCA 2025) ¹⁰ .	10
Proximity to roosting	Subtract 1 if you have evidence to conclude that your site is more than 20 km from a known night roosting habitat.	The investigation area is approximately 0.30 km south of the mapped buffer of a confirmed roost site (DBCA 2025) ¹¹ .	10
Impact from significant plant disease	Subtract 1 if your site has disease present (e.g. <i>Phytophthora</i> spp. Or marri canker) and the disease is affecting more than 50% of the preferred food plants present.	A <i>Phytophthora</i> spp. or marri canker disease assessment was not undertaken for the investigation area. The identified species are not considered susceptible to dieback (Department of the Environment and Energy 2018) ¹² . A conservative approach has been adopted.	10
Total			10

¹⁰Carnaby's cockatoo confirmed breeding areas within the Swan Coastal Plain and Jarrah Forest IBRA Regions (DBCA-054). <https://maps.slip.wa.gov.au/landgate/locate/>. Accessed May 2025.

¹¹Carnaby's cockatoo confirmed roost sites (DBCA-050). <https://maps.slip.wa.gov.au/landgate/locate/>. Accessed May 2025.

¹²Department of the Environment and Energy. Threat abatement plan for disease in natural ecosystems caused by *Phytophthora cinnamomi*, Commonwealth of Australia 2018.




Figure 4: Tree locations and potential black cockatoo foraging habitat within the investigation area

Potential black cockatoo breeding / nesting habitat

A total of 114 trees were examined within the GCP development area with a DBH > 300 mm. Of these trees, the *Corymbia calophylla* (marri), and *Eucalyptus* spp. are recognised by the Department of Climate Change, Energy, the Environment and Water (DCCEEW) as having potential breeding / nesting values for black cockatoos. Specifically, the *Referral guideline for 3 WA threatened black cockatoo species* (DAWE 2022)³

Our ref: 604-OEENVPER-382227 Graylands Campus Project

identifies potential breeding / nesting trees as “Trees that have a suitable DBH to develop a nest hollow, but do not currently have hollows. Trees suitable to develop a nest hollow in the future are 300-500 mm DBH. Note that many species of eucalypt may develop suitable hollows for breeding”.

Potential black cockatoo breeding / nesting habitat within the investigation area therefore comprises 88 trees with a DBH of 300 mm or greater. Potential breeding habitat for black cockatoos is shown in Figure 5.

For the purposes of impact calculations, an indicative development boundary was overlaid on the investigation area to determine the relative impact to existing flora and fauna / fauna habitat values from potential construction, infrastructure and facilities / engineering requirements. The following areas identified in Figure 2 comprise the indicative disturbance area:

- External perimeter zone (based on a 6 m buffer)
- Internal management zone (based on a 6 m buffer)
- Perimeter sterile zone (based on a 10 m buffer)
- All buildings, infrastructure and courtyards (inclusive of 5 m buffer)
- Secure perimeter.

Of the 88 potential breeding trees present within the investigation area, 24 were located within the indicative retention area, while 55 were located within the indicative disturbance area, comprised of 1 Sydney red gum, 4 marri's, 15 river red gums, 6 lemon scented gums, 1 sugar gum, 4 red cap gums, 2 tuarts, 15 rose gums, 1 yellow gum, 1 jarrah, 2 eucalyptus sp. and 2 forest red gums. In addition, 9 trees were located within the 5 m buffer of the buildings and courtyards.

One *Eucalyptus lehmannii* (Bushy Yate) tree was identified as having hollows, however the hollows were not of suitable dimensions to support black cockatoo breeding. This tree is retained within the investigation area by the proposed development design (Figure 1).




Figure 5: Potential black cockatoo breeding habitat within the investigation area

Potential black cockatoo roosting habitat

Generally roosting habitat suitable for black cockatoo species includes tall trees (e.g. flat-topped yate (*E. occidentalis*), salmon gum, wandoo, marri, karri, blackbutt, tuart, introduced eucalypts and introduced pines) proximate to water sources (DAWE 2022)³.

As the investigation area is located approximately 1.8 km south of the mapped buffered area of a known roost site (DBCA 2025)¹¹, it is considered possible that the taller trees within the investigation area could provide potential roosting habitat.

Key findings

- Potential black cockatoo breeding / nesting habitat within the investigation area comprises 88 trees with a DBH > 300 mm
- Potential black cockatoo foraging habitat within the investigation area comprises 1.33 ha
 - Evidence of low level black cockatoo foraging within the investigation area was identified during the field assessment associated with the following tree species:
 - Minniritchi mallee (*Eucalyptus minniritchi*) (1 record)
 - Monterey pine (*Pinus radiata*) (1 record)
 - Red cap gum (*Eucalyptus erythrocorys*) (1 record)
- Due to the lack of intact understorey within the investigation area, it is considered no TECs listed under the BC Act or the EPBC Act, or DBCA listed PECs, are present within the investigation area.

The key potential retention and removal outcomes from the implementation of the proposed action are summarised in the table below. Fifty nine of the potential breeding trees are also counted as potential foraging trees in Table 4, hence 93 potential black cockatoo habitat trees total will be removed because of the proposed development.

Table 4: Black cockatoo habitat trees retention and removal outcome summary

Location	Potential breeding habitat retained (no. of trees)	Potential breeding habitat removed (no. of trees)	Potential foraging habitat retained	Potential foraging habitat removed
GCP	24	64	31 trees (0.33 ha)	88 trees (1.00 ha)

Clearing of native vegetation

For the purposes of this report, it has been assumed that tree clearing will need to be undertaken within the indicative disturbance areas (which may also include trees within the 5 m buffer applied to all buildings, infrastructure and courtyards) to facilitate construction / building requirements (Figure 2). A review of historical aerial imagery (Landgate 2024)¹ reveals that:

- The investigation area was fully cleared of native vegetation since at least 1953
- All the trees within the investigation area have been planted.

Acknowledging this context (i.e. planted trees) a native vegetation clearing permit will not be required for this project because the planted trees do not meet the 'native vegetation' definition under the *Environmental Protection Act 1986* (EP Act).

EPBC Act context

Informed by the outcomes of the comprehensive tree assessment, the only Matters of National Environmental Significance with the potential to be present within the investigation area are black cockatoos. Criteria have been provided by the Commonwealth to assist proponents of an action where potential impacts black cockatoos may occur to decide whether it should be referred under the EPBC Act:

- Matters of National Environmental Significance, Significant Impact Guidelines 1.1, EPBC Act (DotE 2013)²
- *Referral guideline for 3 WA threatened black cockatoo species: Carnaby's cockatoo (*Zanda latirostris*), Baudin's cockatoo (*Zanda baudinii*) and forest red-tailed black cockatoo (*Calyptorhynchus banksii naso*) (DAWE 2022)³*

Table 5, Table 6, and Table 7 apply the Commonwealth's significant impact (DotE 2013)² and black cockatoo referral (DAWE 2022)³ guidelines to the removal of planted trees within the investigation area.

BC Act context

The BC Act and Biodiversity Conservation Regulations 2018 provide protection for state-listed threatened species and threatened ecological communities, specifically through Ministerial authorisations and licensing including for taking, disturbing, supplying, possessing, processing, dealing, importing and exporting activities in relation to flora and fauna.

Areas of overlap exist between the BC Act and the EP Act and specifically, in relation to the removal of any trees the following provisions are applicable:

- The BC Act recognises that activities involving the taking of flora or fauna (other than threatened species) and the disturbing of fauna (including threatened species) that are approved under the EP Act do not require further approval under the BC Act, if they are undertaken in accordance with any biodiversity conservation conditions that are applied to an authorisation. These activities include clearing of native vegetation that does not involve the commission of an offence under the EP Act (i.e. clearing is either exempt or done under the authority of a clearing permit).
- Ministerial authorisation is required for the taking or disturbing of threatened fauna:
 - Ministerial authorisation is always required to take a threatened species, irrespective of any approval granted or exemption under the EP Act. In practice, this authorisation has been delegated to DBCA except for contentious cases, which will be determined by the Minister.
 - Ministerial authorisation is only required to disturb threatened fauna when the activity has not been authorised under other relevant legislation (i.e. there is not lawful authority for the activity). Lawful authority includes activities that are lawful under the EP Act, including exemptions under that Act. Hence any activity that is lawful under the EP Act does not require a Section 40 authorisation to disturb threatened fauna.
 - Section 5 of the BC Act provides a definition for 'disturb':
 - (a) In relation to fauna, includes the following:
 - (i) To chase, drive, follow, harass, herd or hunt fauna by any means
 - (ii) To apply an identifier to fauna by any means
 - (iii) To engage in an activity that has the effect, whether directly or indirectly, of altering the natural behaviour of fauna to its detriment
 - (iv) To cause or permit anything referred to in subparagraph (i), (ii) or (iii) to be done.

No Threatened fauna species are proposed to be taken as part of the removal of any trees. It is considered a low likelihood that any threatened fauna species would be disturbed by the removal of the planted trees. The proposed clearing of the planted trees for the construction of the GCP development will not require a native vegetation clearing permit because the planted trees do not meet the 'native vegetation' definition under the EP Act. Hence a Section 40 authorisation will not be required.

Table 5: Assessment of whether the proposed tree removal will have significant impact on Carnaby's cockatoo using the Significant Impact Guidelines 1.1

Species listing	Significant impact criteria	Response	Outcomes
Carnaby's cockatoo (Endangered)	Lead to a long-term decrease in the size of a population	- The potential impact of the GCP development will result in up to 1.00 ha of black cockatoo foraging habitat (Figure 4) and 64 potential nesting / breeding trees (Figure 5) being permanently lost - Within a 12 km radius of the Graylands Hospital Campus, there is significant potential foraging habitat for black cockatoos including: 19.7 ha of bushland containing potential foraging habitat within Bush Forever site No. 218: Shenton Bushland, Shenton Park approximately 0.57 km east of the Graylands Hospital Campus 31.5 ha of bushland containing potential habitat within Bush Forever site No. 119, Underwood Avenue Bushland Shenton Park, approximately 1.29 km north-east of the Graylands Hospital Campus 361.7 ha of bushland containing potential habitat available within Bush Forever site No. 312: Bold Park and Adjacent Bushland, City Beach approximately 1.3 km north-west of the Graylands Hospital Campus 320.8 ha of bushland containing potential habitat within Bush Forever site No. 317: Kings Park, approximately 2.67 km east of the Graylands Hospital Campus - Clearing of breeding habitat is a known threat to all three black cockatoo species. However, the removal of up to 64 potential breeding / nesting trees is unlikely to represent a significant impact to these species at this location - Given the local abundance of black cockatoo foraging habitat, the absence of known black cockatoo breeding areas within the broader Graylands Hospital Campus, and the retention of 0.33 ha of potential black cockatoo foraging habitat and 24 of the 88 potential nesting / breeding trees, it is considered unlikely the GCP development will lead to a long-term decrease in Carnaby's cockatoo populations.	The proposed development is unlikely to be at variance with this criterion.
	Reduce the area of occupancy of the species	- Black cockatoos are highly mobile within the Swan Coastal Plain landscape - Within a 12 km radius of the Graylands Hospital Campus, there is significant potential foraging habitat for black cockatoos including: 19.7 ha of bushland containing potential foraging habitat within Bush Forever site No. 218: Shenton Bushland, Shenton Park approximately 0.57 km east of the Graylands Hospital Campus 31.5 ha of bushland containing potential habitat within Bush Forever site No. 119, Underwood Avenue Bushland Shenton Park, approximately 1.29 km north-east of the Graylands Hospital Campus 361.7 ha of bushland containing potential habitat available within Bush Forever site No. 312: Bold Park and Adjacent Bushland, City Beach approximately 1.3 km north-west of the Graylands Hospital Campus 320.8 ha of bushland containing potential habitat within Bush Forever site No. 317: Kings Park, approximately 2.67 km east of the Graylands Hospital Campus	The proposed development is unlikely to be at variance with this criterion.

Species listing	Significant impact criteria	Response	Outcomes
		Given the local abundance of black cockatoo foraging habitat, the absence of known black cockatoo breeding areas within the broader Graylands Hospital Campus and the retention of 0.33 ha of potential black cockatoo foraging habitat and 24 of the 88 potential nesting / breeding trees, it is considered unlikely the GCP development will reduce the area of occupancy in Carnaby's cockatoo populations.	
	Fragment an existing population into two or more populations	- Black cockatoos are highly mobile within the Swan Coastal Plain landscape - Removing a relatively small area of potential foraging habitat (1.00 ha) and 64 potential nesting / breeding trees is not considered likely to impede their movements or fragment existing populations.	The proposed development is unlikely to be at variance with this criterion.
	Adversely affect habitat critical to the survival of a species	- Habitat critical to the survival of Carnaby's cockatoos includes eucalypt woodlands with nest hollows for breeding and nearby vegetation to supply roosting, foraging and water resources, woodland sites that are known to have supported breeding in the past and could do so in the future with adequate nearby food and water resources, and vegetation that can provide food during the non-breeding season with nearby watering and night roosting sites (Department of Parks and Wildlife 2013)¹³ - Within a 12 km radius of the Graylands Hospital Campus, there is significant potential foraging habitat for black cockatoos including: - There is 19.7 ha of bushland containing potential foraging habitat within Bush Forever site No. 218: Shenton Bushland, Shenton Park approximately 0.57 km east of the Graylands Hospital Campus 31.5 ha of bushland containing potential habitat within Bush Forever site No. 119, Underwood Avenue Bushland Shenton Park, approximately 1.29 km north-east of the Graylands Hospital Campus 361.7 ha of bushland containing potential habitat available within Bush Forever site No. 312: Bold Park and Adjacent Bushland, City Beach approximately 1.3 km north-west of the Graylands Hospital Campus 320.8 ha of bushland containing potential habitat within Bush Forever site No. 317: Kings Park, approximately 2.67 km east of the Graylands Hospital Campus - Given the local abundance of black cockatoo foraging habitat, the absence of known black cockatoo breeding areas within the broader Graylands Hospital Campus and the retention of 0.33 ha of potential black cockatoo foraging habitat and 24 of the 88 potential nesting / breeding trees, it is considered unlikely the GCP development will adversely affect habitat critical to the survival in Carnaby's cockatoo populations.	The proposed development is unlikely to be at variance with this criterion.
	Disrupt the breeding cycle of a population	- No evidence of any black cockatoo breeding was recorded within the investigation area - It is therefore considered the GCP development is unlikely to disrupt the breeding cycle of Carnaby's cockatoos.	The proposed development is not at variance with this criterion.

¹³Department of Parks and Wildlife. 2013. Carnaby's Cockatoo (*Calyptorhynchus latirostris*) Recovery Plan.
<https://www.dcceew.gov.au/sites/default/files/documents/carnabys-cockatoo-recovery-plan.pdf>. Accessed May 2025.

Species listing	Significant impact criteria	Response	Outcomes
	Modify, destroy, remove, isolate or decrease the availability or quality of habitat to the extent that the species is likely to decline	- The potential impact of the GCP development will result in up to 1.00 ha of black cockatoo foraging habitat (Figure 4) and 64 potential nesting / breeding trees (Figure 5) being permanently lost - Within a 12 km radius of the Graylands Hospital Campus, there is significant potential foraging habitat for black cockatoos including: 19.7 ha of bushland containing potential foraging habitat within Bush Forever site No. 218: Shenton Bushland, Shenton Park approximately 0.57 km east of the Graylands Hospital Campus 31.5 ha of bushland containing potential habitat within Bush Forever site No. 119, Underwood Avenue Bushland Shenton Park, approximately 1.29 km north-east of the Graylands Hospital Campus 361.7 ha of bushland containing potential habitat available within Bush Forever site No. 312: Bold Park and Adjacent Bushland, City Beach approximately 1.3 km north-west of the Graylands Hospital Campus 320.8 ha of bushland containing potential habitat within Bush Forever site No. 317: Kings Park, approximately 2.67 km east of the Graylands Hospital Campus - Given the local abundance of black cockatoo foraging habitat, the absence of known black cockatoo breeding areas within the broader Graylands Hospital Campus and the retention of 0.33 ha of potential black cockatoo foraging habitat and 24 of the 88 potential nesting / breeding trees, the GCP development is considered unlikely to modify, destroy, remove, isolate or decrease the availability or quality of habitat to the extent that Carnaby's cockatoo is likely to decline at the species level.	The proposed development is unlikely to be at variance with this criterion.
	Result in invasive species that are harmful to an endangered species becoming established in the endangered species' habitat	- The potential black cockatoo habitat within GCP development is situated within an isolated area with limited connections to natural features and potential fauna habitat - It is considered unlikely that the removal of a relatively small area (1.00 ha) of foraging habitat and 64 potential nesting / breeding trees will result in the introduction of invasive species that are harmful to an endangered species becoming established.	The proposed development is unlikely to be at variance with this criterion.
	Introduce disease that may cause the species to decline	<i>Phytophthora</i> could be introduced / spread during the clearing program without appropriate management and hygiene - Through the implementation of appropriate hygiene protocols, the risk that <i>Phytophthora</i> spp. will be introduced to the site can be effectively mitigated.	The proposed development is unlikely to be at variance with this criterion.
	Interfere with the recovery of the species	- The potential impact of the GCP development will result in up to 1.00 ha of black cockatoo foraging habitat (Figure 4) and 64 potential nesting / breeding trees (Figure 5) being permanently lost - Within a 12 km radius of the Graylands Hospital Campus, there is significant potential foraging habitat for black cockatoos including: 19.7 ha of bushland containing potential foraging habitat within Bush Forever site No. 218: Shenton Bushland, Shenton Park approximately 0.57 km east of the Graylands Hospital Campus	The proposed development is unlikely to be at variance with this criterion.

Species listing	Significant impact criteria	Response	Outcomes
		– 31.5 ha of bushland containing potential habitat within Bush Forever site No. 119, Underwood Avenue Bushland Shenton Park, approximately 1.29 km north-east of the Graylands Hospital Campus – 361.7 ha of bushland containing potential habitat available within Bush Forever site No. 312: Bold Park and Adjacent Bushland, City Beach approximately 1.3 km north-west of the Graylands Hospital Campus – 320.8 ha of bushland containing potential habitat within Bush Forever site No. 317: Kings Park, approximately 2.67 km east of the Graylands Hospital Campus • Given the local abundance of black cockatoo foraging habitat, the absence of known black cockatoo breeding areas within the broader Graylands Hospital Campus and the retention of 0.33 ha of potential black cockatoo foraging habitat and 24 of the 88 potential nesting / breeding trees, the GCP development is considered unlikely to interfere with the recovery of the Carnaby's cockatoo populations.	

Table 6: Assessment of whether the proposed tree removal will have significant impact on forest red-tailed black cockatoo using the Significant Impact Guidelines 1.1

Species listing	Significant impact criteria	Response	Outcomes
Forest red-tailed black cockatoo (Vulnerable)	Lead to a long-term decrease in the size of an important population of a species	• An important population is defined as a population that is necessary for a species' long-term survival and recovery (DotE 2013) • The potential impact of the GCP development will result in up to 1.00 ha of black cockatoo foraging habitat (Figure 4) and 64 potential nesting / breeding trees (Figure 5) being permanently lost • Within a 12 km radius of the Master Plan area, there is significant potential foraging habitat for black cockatoos including: – 19.7 ha of bushland containing potential foraging habitat within Bush Forever site No. 218: Shenton Bushland, Shenton Park approximately 0.57 km east of the broader Graylands Hospital Campus area – 31.5 ha of bushland containing potential habitat within Bush Forever site No. 119, Underwood Avenue Bushland Shenton Park, approximately 1.29 km north-east of the Master Plan area – 361.7 ha of bushland containing potential habitat available within Bush Forever site No. 312: Bold Park and Adjacent Bushland, City Beach approximately 1.3 km north-west of the Graylands Hospital Campus area – 320.8 ha of bushland containing potential habitat within Bush Forever site No. 317: Kings Park, approximately 2.67 km east of the Graylands Hospital Campus area • Clearing of breeding habitat is a known threat to all three black cockatoo species. However, the removal of up to 64 potential breeding / nesting trees is unlikely to be considered to represent a significant impact to this species • Given the local abundance of black cockatoo foraging habitat, the absence of known black cockatoo breeding areas within the broader Master Plan area and the retention of 0.33 ha of potential black cockatoo foraging habitat and 24 of the 88 potential nesting / breeding trees, it is considered unlikely the	The proposed development is unlikely to be at variance with this criterion

Species listing	Significant impact criteria	Response	Outcomes
		GCP development will lead to a long-term decrease in forest red-tailed black cockatoo important populations.	
	Reduce the area of occupancy of an important population	- Black cockatoos are highly mobile within the Swan Coastal Plain landscape - Within a 12 km radius of the Graylands Hospital Campus area, there is significant potential foraging habitat for black cockatoos including: 19.7 ha of bushland containing potential foraging habitat within Bush Forever site No. 218: Shenton Bushland, Shenton Park approximately 0.57 km east of the Graylands Hospital Campus area 31.5 ha of bushland containing potential habitat within Bush Forever site No. 119, Underwood Avenue Bushland Shenton Park, approximately 1.29 km north-east of the Graylands Hospital Campus area 361.7 ha of bushland containing potential habitat available within Bush Forever site No. 312: Bold Park and Adjacent Bushland, City Beach approximately 1.3 km north-west of the Graylands Hospital Campus area 320.8 ha of bushland containing potential habitat within Bush Forever site No. 317: Kings Park, approximately 2.67 km east of the Graylands Hospital Campus area - Given the local abundance of black cockatoo foraging habitat, the absence of known black cockatoo breeding areas within the broader Graylands Hospital Campus area and the retention of 0.33 of potential black cockatoo foraging habitat and 24 of the 88 potential nesting / breeding trees, it is considered unlikely the GCP development will reduce the area of occupancy in forest red-tailed black cockatoo important populations.	The proposed development is unlikely to be at variance with this criterion
	Fragment an existing important population into two or more populations	- Black cockatoos are highly mobile within the Swan Coastal Plain landscape - Removing a relatively small area of potential foraging habitat (1.00 ha) and 64 potential nesting / breeding trees is not considered likely to impede their movements or fragment existing important populations.	The proposed development is unlikely to be at variance with this criterion
	Adversely affect habitat critical to the survival of a species	- Habitat critical to the survival of important populations of forest red-tailed black cockatoo comprises all marri, karri and jarrah forests, woodlands and remnants in the south-west of Western Australia receiving more than 600 mm average rainfall annually (Chapman 2008)¹⁴. It is also characterised by: - areas currently occupied by forest red-tailed black cockatoos - areas capable of supporting forest red-tailed black cockatoos when recovered from recent fires - natural vegetation utilised by forest red-tailed black cockatoos to feed, nest and roost - natural vegetation utilised by forest red-tailed black cockatoos to move between occupied areas, and - suitable vegetation within the recorded range that undiscovered forest red-tailed black cockatoo populations may exist	The proposed development is unlikely to be at variance with this criterion

¹⁴ Chapman, T. 2008. Forest Black Cockatoo (Baudin's Cockatoo *Calyptorhynchus baudinii* and Forest Redtailed Black Cockatoo *Calyptorhynchus banksii naso*) Recovery Plan. Department of Environment and Conservation, Western Australia

Species listing	Significant impact criteria	Response	Outcomes
		- Within a 12 km radius of the Graylands Hospital Campus area, there is significant potential foraging habitat for black cockatoos including: - There is 19.7 ha of bushland containing potential foraging habitat within Bush Forever site No. 218: Shenton Bushland, Shenton Park approximately 0.57 km east of the Graylands Hospital Campus area 31.5 ha of bushland containing potential habitat within Bush Forever site No. 119, Underwood Avenue Bushland Shenton Park, approximately 1.29 km north-east of the Graylands Hospital Campus area 361.7 ha of bushland containing potential habitat available within Bush Forever site No. 312: Bold Park and Adjacent Bushland, City Beach approximately 1.3 km north-west of the Graylands Hospital Campus area 320.8 ha of bushland containing potential habitat within Bush Forever site No. 317: Kings Park, approximately 2.67 km east of the Graylands Hospital Campus area - Given the local abundance of black cockatoo foraging habitat, the absence of known black cockatoo breeding areas within the broader Graylands Hospital Campus area and the retention 0.33 ha of potential black cockatoo foraging habitat and 24 of the 88 potential nesting / breeding trees, it is considered unlikely the GCP development will adversely affect habitat critical to the survival in forest red-tailed black cockatoo populations.	
	Disrupt the breeding cycle of an important population	- No evidence of any black cockatoo breeding was recorded within the GCP development area - It is therefore considered the GCP development is unlikely to disrupt the breeding cycle of forest red-tailed black cockatoo important population.	The proposed development is not at variance with this criterion
	Modify, destroy, remove, isolate or decrease the availability or quality of habitat to the extent that the species is likely to decline	- The potential impact of the GCP development will result in up to 1.00 ha of black cockatoo foraging habitat (Figure 4) and 64 potential nesting / breeding trees (Figure 5) being permanently lost - Within a 12 km radius of the Graylands Hospital Campus area, there is significant potential foraging habitat for black cockatoos including: 19.7 ha of bushland containing potential foraging habitat within Bush Forever site No. 218: Shenton Bushland, Shenton Park approximately 0.57 km east of the Graylands Hospital Campus area 31.5 ha of bushland containing potential habitat within Bush Forever site No. 119, Underwood Avenue Bushland Shenton Park, approximately 1.29 km north-east of the Graylands Hospital Campus area 361.7 ha of bushland containing potential habitat available within Bush Forever site No. 312: Bold Park and Adjacent Bushland, City Beach approximately 1.3 km north-west of the Graylands Hospital Campus area 320.8 ha of bushland containing potential habitat within Bush Forever site No. 317: Kings Park, approximately 2.67 km east of the Graylands Hospital Campus area - Given the local abundance of black cockatoo foraging habitat, the absence of known black cockatoo breeding areas within the broader Graylands Hospital Campus area and the retention of 0.33 ha of potential black cockatoo foraging habitat and 24 of the 88 potential nesting / breeding trees, the GCP development is considered unlikely to modify, destroy, remove, isolate or decrease the availability or quality of	The proposed development is unlikely to be at variance with this criterion

Species listing	Significant impact criteria	Response	Outcomes
		habitat to the extent that forest red-tailed black cockatoo is likely to decline at the species level.	
	Result in invasive species that are harmful to a vulnerable species becoming established in the vulnerable species' habitat	- The potential black cockatoo habitat within GCP development is situated within an isolated area with limited connections to natural features and potential fauna habitat - It is considered unlikely that the removal of a relatively small area (1.00 ha) of foraging habitat and 64 potential nesting / breeding trees will result in the introduction of invasive species that are harmful to an endangered species becoming established.	The proposed development is unlikely to be at variance with this criterion
	Introduce disease that may cause the species to decline	<i>Phytophthora</i> could be introduced / spread during the clearing program without appropriate management and hygiene - Through the implementation of appropriate hygiene protocols, the risk that <i>Phytophthora</i> sp. will be introduced to the site can be effectively mitigated.	The proposed development is unlikely to be at variance with this criterion
	Interfere substantially with the recovery of the species	- The potential impact of the GCP development will result in up to 1.00 ha of black cockatoo foraging habitat (Figure 4) and 64 potential nesting / breeding trees (Figure 5) being permanently lost - Within a 12 km radius of the Graylands Hospital Campus area, there is significant potential foraging habitat for black cockatoos including: 19.7 ha of bushland containing potential foraging habitat within Bush Forever site No. 218: Shenton Bushland, Shenton Park approximately 0.57 km east of the Graylands Hospital Campus area 31.5 ha of bushland containing potential habitat within Bush Forever site No. 119, Underwood Avenue Bushland Shenton Park, approximately 1.29 km north-east of the Graylands Hospital Campus area 361.7 ha of bushland containing potential habitat available within Bush Forever site No. 312: Bold Park and Adjacent Bushland, City Beach approximately 1.3 km north-west of the Graylands Hospital Campus area 320.8 ha of bushland containing potential habitat within Bush Forever site No. 317: Kings Park, approximately 2.67 km east of the Graylands Hospital Campus area - Given the local abundance of black cockatoo foraging habitat, the absence of known black cockatoo breeding areas within the broader Graylands Hospital Campus area and the retention 0.33 ha of potential black cockatoo foraging habitat and 24 of the 88 potential nesting / breeding trees, the GCP development is considered unlikely to interfere with the recovery of the forest red-tailed black cockatoo.	The proposed development is unlikely to be at variance with this criterion

Table 7: Assessment of whether the proposed tree removal will have a significant impact on black cockatoos using the DAWE Referral Guidelines

Attribute	Referral threshold	Response	Outcomes
Breeding	Any loss of / impact upon known, suitable or potential nesting trees, and the habitat around these trees, is highly likely to require a referral to the minister. Loss of any potential nesting habitat is likely to require a referral to the minister.	While there are no known nesting trees or in use breeding habitat within the investigation area, up to 64 trees which are considered potential breeding / nesting trees (DBH >300 mm) may be removed	The proposed development may be at variance with this referral threshold.
High-quality native	Loss of greater than or equal to 1 ha of foraging habitat scoring 5-10 using the foraging quality scoring tool is likely to require	The potential impact of the GCP development will result in up to 1.00 ha of black cockatoo	The proposed development may be at variance with

Attribute	Referral threshold	Response	Outcomes
foraging habitat	referral to the minister. Foraging habitat quality is determined using the foraging quality scoring tool and takes into account context i.e. proximity of the impact site to important attributes.	foraging habitat being permanently lost The proposed action will therefore not result in the loss of greater than or equal to 1 ha of high-quality foraging habitat.	this referral threshold.
Lower-quality native foraging habitat	Loss of greater than or equal to 10 ha of foraging habitat scoring 0-4 using the foraging quality scoring tool is likely to require referral to the minister. Foraging habitat quality is determined using the foraging quality scoring tool and takes into account context i.e. proximity of the impact site to important attributes.	- The potential impact of the GCP development will result in up to 1.00 ha of black cockatoo foraging habitat being permanently lost - The proposed action will not result in the loss of greater than or equal to 10 ha of native foraging habitat identified as lower-quality.	The proposed development is not at variance with this referral threshold.
Exotic foraging habitat	Loss of greater than or equal to 1 ha of predominantly exotic habitat (e.g. Cape Lilac trees and pine trees) known to be utilised by black cockatoos is likely to require a referral to the minister.	- The potential impact of the GCP development will result in up to 1.00 ha of black cockatoo foraging habitat being permanently lost - The proposed action will not result in the loss of greater than or equal to 1 ha of predominantly exotic foraging habitat.	The proposed development is not at variance with this referral threshold.
Night roosting habitat	Removal of any part of a known night roosting site is likely to require referral to the minister.	No trees have been identified as a known roosting site.	The proposed development is not at variance with this referral threshold.

Heritage considerations

Four trees within the investigation area are situated within the mapped extent of the Registered State Heritage Place (13630): Graylands Hospital (Figure 2 - Figure 5):

- *Agonis flexuosa* (Weeping peppermint tree) (1)
- *Angophora floribunda* (Rough-barked apple) (1)
- *Eucalyptus camaldulensis* (River red gum) (1)
- *Pinus radiata* (Monetary pine) (1).

All four trees may require removal to facilitate the GCP development. In order to provide the regulatory planning framework to address the loss of the trees within the mapped extent of the heritage place, a Heritage Impact Statement (HIS) may need to be submitted to the relevant Local Government Association (City of Nedlands) as part of a future GCP Development Application submission.

The requirement for a HIS to be provided is dependent on; a) the significance of the place; and b) the likely impact of the proposal on that significance. Liaison with the City of Nedlands / State Heritage Office should be undertaken to determine if a HIS is required to be provided for the four trees to support the Development Application.

Concluding remarks

This letter has been prepared to describe and assess the significance of the potential environmental impacts to flora, vegetation and fauna associated with the proposed GCP development.

A tree survey and targeted black cockatoo habitat assessment was conducted from 27 March to 1 April to support the proposed GCP development. This assessment identified that the removal of any trees within the indicative disturbance area to facilitate construction of the GCP development:


- will not require a native vegetation clearing permit because the planted trees do not meet the 'native vegetation' definition under the EP Act
- will permanently remove up to 1.00 ha of high-quality black cockatoo foraging habitat and up to 64 potential black cockatoo breeding trees

Additionally, the potential loss of up to 4 trees within the mapped extent of the Registered State Heritage Place (13630): Graylands Hospital may require a HIS to be prepared.

The assessment against the Commonwealth's Significant Impact Guidelines 1.1 (Table 5 and Table 6) and the Commonwealth's black cockatoo referral guidance (DAWE 2022;7) identifies that the removal of up to 64 potential breeding trees and up to 1.00 ha of potential foraging habitat may be at variance with two significant impact criteria associated with the DAWE (2022) guidance. However, given the outcomes of the Significant Impact Guidelines 1.1 assessment (Table 5 and Table 6), it is considered the proposed development of the site will not have a significant impact on any black cockatoo species.

We trust this information is sufficient for your purposes; however, should you require further details or clarification, please do not hesitate to contact the undersigned.

Yours sincerely,
for RPS AAP Consulting Pty Ltd



Giles Glasson

Practice Leader – Environmental Planning and Assessment
giles.glasson@rpsconsulting.com

enc: Dandjoo search results

Appendix A: Dandjoo search results



Dandjoo Species List Export

Created by Guest User on 07 May 2025

Source	Dandjoo - Department of Biodiversity, Conservation and Attractions
Method	User defined circle: [[115.79003, -31.96261]] 5.0 km.
Date time	2025-05-07T09:51:20.210108+08:00

Conservation status summary	Count
CD	2
CD, MI	1
CR	11
Cons code inherited from parent	9
EN	22
MI	20
MI, P4	2
None	2332
OS	2
P1	10
P2	18
P3	34
P4	24
Parent of conservation listed taxa	11
VU	23
Total	2521

Kingdoms	Count
Animalia	1197
Plantae	1324
Total unique species	2521

#	Class	Family	Name	Establishment	Conservation
---	-------	--------	------	---------------	--------------

Animalia

1	None	None	Arthropoda		
2	None	None	Bryozoa Ehrenberg, 1831		
3	None	None	Idanthysrus australiensis (Haswell, 1883)		
4	None	None	Macomona deltoidalis (Lamarck, 1818)		
5	None	None	Marita compta (Adams & Angas, 1864)		
6	None	None	Neonesidea guildertonensis Hartmann, 1978		
7	None	None	Ourozeuktes bopyroides (Lesueur, 1814)		
8	None	None	Pecten fumatus Reeve, 1852		
9	None	None	Plaxiphora albida (Blainville, 1825)		
10	None	None	Pseudopisinna gregaria gregaria (Laseron, 1950)		
11	None	None	Rhynchospio australiana Blake & Kudenov, 1978		
12	Actinopterygii Klein, 1885	Atherinidae	Atherinomorus vaigiensis (Quoy & Gaimard, 1825)		
13	Actinopterygii Klein, 1885	Blenniidae	Parablennius postocolomaculatus Hutchins & Bath, 1986		

14	Actinopterygii Klein, 1885	Blenniidae	Parablennius tasmanianus (Richardson, 1842)		
15	Actinopterygii Klein, 1885	Clinidae	Heteroclinus heptaeolus (Ogilby, 1885)		
16	Actinopterygii Klein, 1885	Clupeidae	Hyperlophus vittatus (Castelnau, 1875)		
17	Actinopterygii Klein, 1885	Hemiramphidae	Hyporhamphus regularis (Günther, 1866)		
18	Actinopterygii Klein, 1885	Mugilidae	Mugil cephalus Linnaeus, 1758		
19	Actinopterygii Klein, 1885	Pegasidae	Pegasus volitans Linnaeus, 1758		
20	Amphibia	Limnodynastidae	Heleioporus eyrei (Gray, 1845)	native	
21	Amphibia	Limnodynastidae	Heleioporus psammophilus (Lee & Main, 1954) (<i>Sand Frog</i>)	native	
22	Amphibia	Limnodynastidae	Limnodynastes dorsalis (Gray, 1841)	native	
23	Amphibia	Myobatrachidae	Crinia georgiana Tschudi, 1838	native	
24	Amphibia	Myobatrachidae	Crinia glauerti (Loveridge, 1933)	native	
25	Amphibia	Myobatrachidae	Crinia insignifera (Moore, 1954)	native	
26	Amphibia	Myobatrachidae	Geocrinia leai (Fletcher, 1898)	native	
27	Amphibia	Myobatrachidae	Myobatrachus gouldii (Gray, 1841)	native	
28	Amphibia	Myobatrachidae	Pseudophryne occidentalis Parker, 1940 (<i>Western Toadlet</i>)	native	
29	Amphibia	Pelodyadidae Günther, 1858	Litoria adelaidensis (Gray, 1841)	native	
30	Amphibia	Pelodyadidae Günther, 1858	Litoria moorei (Copland, 1957)	native	
31	Arachnida	None	Araneae Clerck, 1757		
32	Arachnida	None	Opiliones Sundevall, 1833		
33	Arachnida	None	Opisthothelae		
34	Arachnida	None	Scorpiones C.L. Koch, 1837		
35	Arachnida	Actinopodidae Simon, 1892	Missulena Walckenaer, 1805		
36	Arachnida	Actinopodidae Simon, 1892	Missulena granulosa (O. P.-Cambridge, 1869)		
37	Arachnida	Actinopodidae Simon, 1892	Missulena occatoria Walckenaer, 1805		
38	Arachnida	Anamidae Simon, 1889	Aname L. Koch, 1873		
39	Arachnida	Anamidae Simon, 1889	Kwonkan Main, 1983		
40	Arachnida	Anamidae Simon, 1889	Proshermacha Simon, 1908		
41	Arachnida	Anamidae Simon, 1889	Teyl Main, 1975		
42	Arachnida	Anapidae Simon, 1895	Raveniella arenacea Rix & Harvey, 2010		
43	Arachnida	Anapidae Simon, 1895	Raveniella cirrata Rix & Harvey, 2010		
44	Arachnida	Anapidae Simon, 1895	Raveniella peckorum Rix & Harvey, 2010		
45	Arachnida	Anapidae Simon, 1895	Raveniella subcirrata Rix & Harvey, 2010		
46	Arachnida	Anystidae Oudemans, 1902	Erythracarinae		
47	Arachnida	Anystidae Oudemans, 1902	Erythracarus decoris Otto, 1999		
48	Arachnida	Araneidae Clerck, 1757	Arachnura higginsi (L. Koch, 1872)		
49	Arachnida	Araneidae Clerck, 1757	Araneidae Clerck, 1757		
50	Arachnida	Araneidae Clerck, 1757	Araneinae Clerck, 1758		
51	Arachnida	Araneidae Clerck, 1757	Araneus Clerck, 1757		
52	Arachnida	Araneidae Clerck, 1757	Araneus eburneiventris (Simon, 1908)		
53	Arachnida	Araneidae Clerck, 1757	Argiope protensa L. Koch, 1872	mixed	
54	Arachnida	Araneidae Clerck, 1757	Argiope trifasciata (Forsskal, 1775)	alien	
55	Arachnida	Araneidae Clerck, 1757	Austracantha minax (Thorell, 1859)		
56	Arachnida	Araneidae Clerck, 1757	Backbournkia heroine (L. Koch, 1871)		
57	Arachnida	Araneidae Clerck, 1757	Carepalxis L. Koch, 1872	uncertain	
58	Arachnida	Araneidae Clerck, 1757	Celaenia Thorell, 1868		
59	Arachnida	Araneidae Clerck, 1757	Celaenia excavata (L. Koch, 1867)		

60	Arachnida	Araneidae Clerck, 1757	Cyclosa trilobata (Urquhart, 1885)		
61	Arachnida	Araneidae Clerck, 1757	Eriophora Simon, 1864		
62	Arachnida	Araneidae Clerck, 1757	Hortophora biapicata (L. Koch, 1871)		
63	Arachnida	Araneidae Clerck, 1757	Plebs cyphoxis (Simon, 1908)	native	
64	Arachnida	Araneidae Clerck, 1757	Plebs eburnus (Keyserling, 1886)		
65	Arachnida	Araneidae Clerck, 1757	Socca pustulosa (Walckenaer, 1841)		
66	Arachnida	Araneidae Clerck, 1757	Socca senicaudata (Simon, 1908)		
67	Arachnida	Atemnidae Kishida, 1929	Oratemnus curtus (Beier, 1954)		
68	Arachnida	Barychelidae Simon, 1892	Idiommata Ausserer, 1871		
69	Arachnida	Barychelidae Simon, 1892	Idiommata blackwalli (O. Pickard-Cambridge, 1870)		
70	Arachnida	Barychelidae Simon, 1892	Synothele Simon, 1908		
71	Arachnida	Barychelidae Simon, 1892	Synothele michaelseni Simon, 1908		
72	Arachnida	Barychelidae Simon, 1892	Synothele rastelloides Raven, 1994		
73	Arachnida	Bothriuridae	Cercophonius Peters, 1861		
74	Arachnida	Bothriuridae	Cercophonius granulosus Kraepelin, 1908		
75	Arachnida	Bothriuridae	Cercophonius sulcatus Kraepelin, 1908		
76	Arachnida	Buthidae C.L. Koch, 1837	Buthidae C.L. Koch, 1837		
77	Arachnida	Buthidae C.L. Koch, 1837	Lychas C.L. Koch, 1845		
78	Arachnida	Chernetidae Menge, 1855	Lamprochernes savignyi (Simon, 1881)		
79	Arachnida	Chernetidae Menge, 1855	Nesidiochernes Beier, 1957		
80	Arachnida	Chthoniidae Daday, 1888	Austrochthonius J.C. Chamberlin, 1929		
81	Arachnida	Clubionidae Simon, 1878	Clubiona Latreille, 1804		
82	Arachnida	Corinnidae	Iridonyssus formicans Raven, 2015		
83	Arachnida	Corinnidae	Nucastia Raven, 2015	mixed	
84	Arachnida	Corinnidae	Nyssus albobunctatus (Hogg, 1896)		
85	Arachnida	Corinnidae	Nyssus coloripes Walckenaer, 1805		
86	Arachnida	Corinnidae	Poecilipta Simon, 1897		
87	Arachnida	Ctenidae Keyserling, 1877	Ctenidae Keyserling, 1877		
88	Arachnida	Deinopidae C.L. Koch, 1850	Asianopis schomburgki (Karsch, 1878)	mixed	
89	Arachnida	Desidae Pocock, 1895	Badumna insignis (L. Koch, 1872)		
90	Arachnida	Desidae Pocock, 1895	Corasoides Butler, 1929		
91	Arachnida	Desidae Pocock, 1895	Corasoides occidentalis Humphrey, 2017		
92	Arachnida	Desidae Pocock, 1895	Phryganoporus Simon, 1908		
93	Arachnida	Desidae Pocock, 1895	Phryganoporus candidus (L. Koch, 1872)		
94	Arachnida	Erythraeidae Robineau-Desvoidy, 1828	Charletonia perthensis (Womersley, 1934)		
95	Arachnida	Erythraeidae Robineau-Desvoidy, 1828	Microsmaris hirsti Womersley, 1934		
96	Arachnida	Erythraeidae Robineau-Desvoidy, 1828	Rainbowia celeripes (Rainbow, 1906)		
97	Arachnida	Garypidae Simon, 1879	Synsphyronus magnus Hoff, 1947	native	
98	Arachnida	Geogarypidae Chamberlin, 1930	Geogarypus taylori Harvey, 1986		
99	Arachnida	Gnaphosidae Banks, 1892	Ceryerda Simon, 1909		
100	Arachnida	Gnaphosidae Banks, 1892	Cryptoerithus quobba Platnick & Baehr, 2006		
101	Arachnida	Gnaphosidae Banks, 1892	Encoptarthria Main, 1954		
102	Arachnida	Gnaphosidae Banks, 1892	Encoptarthria echemophthalma (Simon, 1908)		
103	Arachnida	Gnaphosidae Banks, 1892	Gnaphosidae Banks, 1892		
104	Arachnida	Gnaphosidae Banks, 1892	Molycria quadricauda (Simon, 1908)		
105	Arachnida	Gnaphosidae Banks, 1892	Molycria vokes Platnick & Baehr, 2006		
106	Arachnida	Gnaphosidae Banks, 1892	Myandra bicincta Simon, 1908		
107	Arachnida	Gnaphosidae Banks, 1892	Myandra cambridgei Simon, 1887		
108	Arachnida	Hersiliidae Thorell, 1869	Tamopsis B. Baehr & M. Baehr, 1987		
109	Arachnida	Hersiliidae Thorell, 1869	Tamopsis perthensis B. Baehr & M. Baehr, 1987		
110	Arachnida	Idiopidae Simon, 1889	Eucyrtops Pocock, 1897		

111	Arachnida	Idiopidae Simon, 1889	Euoplos inornatus (Rainbow & Pulleine, 1918) (<i>inornate trapdoor spider (northern Jarrah Forest)</i>)	native	P3
112	Arachnida	Idiopidae Simon, 1889	Gaius Rainbow, 1914		
113	Arachnida	Idiopidae Simon, 1889	Gaius villosus Rainbow, 1914		
114	Arachnida	Idiopidae Simon, 1889	Idiosoma Ausserer, 1871		Parent of conservation listed taxa
115	Arachnida	Idiopidae Simon, 1889	Idiosoma raphiduca (Rainbow & Pulleine, 1918)	native	
116	Arachnida	Idiopidae Simon, 1889	Idiosoma sigillatum O. P.-Cambridge, 1870 (<i>Swan Coastal Plain shield-backed trapdoor spider</i>)	native	P3
117	Arachnida	Ixodidae	Amblyomma Koch, 1844		
118	Arachnida	Ixodidae	Amblyomma fimbriatum Koch, 1844		
119	Arachnida	Ixodidae	Amblyomma triguttatum triguttatum Koch, 1844	uncertain	
120	Arachnida	Lamponidae Simon, 1893	Lampona Thorell, 1869		
121	Arachnida	Lamponidae Simon, 1893	Lampona brevipes L. Koch, 1872		
122	Arachnida	Lamponidae Simon, 1893	Lampona cylindrata (L. Koch, 1866)		
123	Arachnida	Lamponidae Simon, 1893	Lampona punctigera Simon, 1908	mixed	
124	Arachnida	Lamponidae Simon, 1893	Lamponella kimba Platnick, 2000		
125	Arachnida	Lamponidae Simon, 1893	Longepi woodman Platnick, 2000	mixed	
126	Arachnida	Lamponidae Simon, 1893	Prionosternum nitidiceps (Simon, 1909)		
127	Arachnida	Lamponidae Simon, 1893	Prionosternum scutatum Dunn, 1951		
128	Arachnida	Lamponidae Simon, 1893	Pseudolampona woodman Platnick, 2000		
129	Arachnida	Linyphiidae Blackwall, 1859	Erigone Audouin, 1826		
130	Arachnida	Linyphiidae Blackwall, 1859	Laetesia Simon, 1908		
131	Arachnida	Linyphiidae Blackwall, 1859	Laperousea blattifera (Urquhart, 1887)		
132	Arachnida	Linyphiidae Blackwall, 1859	Linyphiidae Blackwall, 1859		
133	Arachnida	Lycosidae	Artoria Thorell, 1877		
134	Arachnida	Lycosidae	Artoria linnaei Framenau, 2008		
135	Arachnida	Lycosidae	Artoria taeniifera Simon, 1909		
136	Arachnida	Lycosidae	Artoriopsis expolita (L. Koch, 1877)		
137	Arachnida	Lycosidae	Dingosa Roewer, 1955		
138	Arachnida	Lycosidae	Dingosa serrata (L. Koch, 1877)		
139	Arachnida	Lycosidae	Hoggicosa forresti (McKay, 1973)		
140	Arachnida	Lycosidae	Hogna Simon, 1885		
141	Arachnida	Lycosidae	Hogna crispipes (L. Koch, 1877)		
142	Arachnida	Lycosidae	Lycosa Latreille, 1804		
143	Arachnida	Lycosidae	Lycosa australicola (Strand, 1913)		
144	Arachnida	Lycosidae	Lycosidae		
145	Arachnida	Lycosidae	Tasmanicosa godeffroyi (L. Koch, 1865)		
146	Arachnida	Lycosidae	Tasmanicosa leuckarti (Thorell, 1870)		
147	Arachnida	Lycosidae	Tetrallycosa oraria (L. Koch, 1876)		
148	Arachnida	Lycosidae	Venator Hogg, 1833		
149	Arachnida	Lycosidae	Venator immansuetus (Simon, 1909)		
150	Arachnida	Lycosidae	Venatrix pullastra (Simon, 1909)		
151	Arachnida	Malkaridae Davies, 1980	Westrarchaea sinuosa Rix, 2006		
152	Arachnida	Mimetidae Simon, 1881	Australomimetes aurioculatus (Hickman, 1929)		
153	Arachnida	Mimetidae Simon, 1881	Ero aphana (Walckenaer, 1802)		
154	Arachnida	Miturgidae Simon, 1889	Argoctenus L. Koch, 1878		
155	Arachnida	Miturgidae Simon, 1889	Elassoctenus Simon, 1909		
156	Arachnida	Miturgidae Simon, 1889	Eupograpta kottae Raven, 2009	native	
157	Arachnida	Miturgidae Simon, 1889	Hestimodema Simon, 1909		
158	Arachnida	Miturgidae Simon, 1889	Mituliodon tarantulinus (L. Koch, 1873)		
159	Arachnida	Miturgidae Simon, 1889	Miturga Thorell, 1870		

160	Arachnida	Miturgidae Simon, 1889	Miturgidae Simon, 1889		
161	Arachnida	Miturgidae Simon, 1889	Mitzoruga Raven, 2009		
162	Arachnida	Miturgidae Simon, 1889	Mitzoruga insularis Raven, 2009		
163	Arachnida	Miturgidae Simon, 1889	Thasyraea L. Koch, 1878	uncertain	
164	Arachnida	Neopilionidae Lawrence, 1931	Ballarra longipalpus Hunt & Cokendolpher, 1991		
165	Arachnida	Neopilionidae Lawrence, 1931	Megalopsalis Roewer, 1923		
166	Arachnida	Neopilionidae Lawrence, 1931	Neopilionidae Lawrence, 1931		
167	Arachnida	Nephilidae Simon, 1894	Trichonephila edulis (Labillardière, 1799)		
168	Arachnida	Nicodamidae Simon, 1897	Nicodamus mainae Harvey, 1995		
169	Arachnida	Oecobiidae Blackwall, 1862	Oecobius navus Blackwall, 1859		
170	Arachnida	Olpiidae Banks, 1895	Beierolpium Heurtault, 1976		
171	Arachnida	Oonopidae Simon, 1890	Grymeus Harvey, 1987		
172	Arachnida	Oonopidae Simon, 1890	Oonopidae Simon, 1890		
173	Arachnida	Oonopidae Simon, 1890	Opopaea Simon, 1892		
174	Arachnida	Oonopidae Simon, 1890	Pelcinus Simon, 1892		
175	Arachnida	Oxyopidae	Oxyopes Latreille, 1804		
176	Arachnida	Oxyopidae	Oxyopes rubicundus L. Koch, 1878		
177	Arachnida	Oxyopidae	Oxyopidae		
178	Arachnida	Philodromidae	Tibellus Simon, 1875		
179	Arachnida	Pholcidae C.L. Koch, 1851	Pholcus phalangioides (Fuesslin, 1775)		
180	Arachnida	Pholcidae C.L. Koch, 1851	Physocyclus globosus (Taczanowski, 1874)		
181	Arachnida	Pionidae	Piona murleyi Harvey, 1996		
182	Arachnida	Pisauridae Simon, 1890	Dolomedes Latreille, 1804		
183	Arachnida	Salticidae Blackwall, 1841	Apricia jovialis (L. Koch, 1879)		
184	Arachnida	Salticidae Blackwall, 1841	Clynotis severus (L. Koch, 1879)		
185	Arachnida	Salticidae Blackwall, 1841	Euophryini		
186	Arachnida	Salticidae Blackwall, 1841	Hasarius adansonii (Audouin, 1826)		
187	Arachnida	Salticidae Blackwall, 1841	Helpis Simon, 1901		
188	Arachnida	Salticidae Blackwall, 1841	Holoplatys deJongii Åberg, 1991		
189	Arachnida	Salticidae Blackwall, 1841	Maratus Karsch, 1878		
190	Arachnida	Salticidae Blackwall, 1841	Maratus pavonis (Dunn, 1947)		
191	Arachnida	Salticidae Blackwall, 1841	Opisthoncus L. Koch, 1880		
192	Arachnida	Salticidae Blackwall, 1841	Salticidae Blackwall, 1841		
193	Arachnida	Salticidae Blackwall, 1841	Servaea melaina Richardson & Gunter, 2012		
194	Arachnida	Salticidae Blackwall, 1841	Servaea spinibarbis Simon, 1909		
195	Arachnida	Salticidae Blackwall, 1841	Thyene concinna (Keyserling, 1881)		
196	Arachnida	Sclerosomatidae	Sclerosomatidae		
197	Arachnida	Scytodidae Blackwall, 1864	Scytodes Blackwall, 1864		
198	Arachnida	Scytodidae Blackwall, 1864	Scytodes thoracica (Latreille, 1802)		
199	Arachnida	Segestriidae Simon, 1893	Gippsicola raleighi Hogg, 1900		
200	Arachnida	Segestriidae Simon, 1893	Segestriidae Simon, 1893		
201	Arachnida	Sparassidae Bertkau, 1872	Delena Walckenaer, 1833		
202	Arachnida	Sparassidae Bertkau, 1872	Delena cancerides Walckenaer, 1837		
203	Arachnida	Sparassidae Bertkau, 1872	Holconia westralia Hirst, 1991		
204	Arachnida	Sparassidae Bertkau, 1872	Isopoda leishmanni Hogg, 1903		
205	Arachnida	Sparassidae Bertkau, 1872	Isopedella cana (Simon, 1908)		
206	Arachnida	Sparassidae Bertkau, 1872	Neosparassus Hogg, 1903		
207	Arachnida	Sparassidae Bertkau, 1872	Pediana occidentalis Hogg, 1903		
208	Arachnida	Sparassidae Bertkau, 1872	Sparassidae Bertkau, 1872		
209	Arachnida	Tetragnathidae	Pinkfloydia harveyi Dimitrov & Hormiga, 2011	native	
210	Arachnida	Tetragnathidae	Tetragnatha demissa L. Koch, 1872		
211	Arachnida	Tetranychidae Donnadieu,	Anatetranychus hakea Womersley, 1940		

		1876			
212	Arachnida	Theridiidae Sundevall, 1833	Achaearanea Strand, 1929		
213	Arachnida	Theridiidae Sundevall, 1833	Argyroides Simon, 1864		
214	Arachnida	Theridiidae Sundevall, 1833	Episinus Walckenaer, 1809		
215	Arachnida	Theridiidae Sundevall, 1833	Euryopsis Menge, 1868		
216	Arachnida	Theridiidae Sundevall, 1833	Gmogala Keyserling, 1890		
217	Arachnida	Theridiidae Sundevall, 1833	Hadrotarsinae		
218	Arachnida	Theridiidae Sundevall, 1833	Latrodectus hasselti Thorell, 1870		
219	Arachnida	Theridiidae Sundevall, 1833	Phycosoma O. Pickard-Cambridge, 1880		
220	Arachnida	Theridiidae Sundevall, 1833	Steatoda Sundevall, 1833		
221	Arachnida	Theridiidae Sundevall, 1833	Steatoda capensis Hann, 1990		
222	Arachnida	Theridiidae Sundevall, 1833	Steatoda grossa (C. L. Koch, 1838)		
223	Arachnida	Theridiidae Sundevall, 1833	Theridiidae Sundevall, 1833		
224	Arachnida	Theridiidae Sundevall, 1833	Theridion attritum Simon, 1908	native	
225	Arachnida	Thomisidae Sundevall, 1833	Australomisidia Szymkowiak, 2014		
226	Arachnida	Thomisidae Sundevall, 1833	Australomisidia cruentata (L. Koch, 1874)		
227	Arachnida	Thomisidae Sundevall, 1833	Diaea Thorell, 1869		
228	Arachnida	Thomisidae Sundevall, 1833	Sidymella Strand, 1942		
229	Arachnida	Thomisidae Sundevall, 1833	Stephanopsis O. Pickard-Cambridge, 1869		
230	Arachnida	Thomisidae Sundevall, 1833	Synalus angustus (L. Koch, 1876)		
231	Arachnida	Thomisidae Sundevall, 1833	Thomisidae Sundevall, 1833		
232	Arachnida	Thomisidae Sundevall, 1833	Thomisus spectabilis Doleschall, 1859		
233	Arachnida	Trachycosmidae Platnick, 2002	Longrita insidiosa (Simon, 1908)		
234	Arachnida	Trachycosmidae Platnick, 2002	Meedo Main, 1987		
235	Arachnida	Triaenonychidae	Nunciella Roewer, 1929		
236	Arachnida	Triaenonychidae	Nunciella aspera (Pocock, 1903)		
237	Arachnida	Uloboridae	Uloborus Latreille, 1806		
238	Arachnida	Urodacidae	Urodacus Peters, 1861		
239	Arachnida	Urodacidae	Urodacus novaehollandiae Peters, 1861		
240	Arachnida	Urodacidae	Urodacus planimanus Pocock, 1893		
241	Arachnida	Uropodidae Kramer, 1881	Uropodidae Kramer, 1881	uncertain	
242	Arachnida	Zodariidae Thorell, 1881	Asteron Jocqu��, 1991		
243	Arachnida	Zodariidae Thorell, 1881	Chilumena Jocqu��, 1995		
244	Arachnida	Zodariidae Thorell, 1881	Habronestes australiensis (O. Pickard-Cambridge, 1869)	native	
245	Arachnida	Zodariidae Thorell, 1881	Masasteron tuart Baehr, 2004		
246	Arachnida	Zodariidae Thorell, 1881	Neostorena Rainbow, 1914		
247	Arachnida	Zodariidae Thorell, 1881	Nostera Jocqu��, 1991		
248	Arachnida	Zodariidae Thorell, 1881	Storeninae		
249	Arachnida	Zodariidae Thorell, 1881	Zillimata Jocqu��, 1995		

250	Arachnida	Zodariidae Thorell, 1881	Zodariidae Thorell, 1881		
251	Ascidacea Blainville, 1824	Pyuridae	Microcosmus stoloniferus Kott, 1952		
252	Ascidacea Blainville, 1824	Pyuridae	Pyura rapaformis Kott, 1990		
253	Asteroidea	Archasteridae	Archaster angulatus Mller & Troschel, 1842		
254	Asteroidea	Asterinidae Gray, 1840	Nepanthia crassa (Gray, 1847)		
255	Asteroidea	Asterodiscididae	Asterodiscides culcitulus Rowe, 1977		
256	Asteroidea	Astropectinidae	Astropecten Gray, 1840		
257	Asteroidea	Astropectinidae	Astropecten preissi Mller & Troschel, 1843		
258	Asteroidea	Astropectinidae	Astropecten triseriatus Mller & Troschel, 1843		
259	Asteroidea	Astropectinidae	Bollonaster pectinatus (Sladen, 1883)		
260	Asteroidea	Goniasteridae	Pentagonaster duebeni Gray, 1847		
261	Asteroidea	Oreasteridae	Anthaster valvulatus (Troschel & Muller, 1843)		
262	Asteroidea	Oreasteridae	Anthenea australiae Drlerlein, 1915		
263	Aves	Acanthizidae	Acanthiza apicalis Gould, 1847	native	
264	Aves	Acanthizidae	Acanthiza apicalis apicalis Gould, 1847 (<i>Broad-tailed Thornbill, Inland Thornbill</i>)	native	
265	Aves	Acanthizidae	Acanthiza chrysorrhoa (Quoy & Gaimard, 1830)	native	
266	Aves	Acanthizidae	Acanthiza inornata Gould, 1841	native	
267	Aves	Acanthizidae	Gerygone fusca (Gould, 1838)	native	
268	Aves	Acanthizidae	Sericornis maculatus maculatus (Gray, 1847)		
269	Aves	Acanthizidae	Smicrornis brevirostris (Gould, 1838)	native	
270	Aves	Accipitridae	Circus approximans Peale, 1848	native	
271	Aves	Accipitridae	Elanus caeruleus (Desfontaines, 1789)	native	
272	Aves	Accipitridae	Haliaeetus leucogaster (Gmelin, 1788)	native	
273	Aves	Accipitridae	Hieraaetus morphnoides (Gould, 1841)	native	
274	Aves	Accipitridae	Pandion haliaetus (Linnaeus, 1758)	native	MI
275	Aves	Accipitridae	Tachypiza cirrocephala (Vieillot, 1817)	native	
276	Aves	Accipitridae	Tachypiza cirrocephala cirrocephala (Vieillot, 1817)	native	
277	Aves	Accipitridae	Tachypiza fasciata Vigors & Horsfield, 1827	native	
278	Aves	Accipitridae	Tachypiza fasciata fasciata (Vigors & Horsfield, 1827)	native	
279	Aves	Acrocephalidae	Acrocephalus Naumann, 1811		
280	Aves	Acrocephalidae	Acrocephalus australis (Gould, 1838)	native	
281	Aves	Acrocephalidae	Acrocephalus australis gouldi Dubois, 1901	native	
282	Aves	Alcedinidae	Dacelo novaeguineae (Hermann, 1783)	alien	
283	Aves	Alcedinidae	Todiramphus sanctus (Vigors & Horsfield, 1827)	native	
284	Aves	Alcedinidae	Todiramphus sanctus sanctus (Vigors & Horsfield, 1837)	native	
285	Aves	Anatidae	Anas castanea (Eyton, 1838)	native	
286	Aves	Anatidae	Anas gracilis Buller, 1869	native	
287	Aves	Anatidae	Anas superciliosa Gmelin, 1789	native	
288	Aves	Anatidae	Aythya australis (Eyton, 1838)	native	
289	Aves	Anatidae	Biziura lobata (Shaw, 1796)	native	
290	Aves	Anatidae	Cereopsis novaehollandiae grisea (Viellot, 1818)	native	VU
291	Aves	Anatidae	Chenonetta jubata (Latham, 1802)	native	
292	Aves	Anatidae	Cygnus atratus (Latham, 1790)	native	
293	Aves	Anatidae	Malacorhynchus membranaceus (Latham, 1802) (<i>Pink-eared Duck</i>)	native	
294	Aves	Anatidae	Oxyura australis Gould, 1836	native	P4
295	Aves	Anatidae	Spatula rhynchotis (Latham, 1802)		
296	Aves	Anatidae	Stictonetta naevosa (Gould, 1841)	native	
297	Aves	Anatidae	Tadorna tadornoides (Jardine & Selby, 1828)	native	
298	Aves	Anhingidae	Anhinga melanogaster Pennant, 1769	native	
299	Aves	Anhingidae	Anhinga novaehollandiae novaehollandiae (Gould, 1847)	native	
300	Aves	Apodidae	Apus pacificus pacificus (Latham, 1801)	native	Cons code inherited from

					parent
301	Aves	Ardeidae	<i>Ardea alba modesta</i> JE Gray, 1831	native	
302	Aves	Ardeidae	<i>Ardea pacifica</i> Latham, 1802	native	
303	Aves	Ardeidae	<i>Botaurus dubius</i> Mathews, 1912	native	P4
304	Aves	Ardeidae	<i>Botaurus flavicollis australis</i> (Lesson, 1831)	native	P2
305	Aves	Ardeidae	<i>Botaurus poiciloptilus</i> (Wagler, 1827)	native	EN
306	Aves	Ardeidae	<i>Egretta novaehollandiae</i> (Latham, 1790)		
307	Aves	Ardeidae	<i>Nycticorax caledonicus</i> (Gmelin, 1789) (<i>Rufous Night Heron</i>)	native	
308	Aves	Ardeidae	<i>Nycticorax caledonicus australasiae</i> (Vieillot, 1823)	native	
309	Aves	Artamidae	<i>Cracticus torquatus</i> (Latham, 1802)	native	
310	Aves	Artamidae	<i>Gymnorhina tibicen</i> (Latham, 1802)		
311	Aves	Artamidae	<i>Gymnorhina tibicen dorsalis</i> Campbell, 1895		
312	Aves	Cacatuidae	<i>Cacatua pastinator pastinator</i> (Gould, 1841) (<i>Muir's Corella</i> , <i>Muir's Corella (Western Corella SW WA)</i>)	native	CD
313	Aves	Cacatuidae	<i>Cacatua tenuirostris</i> (Kuhl, 1820)	alien	
314	Aves	Cacatuidae	<i>Calyptorhynchus banksii naso</i> Gould, 1837	native	VU
315	Aves	Cacatuidae	<i>Eolophus roseicapilla</i> (Vieillot, 1817)	native	
316	Aves	Cacatuidae	<i>Nymphicus hollandicus</i> (Kerr, 1792)	native	
317	Aves	Cacatuidae	<i>Zanda</i> Mathews, 1913		Parent of conservation listed taxa
318	Aves	Cacatuidae	<i>Zanda baudinii</i> Lear, 1832	native	EN
319	Aves	Cacatuidae	<i>Zanda latirostris</i> Carnaby, 1948	native	EN
320	Aves	Campephagidae	<i>Coracina novaehollandiae</i> (Gmelin, 1789)	native	
321	Aves	Campephagidae	<i>Lalage tricolor</i> (Swainson, 1825)	native	
322	Aves	Charadriidae	<i>Charadrius cucullatus</i> Vieillot, 1818 (<i>Hooded Plover</i>)	native	P4
323	Aves	Charadriidae	<i>Charadrius melanops</i> Vieillot, 1818	native	
324	Aves	Charadriidae	<i>Erythrogonyx cinctus</i> Gould, 1838	native	
325	Aves	Columbidae	<i>Spilopelia chinensis</i> (Scopoli, 1786)		
326	Aves	Columbidae	<i>Spilopelia chinensis tigrina</i> (Temminck, 1810)		
327	Aves	Columbidae	<i>Spilopelia senegalensis</i> (Linnaeus, 1766)		
328	Aves	Columbidae	<i>Spilopelia senegalensis senegalensis</i> (Linnaeus, 1766)		
329	Aves	Corvidae	<i>Corvus coronoides</i> Vigors & Horsfield, 1827	native	
330	Aves	Corvidae	<i>Corvus coronoides perplexus</i> Mathews, 1912	native	
331	Aves	Cuculidae	<i>Cacomantis flabelliformis</i> (Latham, 1802) (<i>Fan-tailed Cuckoo</i>)	native	
332	Aves	Cuculidae	<i>Chalcites basalis</i> (Horsfield, 1821) (<i>Horsfield's Bronze Cuckoo</i>)	native	
333	Aves	Cuculidae	<i>Chalcites lucidus</i> (Gmelin & JF, 1788)	native	
334	Aves	Cuculidae	<i>Chalcites lucidus plagosus</i> (Latham, 1802)		
335	Aves	Dicaeidae	<i>Dicaeum hirundinaceum</i> (Shaw, 1792)	native	
336	Aves	Dicruridae	<i>Dicrurus bracteatus bracteatus</i> Gould, 1843	native	
337	Aves	Diomededidae	<i>Diomedea antipodensis gibsoni</i> Robertson & Warham, 1992	native	EN
338	Aves	Diomededidae	<i>Diomedea exulans</i> Linnaeus, 1758	native	VU
339	Aves	Diomededidae	<i>Phoebastria fusca</i> (Hilsenberg, 1822)	native	EN
340	Aves	Diomededidae	<i>Thalassarche carteri</i> (Rothschild, 1903)	native	EN
341	Aves	Diomededidae	<i>Thalassarche chlororhynchos</i> (Gmelin, 1789)	native	VU
342	Aves	Diomededidae	<i>Thalassarche chrysostoma</i> (J.R. Forster, 1785)	native	VU
343	Aves	Diomededidae	<i>Thalassarche melanophris</i> (Temminck, 1828)	native	EN
344	Aves	Falconidae	<i>Falco hypoleucos</i> Gould, 1841 (<i>Grey Falcon</i>)	native	VU
345	Aves	Falconidae	<i>Falco longipennis longipennis</i> Swainson, 1837	native	
346	Aves	Falconidae	<i>Falco peregrinus</i> Tunstall, 1771 (<i>Peregrine Falcon</i>)	native	OS
347	Aves	Falconidae	<i>Falco peregrinus macropus</i> Swainson, 1837	native	Cons code inherited from parent

348	Aves	Fringillidae	Carduelis carduelis britannica (Hartert, 1903)	alien	
349	Aves	Hirundinidae	Hirundo neoxena Gould, 1842	native	
350	Aves	Hirundinidae	Petrochelidon nigricans (Vieillot, 1817)	native	
351	Aves	Hydrobatidae	Oceanites oceanicus (Kuhl, 1820)	native	MI
352	Aves	Hydrobatidae	Pelagodroma marina dulciae Matthews, 1912	native	
353	Aves	Laridae	Anous stolidus pileatus (Scopoli, 1786)	native	Cons code inherited from parent
354	Aves	Laridae	Anous tenuirostris melanops Gould, 1846	native	EN
355	Aves	Laridae	Chlidonias leucopterus (Temminck, 1815)	native	MI
356	Aves	Laridae	Chroicocephalus novaehollandiae Stephens, 1826		
357	Aves	Laridae	Chroicocephalus novaehollandiae novaehollandiae Stephens, 1826		
358	Aves	Laridae	Hydroprogne caspia (Pallas, 1770)	native	MI
359	Aves	Laridae	Larus dominicanus Lichtenstein, 1823	native	
360	Aves	Laridae	Onychoprion anaethetus anaethetus (Scopoli, 1786)		Cons code inherited from parent
361	Aves	Laridae	Onychoprion fuscatus nubilosus (Sparrman, 1788)		
362	Aves	Laridae	Sterna bergii cristata Stephens, 1826	native	
363	Aves	Laridae	Sterna paradisaea Pontoppidan, 1763	native	MI
364	Aves	Laridae	Sternula nereis nereis Gould, 1843	native	VU
365	Aves	Laridae	Thalasseus bergii (Lichtenstein, 1823)	native	MI
366	Aves	Locustellidae Bonaparte, 1854	Cincloramphus mathewsi Iredale, 1911	native	
367	Aves	Locustellidae Bonaparte, 1854	Poodytes gramineus gramineus (Gould, 1845)		
368	Aves	Maluridae	Malurus assimilis assimilis North, 1901		
369	Aves	Maluridae	Malurus splendens (Quoy & Gaimard, 1830)	native	
370	Aves	Megapodiidae	Leipoa ocellata Gould, 1840	native	VU
371	Aves	Meliphagidae	Acanthorhynchus superciliosus Gould, 1837	native	
372	Aves	Meliphagidae	Anthochaera carunculata (Shaw, 1790)	native	
373	Aves	Meliphagidae	Anthochaera lunulata Gould, 1838	native	
374	Aves	Meliphagidae	Gavicalis virescens (Vieillot, 1817)	native	
375	Aves	Meliphagidae	Lichmera indistincta (Vigors & Horsfield, 1827)	native	
376	Aves	Meliphagidae	Lichmera indistincta indistincta (Vigors & Horsfield, 1827)	native	
377	Aves	Meliphagidae	Melithreptus chloropsis Gould, 1848	native	
378	Aves	Meliphagidae	Phylidonyris niger (Bechstein, 1811)	native	
379	Aves	Meliphagidae	Phylidonyris niger gouldii (Schlegel, 1872)	native	
380	Aves	Meliphagidae	Phylidonyris novaehollandiae (Latham, 1790)	native	
381	Aves	Meliphagidae	Ptilotula ornata (Gould, 1838)	native	
382	Aves	Meropidae	Merops ornatus Latham, 1802	native	
383	Aves	Monarchidae Bonaparte, 1854	Myiagra inquieta (Latham, 1802)	native	
384	Aves	Neosittidae	Daphoenositta chrysoptera (Latham, 1802)	native	
385	Aves	Pachycephalidae	Pachycephala rufiventris (Latham, 1802)	native	
386	Aves	Pachycephalidae	Pachycephala rufiventris rufiventris (Latham, 1802)	native	
387	Aves	Pardalotidae	Pardalotus punctatus (Shaw, 1792)	native	
388	Aves	Pardalotidae	Pardalotus punctatus punctatus (Shaw, 1792) (<i>Spotted Pardalote</i>)	native	
389	Aves	Pardalotidae	Pardalotus striatus (Gmelin, 1789)	native	
390	Aves	Pardalotidae	Pardalotus striatus westraliensis Mathews, 1912	native	
391	Aves	Pelecanidae	Pelecanus conspicillatus Temminck, 1824	native	
392	Aves	Petroicidae Mathews, 1920	Eopsaltria griseogularis Gould, 1838		
393	Aves	Petroicidae Mathews, 1920	Petroica boodang campbelli Sharpe, 1898	native	
394	Aves	Petroicidae Mathews, 1920	Petroica goodenovii (Vigors & Horsfield, 1827)	native	
395	Aves	Phaethontidae	Phaethon rubricauda Boddaert, 1783	native	MI, P4

396	Aves	Phalacrocoracidae	Microcarbo melanoleucos (Vieillot, 1817)		
397	Aves	Phalacrocoracidae	Microcarbo melanoleucos melanoleucos (Vieillot, 1817)		
398	Aves	Phalacrocoracidae	Phalacrocorax sulcirostris (von Brandt, 1837)	native	
399	Aves	Phalacrocoracidae	Phalacrocorax varius hypoleucos (von Brandt, 1837)	native	
400	Aves	Phasianidae	Coturnix pectoralis Gould, 1837	native	
401	Aves	Pittidae	Pitta iris johnstoneiana Schodde & Mason, 1999	native	
402	Aves	Podargidae	Podargus strigoides (Latham, 1802)	native	
403	Aves	Podargidae	Podargus strigoides brachypterus Gould, 1841	native	
404	Aves	Podicipedidae	Tachybaptus novaehollandiae novaehollandiae (Stephens, 1826)	native	
405	Aves	Procellariidae	Aphrodroma brevirostris (Lesson, 1831)		
406	Aves	Procellariidae	Ardenna carneipes (Gould, 1844)	native	VU
407	Aves	Procellariidae	Ardenna grisea (Gmelin, 1789)	native	MI
408	Aves	Procellariidae	Ardenna pacifica (Gmelin, 1789)	native	MI
409	Aves	Procellariidae	Calonectris leucomelas (Temminck, 1835)	native	MI
410	Aves	Procellariidae	Daption capense (Linnaeus, 1758)	native	
411	Aves	Procellariidae	Halobaena caerulea (Gmelin, 1789)	native	VU
412	Aves	Procellariidae	Macronectes giganteus (Gmelin, 1789)	native	MI
413	Aves	Procellariidae	Pachyptila belcheri (Mathews, 1912)	native	
414	Aves	Procellariidae	Pachyptila desolata (Gmelin, 1789)	native	
415	Aves	Procellariidae	Pachyptila salvini (Mathews, 1912)	native	
416	Aves	Procellariidae	Pterodroma lessonii (Garnot, 1826)	native	
417	Aves	Procellariidae	Pterodroma macroptera (Smith, 1840) (<i>Great-winged Petrel</i>)	native	
418	Aves	Procellariidae	Pterodroma mollis (Gould, 1844)	native	VU
419	Aves	Procellariidae	Puffinus assimilis Gould, 1838 (<i>Little Shearwater</i>)	native	
420	Aves	Procellariidae	Puffinus assimilis assimilis Gould, 1838	native	
421	Aves	Procellariidae	Puffinus assimilis tunneyi Matthews, 1912	native	
422	Aves	Procellariidae	Puffinus huttoni Mathews, 1912	native	EN
423	Aves	Psittacidae	Pezoporus wallicus flaviventris North, 1911	native	CR
424	Aves	Psittaculidae	Barnardius zonarius (Shaw, 1805)		
425	Aves	Psittaculidae	Barnardius zonarius semitorquatus (Quoy & Gaimard, 1830)		
426	Aves	Psittaculidae	Barnardius zonarius zonarius (Gray & Shaw, 1805)		
427	Aves	Psittaculidae	Parvipsitta porphyrocephala (Dietrichsen, 1837)	native	
428	Aves	Psittaculidae	Purpureicephalus spurius (Kuhl, 1820)	native	
429	Aves	Psittaculidae	Trichoglossus haematodus (Linnaeus, 1771)	native	
430	Aves	Rallidae	Fulica atra Linnaeus, 1758 (<i>Eurasian Coot</i>)	native	
431	Aves	Rallidae	Fulica atra australis Gould, 1845	native	
432	Aves	Rallidae	Gallinula tenebrosa Gould, 1846 (<i>Dusky Moorhen</i>)	native	
433	Aves	Rallidae	Gallinula tenebrosa tenebrosa Gould, 1846	native	
434	Aves	Rallidae	Hypotaenidia philippensis (Linnaeus, 1766)		
435	Aves	Rallidae	Hypotaenidia philippensis mellori (Mathews, 1912)		
436	Aves	Rallidae	Porphyrio porphyrio (Linnaeus, 1758)	native	
437	Aves	Rallidae	Porphyrio porphyrio bellus Gould, 1841	native	
438	Aves	Rallidae	Tribonyx ventralis (Gould, 1837)	native	
439	Aves	Rallidae	Zapornia tabuensis (Gmelin, 1789)		
440	Aves	Recurvirostridae	Himantopus himantopus (Linnaeus, 1758)	native	
441	Aves	Recurvirostridae	Recurvirostra novaehollandiae Vieillot, 1816	native	
442	Aves	Rhipiduridae	Rhipidura albiscapa Gould, 1840	native	
443	Aves	Rhipiduridae	Rhipidura leucophrys (Latham, 1802)	native	
444	Aves	Rostratulidae	Rostratula australis (Gould, 1838) (<i>Australian Painted Snipe</i>)	native	EN
445	Aves	Scolopacidae	Actitis hypoleucos (Linnaeus, 1758)	native	MI
446	Aves	Scolopacidae	Calidris acuminata (Horsfield, 1821)	native	MI
					Cons code

447	Aves	Scolopacidae	Calidris canutus rogersi (Mathews, 1913)	native	inherited from parent
448	Aves	Scolopacidae	Calidris ferruginea (Pontoppidan, 1763)	native	CR
449	Aves	Scolopacidae	Calidris ruficollis (Pallas, 1776)	native	MI
450	Aves	Scolopacidae	Calidris subminuta (Middendorff, 1853)	native	MI
451	Aves	Scolopacidae	Limosa limosa melanuroides Gould, 1846	native	Cons code inherited from parent
452	Aves	Scolopacidae	Numenius madagascariensis (Linnaeus, 1766) (<i>Eastern Curlew</i>)	native	CR
453	Aves	Scolopacidae	Tringa brevipes (Vieillot, 1816)	native	MI, P4
454	Aves	Scolopacidae	Tringa glareola Linnaeus, 1758	native	MI
455	Aves	Scolopacidae	Tringa nebularia (Gunnerus, 1767)	native	MI
456	Aves	Stercorariidae	Stercorarius parasiticus (Linnaeus, 1758)	native	MI
457	Aves	Strigidae	Ninox boobook (Latham, 1801)	native	
458	Aves	Strigidae	Ninox boobook boobook (Latham, 1801)	native	
459	Aves	Strigidae	Ninox connivens connivens (Latham, 1802)	native	P3
460	Aves	Sulidae	Sula leucogaster plotus (J.R. Forster, 1844)	native	Cons code inherited from parent
461	Aves	Sylviidae	Megalurus gramineus (Gould, 1845)	native	
462	Aves	Threskiornithidae	Platalea flavipes Gould, 1838	native	
463	Aves	Threskiornithidae	Plegadis falcinellus (Linnaeus, 1766)	native	MI
464	Aves	Threskiornithidae	Threskiornis moluccus (Cuvier, 1829)	native	
465	Aves	Threskiornithidae	Threskiornis spinicollis (Jameson, 1835)	native	
466	Aves	Turnicidae	Turnix varius (Latham, 1802)	native	
467	Aves	Turnicidae	Turnix varius varius (Latham, 1802)	native	
468	Aves	Tytonidae	Tyto javanica delicatula (Gould, 1837)		
469	Aves	Tytonidae	Tyto novaehollandiae novaehollandiae (Stephens, 1826)	native	P3
470	Aves	Zosteropidae	Zosterops lateralis (Latham, 1802)	native	
471	Aves	Zosteropidae	Zosterops lateralis chloronotus Gould, 1841	native	
472	Bivalvia	Cardiidae Lamarck, 1809	Acrosterigma cygnorum (Deshayes, 1855)		
473	Bivalvia	Cardiidae Lamarck, 1809	Fulvia tenuicostata (Lamarck, 1819)		
474	Bivalvia	Cardiidae Lamarck, 1809	Vasticardium vertebratum (Jonas, 1844)		
475	Bivalvia	Carditidae F��ussac, 1822	Cardita crassicosta Lamarck, 1819		
476	Bivalvia	Carditidae F��ussac, 1822	Megacardita turgida (Lamarck, 1819)		
477	Bivalvia	Corbulidae Lamarck, 1818	Corbula Brugui��re, 1797		
478	Bivalvia	Crassatellidae F��ussac, 1822	Eucrassatella decipiens (Reeve, 1842)		
479	Bivalvia	Donacidae Fleming, 1828	Donax electilis (Iredale, 1930)		
480	Bivalvia	Donacidae Fleming, 1828	Latona columbella (Lamarck, 1818)		
481	Bivalvia	Glycymerididae Dall, 1908	Glycymeris da Costa, 1778		
482	Bivalvia	Glycymerididae Dall, 1908	Glycymeris striatularis (Lamarck, 1819)		
483	Bivalvia	Hyriidae	Hyriidae		
484	Bivalvia	Hyriidae	Westralunio carteri Iredale, 1934 (<i>Carter's Freshwater Mussel</i>)	native	VU
485	Bivalvia	Lucinidae	Wallucina assimilis (Angas, 1868)		
486	Bivalvia	Modiolidae	Modiolus auriculatus (Krauss, 1848)		
487	Bivalvia	Mytilidae Rafinesque, 1815	Arcuatula senhousia (Benson, 1842)		
488	Bivalvia	Mytilidae Rafinesque, 1815	Brachidontes erosus (Lamarck, 1819)		
489	Bivalvia	Pectinidae Rafinesque, 1815	Mimachlamys asperima (Lamarck, 1819)		
490	Bivalvia	Thraciidae Stoliczka, 1870	Thracia Blainville, 1824		
491	Bivalvia	Trigoniidae	Neotrigonia Cossmann, 1912		
492	Bivalvia	Veneridae Rafinesque, 1815	Dosinia Scopoli, 1777		

493	Bivalvia	Veneridae Rafinesque, 1815	Dosinia incisa (Reeve, 1850)		
494	Bivalvia	Veneridae Rafinesque, 1815	Eumarcia fumigata (Sowerby, 1853)		
495	Bivalvia	Veneridae Rafinesque, 1815	Gomphina undulosa (Lamarck, 1818)		
496	Bivalvia	Veneridae Rafinesque, 1815	Irus carditoides (Lamarck, 1818)		
497	Bivalvia	Veneridae Rafinesque, 1815	Irus crenatus (Lamarck, 1818)		
498	Bivalvia	Veneridae Rafinesque, 1815	Petricola divergens (Gmelin, 1791)		
499	Bivalvia	Veneridae Rafinesque, 1815	Timoclea T. Brown, 1827		
500	Bivalvia	Vulsellidae Gray, 1854	Crenatula picta (Gmelin, 1791)		
501	Cephalopoda	Sepiidae Leach, 1817	Sepia novaehollandiae Hoyle, 1909		
502	Cephalopoda	Sepiolidae Leach, 1817	Euprymna tasmanica (Pfeffer, 1884)		
503	Chilopoda Latreille, 1817	None	Chilopoda Latreille, 1817		
504	Chilopoda Latreille, 1817	None	Geophilida	native	
505	Chilopoda Latreille, 1817	Chilenophilidae	Ribautia imparata (Attems, 1911)		
506	Chilopoda Latreille, 1817	Cryptopidae Kohlrausch, 1881	Cryptopidae Kohlrausch, 1881		
507	Chilopoda Latreille, 1817	Henicopidae	Henicops Newport, 1845	mixed	
508	Chilopoda Latreille, 1817	Mecistocephalidae	Mecistocephalus tahitiensis Wood, 1862		
509	Chilopoda Latreille, 1817	Scolopendridae	Cormocephalus aurantiipes (Newport, 1844)		
510	Chilopoda Latreille, 1817	Scolopendridae	Cormocephalus hartmeyer Kraepelin, 1908		
511	Chilopoda Latreille, 1817	Scolopendridae	Cormocephalus novaehollandiae (Kraepelin, 1908)		
512	Chilopoda Latreille, 1817	Scolopendridae	Cormocephalus rubriceps (Newport, 1843)		
513	Chilopoda Latreille, 1817	Scolopendridae	Cormocephalus strigosus Kraepelin, 1908		
514	Chilopoda Latreille, 1817	Scolopendridae	Notiasemus glauerti L. E. Koch, 1985		
515	Chilopoda Latreille, 1817	Scolopendridae	Scolopendra Linnaeus, 1758		
516	Chilopoda Latreille, 1817	Scolopendridae	Scolopendra laeta Haase, 1887		
517	Chilopoda Latreille, 1817	Scutigeridae Leach, 1814	Allothereua maculata (Newport, 1844)		
518	Chilopoda Latreille, 1817	Scutigeridae Leach, 1814	Scutigera Lamarck, 1801	mixed	
519	Chondrichthyes Huxley, 1880	Lamnidae	Carcharodon carcharias (Linnaeus, 1758) (<i>Great White Shark</i>)	native	VU
520	Collembola Lubbock, 1870	Isotomidae	Isotoma Bourlet, 1839		
521	Cubozoa Werner, 1973	Carybdeidae Gegenbaur, 1857	Carybdea xaymacana Conant, 1897		
522	Demospongiae	Microcionidae	Clathria (Wilsonella) australiensis Carter, 1885		
523	Diplopoda de Blainville, 1844	None	Diplopoda de Blainville, 1844		
524	Diplopoda de Blainville, 1844	None	Polydesmida		
525	Diplopoda de Blainville, 1844	None	Spirostreptida		
526	Diplopoda de Blainville, 1844	Iulomorphidae Verhoeff, 1924	Podykipus collinus Attems, 1911		

527	Diplopoda de Blainville, 1844	Julidae Leach, 1814	Ommatoiulus moreleti (Lucas, 1860)		
528	Diplopoda de Blainville, 1844	Paradoxosomatidae	Akamptogonus novarae (Humbert & de Saussure, 1869)		
529	Diplopoda de Blainville, 1844	Paradoxosomatidae	Antichiropodini		
530	Diplopoda de Blainville, 1844	Paradoxosomatidae	Antichiropus Attems, 1911		
531	Diplopoda de Blainville, 1844	Paradoxosomatidae	Antichiropus variabilis Attems, 1911		
532	Diplopoda de Blainville, 1844	Paradoxosomatidae	Antichiropus whistleri Attems, 1911		
533	Diplopoda de Blainville, 1844	Paradoxosomatidae	Oxidus gracilis (C.L. Koch, 1847)		
534	Diplopoda de Blainville, 1844	Paradoxosomatidae	Paradoxosomatidae		
535	Diplopoda de Blainville, 1844	Paradoxosomatidae	Solaenodolichopus Verhoeff, 1924		
536	Diplopoda de Blainville, 1844	Paradoxosomatidae	Solaenodolichopus pruvoti (Brolemann, 1931)		
537	Echinoidea	Cidaridae	Goniocidaris (Goniocidaris) tubaria (Lamarck, 1816)		
538	Gastropoda	Amphibolidae Gray, 1840	Salinator fragilis (Lamarck, 1822)		
539	Gastropoda	Anabathridae	Badepigrus pupoideus (H. Adams, 1866)		
540	Gastropoda	Batillariidae	Batillaria australis (Quoy & Gaimard, 1834)		
541	Gastropoda	Bothriembryontidae Iredale, 1937	Bothriembryon Pilsbry, 1894		
542	Gastropoda	Bothriembryontidae Iredale, 1937	Bothriembryon bulla (Menke, 1843)	native	
543	Gastropoda	Bothriembryontidae Iredale, 1937	Bothriembryon indutus (Menke, 1843)		
544	Gastropoda	Bothriembryontidae Iredale, 1937	Bothriembryon kendricki Hill, Johnson & Merrifield, 1983		
545	Gastropoda	Bullidae Gray, 1827	Bulla quoyii Gray & Dieffenbach, 1843		
546	Gastropoda	Charopidae	Luinodiscus sublesta (Benson, 1853)		
547	Gastropoda	Chilodontaidae Wenz, 1938	Herpetopoma aspersum (R. A. Philippi, 1846)		
548	Gastropoda	Clathurellidae H. Adams & A. Adams, 1858	Etrema bicolor (Angas, 1871)		
549	Gastropoda	Clathurellidae H. Adams & A. Adams, 1858	Etrema denseplicata (Dunker, 1871)		
550	Gastropoda	Clathurellidae H. Adams & A. Adams, 1858	Etrema paucimaculata (Angas, 1880)		
551	Gastropoda	Columbellidae Swainson, 1840	Mitrella austrina (Gaskoin, 1852)		
552	Gastropoda	Columbellidae Swainson, 1840	Mitrella bicincta (Gould, 1860)		
553	Gastropoda	Columbellidae Swainson, 1840	Mitrella menkeana (Reeve, 1858)		
554	Gastropoda	Conidae Fleming, 1822	Conus anemone Lamarck, 1810		
555	Gastropoda	Cymatiidae	Cabestana tabulata (Menke, 1843)		
556	Gastropoda	Cymatiidae	Monoplex exaratus (Reeve, 1844)		
557	Gastropoda	Cypraeidae Rafinesque, 1815	Austrocypraea reevei (Sowerby, 1832)		
558	Gastropoda	Dendrodorididae O'Donoghue, 1924	Dendrodoris krusensternii (J. E. Gray, 1850)		
559	Gastropoda	Eatoniellidae Ponder, 1965	Eatoniella australiensis (Thiele, 1930)		
560	Gastropoda	Eatoniellidae Ponder, 1965	Eatoniella hewittae Ponder & Yoo, 1978		
561	Gastropoda	Epitoniidae	Janthina janthina (Linnaeus, 1758)		
562	Gastropoda	Fascioliariidae Gray, 1853	Microcolus dunkeri (Jonas, 1846)		
563	Gastropoda	Geomitridae	Cochlicella acuta (Müller, 1774)		
564	Gastropoda	Glaucidae Gray, 1827	Glaucus atlanticus Forster, 1777		

565	Gastropoda	Haliotidae Rafinesque, 1815	Haliotis semiplicata Menke, 1843		
566	Gastropoda	Helicidae Rafinesque, 1815	Cornu aspersum (Müller, 1774)		
567	Gastropoda	Helicidae Rafinesque, 1815	Theba pisana (Müller, 1774)		
568	Gastropoda	Hermaeidae	Polybranchia westralis Jensen, 1993		
569	Gastropoda	Littorinidae Children, 1834	Austrolittorina unifasciata (Gray, 1826)		
570	Gastropoda	Littorinidae Children, 1834	Echinolittorina australis (Gray, 1826)		
571	Gastropoda	Lottiidae	Lottia onychitis (Menke, 1843)		
572	Gastropoda	Lottiidae	Patelloida alticostata (Angas, 1865)		
573	Gastropoda	Lottiidae	Patelloida nigrosulcata (Reeve, 1855)		
574	Gastropoda	Lymnaeidae	Bullastra lessoni (Deshayes, 1831)		
575	Gastropoda	Lymnaeidae	Lymnaea Lamarck, 1799		
576	Gastropoda	Lymnaeidae	Lymnaea stagnalis (Linnaeus, 1758)		
577	Gastropoda	Mangeliidae	Parviterebra brazieri (Angas, 1875)		
578	Gastropoda	Muricidae Rafinesque, 1815	Dicathais orbita (Gmelin, 1791)		
579	Gastropoda	Muricidae Rafinesque, 1815	Murexsul planiliratus (Reeve, 1845)		
580	Gastropoda	Nassariidae	Nassarius pauperatus (Lamarck, 1822)		
581	Gastropoda	Nassariidae	Nassarius pyrrhus (Menke, 1843)		
582	Gastropoda	Naticidae Guilding, 1834	Conuber conicus (Lamarck, 1822)		
583	Gastropoda	Naticidae Guilding, 1834	Naticarius colliei (Röcluz, 1844)		
584	Gastropoda	Neritidae Rafinesque, 1815	Nerita atramentosa Reeve, 1855		
585	Gastropoda	Newtoniellidae Korobkov, 1955	Ataxocerithium serotinum (Adams, 1855)		
586	Gastropoda	Orbitestellidae Iredale, 1917	Microdiscula charopa (Tate, 1889)		
587	Gastropoda	Patellidae Rafinesque, 1815	Scutellastra peronii (Blainville, 1825)		
588	Gastropoda	Phasianellidae Swainson, 1840	Hiloa variabilis (Pease, 1861)		
589	Gastropoda	Phasianellidae Swainson, 1840	Phasianella australis (Gmelin, 1788)		
590	Gastropoda	Phasianellidae Swainson, 1840	Tricolia fordiana (Pilsbry, 1888)		
591	Gastropoda	Phasianellidae Swainson, 1840	Tricolia rosea (Angas, 1867)		
592	Gastropoda	Phasianellidae Swainson, 1840	Tricolia tomlini (Gatliff & Gabriel, 1921)		
593	Gastropoda	Physidae	Physa Draparnaud, 1801		
594	Gastropoda	Plakobranchidae Gray, 1840	Elysia Risso, 1818		
595	Gastropoda	Plakobranchidae Gray, 1840	Elysia brycei (F. E. Wells & K. R. Jensen, 1990)		
596	Gastropoda	Planorbidae Rafinesque, 1815	Glyptophysa georgiana (Quoy & Gaimard, 1832)		
597	Gastropoda	Planorbidae Rafinesque, 1815	Planorbella duryi (Wetherby, 1879)		
598	Gastropoda	Planorbidae Rafinesque, 1815	Planorbis O. F. Müller, 1773		
599	Gastropoda	Punctidae	Paralaoma Iredale, 1913		
600	Gastropoda	Punctidae	Paralaoma servilis (Shuttleworth, 1852)		
601	Gastropoda	Punctidae	Punctidae		
602	Gastropoda	Pyramidellidae Fischer, 1840	Chrysallida mariellaeformis Nomura, 1938		
603	Gastropoda	Raphitomidae Bellardi, 1875	Paramontana rufozonata (Angas, 1877)		
604	Gastropoda	Rissoidae Gray, 1847	Alvania novarensis Frauenfeld, 1867		
605	Gastropoda	Rissoidae Gray, 1847	Alvania strangei (Brazier, 1894)		
606	Gastropoda	Rissoinidae W. Stimpson, 1865	Rissoina nivea A. Adams, 1853		

607	Gastropoda	Strombidae Rafinesque, 1815	Canarium mutabile (Swainson, 1821)		
608	Gastropoda	Strombidae Rafinesque, 1815	Doxander campbelli Griffith & Pidgeon, 1834		
609	Gastropoda	Succineidae Beck, 1837	Succinea Draparnaud, 1801		
610	Gastropoda	Succineidae Beck, 1837	Succinea contenta (Iredale, 1939)		
611	Gastropoda	Succineidae Beck, 1837	Succineidae Beck, 1837		
612	Gastropoda	Tateidae	Westrapyrgus slacksmithae Ponder, Clark & Miller, 1999		
613	Gastropoda	Tomichiidae Wenz, 1938	Coxiella striatula (Menke, 1843)		
614	Gastropoda	Tonnidae Suter, 1913	Tonna variegata (Lamarck, 1822)		
615	Gastropoda	Triphoridae J. E. Gray, 1847	Bouchettriphora pallida (Pease, 1870)		
616	Gastropoda	Trochidae Rafinesque, 1815	Austrocochlea rudis (Gray, 1826)		
617	Gastropoda	Trochidae Rafinesque, 1815	Monilea callifera (Lamarck, 1822)		
618	Gastropoda	Trochidae Rafinesque, 1815	Prothalotia pulcherrima (Wood, 1828)		
619	Gastropoda	Turbinidae	Lunella torquata (Gmelin, 1791)		
620	Gastropoda	Turbinidae	Turbo gruneri Philippi, 1846		
621	Gastropoda	Valloniidae Morse, 1864	Vallonia excentrica Sterki, 1893		
622	Gastropoda	Volutidae Rafinesque, 1815	Amoria damonii Gray, 1864		
623	Gastropoda	Volutidae Rafinesque, 1815	Amoria grayi Ludbrook, 1953		
624	Gastropoda	Volutidae Rafinesque, 1815	Cymbiola nivosa (Lamarck, 1804)		
625	Gastropoda	Zebinidae	Zebina triticea (Pease, 1861)		
626	Hexacorallia	Rhizangiidae	Culicia Dana, 1846		
627	Holothuroidea de Blainville, 1834	Cucumariidae Ludwig, 1894	Psolidiella maculosa O'Loughlin, 2000		
628	Holothuroidea de Blainville, 1834	Phyllophoridae Å-stergren, 1907	Lipotrapeza vestiens (Joshua, 1914)		
629	Homoscleromorpha Bergquist, 1978	Plakinidae Schulze, 1880	Corticium Schmidt, 1862		
630	Insecta	None	Diptera		
631	Insecta	None	Fulgoroidea		
632	Insecta	None	Hymenoptera		
633	Insecta	None	Insecta		
634	Insecta	None	Odonata		
635	Insecta	Achilidae	Achilidae		
636	Insecta	Aeshnidae	Adversaeschna brevistyla (Rambur, 1842)		
637	Insecta	Aeshnidae	Anax papuensis (Burmeister, 1839)		
638	Insecta	Alydidae	Leptocorisa Latreille, 1829		
639	Insecta	Alydidae	Melanacanthus margineguttatus Distant, 1911		
640	Insecta	Anthelidae	Anthela canescens (Walker, 1855)		
641	Insecta	Anthelidae	Munychryia pericylya Common & McFarland, 1970		
642	Insecta	Apidae	Amegilla (Asaropoda) preissi (Cockerell, 1910)		
643	Insecta	Apidae	Amegilla (Notomegilla) chlorocyanea (Cockerell, 1914)		
644	Insecta	Apidae	Apis mellifera Linnaeus, 1758		
645	Insecta	Apidae	Exoneura (Exoneura) Smith, 1854		
646	Insecta	Apidae	Exoneura (Exoneura) pictifrons Alfken, 1907		
647	Insecta	Apidae	Exoneura Smith, 1854		
648	Insecta	Aradidae	Neuroctenus transitus Monteith, 1997		
649	Insecta	Belidae Schoenherr, 1826	Rhinotia suturalis (MacLeay, 1826)		
650	Insecta	Berothidae	Spermophorella		
651	Insecta	Bittacidae	Harpobittacus Gerstaecker, 1885		
652	Insecta	Blaberidae Saussure, 1864	Calolampra Saussure, 1893		

653	Insecta	Blaberidae Saussure, 1864	Calolampra marginalis (Walker, 1868)		
654	Insecta	Blattidae	Drymaplaneta heydeniana (Saussure, 1864)		
655	Insecta	Blattidae	Drymaplaneta semivitta (Walker, 1868)		
656	Insecta	Blattidae	Melanozosteria occidentalis Mackerras, 1968		
657	Insecta	Blattidae	Platyzosteria fallax (Walker, 1868)		
658	Insecta	Blattidae	Zonioploca pallida Shelford, 1909		
659	Insecta	Bolboceratidae	Blackbolbus frontalis (GuÃ©rin-MÃ©neville, 1838)		
660	Insecta	Bolboceratidae	Blackburnium triceratops Howden, 1979		
661	Insecta	Bombyliidae Latreille, 1802	Choristus Walker, 1852		
662	Insecta	Braconidae	Cheloninae		
663	Insecta	Buprestidae Leach, 1815	Agrilus (Agrilus) kangaroo Curletti, 2001		
664	Insecta	Buprestidae Leach, 1815	Astraeus (Astraeus) fraterculus van de Poll, 1889		
665	Insecta	Buprestidae Leach, 1815	Astraeus (Astraeus) oberthuri van de Poll, 1889		
666	Insecta	Buprestidae Leach, 1815	Buprestidae Leach, 1815		
667	Insecta	Buprestidae Leach, 1815	Castiarina Gory & Laporte, 1838		
668	Insecta	Buprestidae Leach, 1815	Castiarina amabilis (Gory & Laporte, 1838)		
669	Insecta	Buprestidae Leach, 1815	Castiarina atricollis (Saunders, 1869)		
670	Insecta	Buprestidae Leach, 1815	Castiarina boldensis (Barker, 1983)		
671	Insecta	Buprestidae Leach, 1815	Castiarina carminea (Saunders, 1868)		
672	Insecta	Buprestidae Leach, 1815	Castiarina crocicolor (Gory & Laporte, 1838)		
673	Insecta	Buprestidae Leach, 1815	Castiarina cupreoflava (Saunders, 1869)		
674	Insecta	Buprestidae Leach, 1815	Castiarina cyanipes (Saunders, 1868)		
675	Insecta	Buprestidae Leach, 1815	Castiarina dilatata (Carter, 1927)		
676	Insecta	Buprestidae Leach, 1815	Castiarina laena (Thomson, 1879)		
677	Insecta	Buprestidae Leach, 1815	Castiarina occidentalis (Barker, 1979)		
678	Insecta	Buprestidae Leach, 1815	Castiarina pallidiventris (Gory & Laporte, 1838)		
679	Insecta	Buprestidae Leach, 1815	Castiarina picta (Gory & Laporte, 1838)		
680	Insecta	Buprestidae Leach, 1815	Castiarina placida (Thomson, 1879)		
681	Insecta	Buprestidae Leach, 1815	Castiarina simulata (Gory & Laporte, 1838)		
682	Insecta	Buprestidae Leach, 1815	Castiarina subcincta Barker, 1996		
683	Insecta	Buprestidae Leach, 1815	Castiarina subtrifasciata (Gory & Laporte, 1838)		
684	Insecta	Buprestidae Leach, 1815	Castiarina vittata (Saunders, 1868)		
685	Insecta	Buprestidae Leach, 1815	Cyrioides vittigera (Laporte & Gory, 1835)		
686	Insecta	Buprestidae Leach, 1815	Diphucrania leucosticta (Kirby, 1818)		
687	Insecta	Buprestidae Leach, 1815	Diphucrania parva (Blackburn, 1887)		
688	Insecta	Buprestidae Leach, 1815	Diphucrania patricia (Carter, 1935)		
689	Insecta	Buprestidae Leach, 1815	Diphucrania viridiceps (Kerremans, 1898)		
690	Insecta	Buprestidae Leach, 1815	Diphucrania viridipurpurea (Carter, 1924)		
691	Insecta	Buprestidae Leach, 1815	Ethonion KubÃ¼n, 2001		
692	Insecta	Buprestidae Leach, 1815	Meliboeithon vitticeps (Carter, 1924)		
693	Insecta	Buprestidae Leach, 1815	Melobasis Laporte & Gory, 1837		
694	Insecta	Buprestidae Leach, 1815	Melobasis costifera Thomson, 1879		
695	Insecta	Buprestidae Leach, 1815	Melobasis duplexicolor Levey, 2012		
696	Insecta	Buprestidae Leach, 1815	Melobasis gloriosa Laporte & Gory, 1837		
697	Insecta	Buprestidae Leach, 1815	Melobasis inflammabilis Thomson, 1879		
698	Insecta	Buprestidae Leach, 1815	Melobasis lathamii (Laporte & Gory, 1837)		
699	Insecta	Buprestidae Leach, 1815	Melobasis melanura Kerremans, 1898		
700	Insecta	Buprestidae Leach, 1815	Melobasis robusta Carter, 1923		
701	Insecta	Buprestidae Leach, 1815	Melobasis uniformis Carter, 1923		
702	Insecta	Buprestidae Leach, 1815	Melobasis vittata Blackburn, 1887		
703	Insecta	Buprestidae Leach, 1815	Merimna atrata (Gory & Laporte, 1837)		
704	Insecta	Buprestidae Leach, 1815	Neocuris discoflava Fairmaire, 1877		
705	Insecta	Buprestidae Leach, 1815	Stigmodera gratiosa Chevrolat, 1843		
706	Insecta	Buprestidae Leach, 1815	Stigmodera roei Saunders, 1868		

707	Insecta	Buprestidae Leach, 1815	Temognatha mitchellii (Hope, 1846)		
708	Insecta	Buprestidae Leach, 1815	Temognatha reichei (Gory & Laporte, 1838)		
709	Insecta	Buprestidae Leach, 1815	Xyroscelis crocata (Gory & Laporte, 1839)		
710	Insecta	Callipappidae	Callipappus Guérin Méneville, 1841		
711	Insecta	Callipappidae	Callipappus farinosus Fuller, 1897		
712	Insecta	Carabidae Latreille, 1802	Mecyclothorax (Mecyclothorax) punctipennis (Macleay, 1871)		
713	Insecta	Carabidae Latreille, 1802	Scaraphites silenus (Westwood, 1842)		
714	Insecta	Carabidae Latreille, 1802	Speotarus		
715	Insecta	Castniidae	Synemon gratiosa Westwood, 1877 (<i>Graceful Sunmoth</i>)	native	P4
716	Insecta	Cerambycidae	Cerambycidae		
717	Insecta	Cerambycidae	Coleocoptus senio (Newman, 1840)		
718	Insecta	Cerambycidae	Coptocercus rubripes (Boisduval, 1835)		
719	Insecta	Cerambycidae	Hermerius prionoides (Thomson, 1864)		
720	Insecta	Cerambycidae	Phoracantha impavida Newman, 1850		
721	Insecta	Cerambycidae	Phoracantha semipunctata (Fabricius, 1775)		
722	Insecta	Cercopidae	Bathyllus albicinctus (Erichson, 1842)		
723	Insecta	Chrysididae	Chrysis lincea Fabricius, 1775		
724	Insecta	Chrysomelidae	Chrysomelidae		
725	Insecta	Chrysomelidae	Diaphanops westermanni Boheman, 1845		
726	Insecta	Chrysopidae	Calochrysa extranea (Esben-Petersen, 1917)		
727	Insecta	Chrysopidae	Italochrysa insignis (Walker, 1853)		
728	Insecta	Chrysopidae	Mallada signatus (Schneider, 1851)		
729	Insecta	Chrysopidae	Mallada tripunctatus (McLachlan, 1867)		
730	Insecta	Chrysopidae	Plesiochrysa ramburi (Schneider, 1851)		
731	Insecta	Cicadellidae Latreille, 1825	Cicadellidae Latreille, 1825		
732	Insecta	Cicadellidae Latreille, 1825	Eurymeloides punctata (Signoret, 1850)		
733	Insecta	Cicadellidae Latreille, 1825	Nesoclutha phryne (Kirkaldy, 1907) (<i>Australian Grass Leafhopper</i>)		
734	Insecta	Cicadellidae Latreille, 1825	Rosopaella pallens Webb, 1983		
735	Insecta	Cicadellidae Latreille, 1825	Stenocotis depressa (Walker, 1851)		
736	Insecta	Cicadidae	Arenopsaltria fullo (Walker, 1850)		
737	Insecta	Cicadidae	Cicadidae		
738	Insecta	Cicadidae	Kobonga umbrimargo (Walker, 1858)		
739	Insecta	Cicadidae	Pauropsalta Goding & Froggatt, 1904		
740	Insecta	Cicadidae	Physeema labyrinthica (Walker, 1850)		
741	Insecta	Cicadidae	Physeema quadricincta (Walker, 1850)		
742	Insecta	Cicadidae	Pyropsalta melete (Walker, 1850)		
743	Insecta	Cleridae	Cleridae		
744	Insecta	Cleridae	Eleale excavata (Westwood, 1853)		
745	Insecta	Cleridae	Eleale reichei (Spinola, 1844)		
746	Insecta	Cleridae	Eleale simplex (Newman, 1840)		
747	Insecta	Cleridae	Eunatalis spinicornis (Blackburn, 1890)		
748	Insecta	Cleridae	Necrobia rufipes (DeGeer, 1775)		
749	Insecta	Cleridae	Phlogistus agraphus Elston, 1922		
750	Insecta	Coccidae	Cardiococcus fossilis (Maskell, 1897)		
751	Insecta	Coccidae	Ceroplastes rubens Maskell, 1893		
752	Insecta	Coccidae	Parasaissetia nigra (Nietner, 1861)		
753	Insecta	Coccinellidae	Cheilomenes sexmaculata (Fabricius, 1781)		
754	Insecta	Coccinellidae	Coelophora inaequalis (Fabricius, 1775)		
755	Insecta	Coenagrionidae	Austroagrion cyane (Selys, 1876)		
756	Insecta	Coenagrionidae	Ischnura aurora (Brauer, 1865)		
757	Insecta	Coenagrionidae	Ischnura aurora aurora Brauer, 1865		
758	Insecta	Coenagrionidae	Xanthagrion erythroneurum (Selys, 1876)		
759	Insecta	Colletidae	Colletidae		

760	Insecta	Colletidae	Euhesma (Euhesma) Michener, 1965		
761	Insecta	Colletidae	Euhesma Michener, 1965		
762	Insecta	Colletidae	Euryglossina (Euryglossina) argocephala Exley, 1968		
763	Insecta	Colletidae	Euryglossina (Euryglossina) atomaria (Cockerell, 1914)		
764	Insecta	Colletidae	Euryglossina (Euryglossina) cockerelli Perkins, 1912		
765	Insecta	Colletidae	Euryglossina (Euryglossina) hypochroma Cockerell, 1916		
766	Insecta	Colletidae	Euryglossina (Euryglossina) narifera (Cockerell, 1915)		
767	Insecta	Colletidae	Euryglossina (Euryglossina) perpusilla (Cockerell, 1910)		
768	Insecta	Colletidae	Euryglossina (Microdontura) mellea		
769	Insecta	Colletidae	Euryglossula Michener, 1965		
770	Insecta	Colletidae	Euryglossula fultoni (Cockerell, 1913)		
771	Insecta	Colletidae	Hylaeus (Euprosopis) elegans (Smith, 1853)		
772	Insecta	Colletidae	Hylaeus (Euprosopis) honestus (Smith, 1879)		
773	Insecta	Colletidae	Hylaeus (Euprosopis) violaceus (Smith, 1853)		
774	Insecta	Colletidae	Hylaeus (Euprosopoides) musgravei Cockerell, 1929		
775	Insecta	Colletidae	Hylaeus (Euprosopoides) obtusatus (Smith, 1879)		
776	Insecta	Colletidae	Hylaeus (Euprosopoides) ruficeps (Smith, 1853)		
777	Insecta	Colletidae	Hylaeus (Euprosopoides) ruficeps kalamundae (Cockerell, 1915)		
778	Insecta	Colletidae	Hylaeus (Gnathoprosopis) amicus (Smith, 1879)		
779	Insecta	Colletidae	Hylaeus (Gnathoprosopis) euxanthus (Cockerell, 1910)		
780	Insecta	Colletidae	Hylaeus (Hylaeorhiza) nubilosus (Smith, 1853)		
781	Insecta	Colletidae	Hylaeus (Macrohylaeus) alcyoneus (Erichson, 1842)		
782	Insecta	Colletidae	Hylaeus (Prosopisteron) Cockerell, 1906		
783	Insecta	Colletidae	Hylaeus (Prosopisteron) aralis (Cockerell, 1916)		
784	Insecta	Colletidae	Hylaeus (Rhodohylaeus) proximus (Smith, 1879)		
785	Insecta	Colletidae	Hylaeus (Sphaerhylaeus) globuliferus (Cockerell, 1929) (<i>woolybush bee</i>)	native	P3
786	Insecta	Colletidae	Hyleoides waterhousei Cockerell, 1913		
787	Insecta	Colletidae	Hyleoides zonalis Smith, 1853		
788	Insecta	Colletidae	Leioproctus (Colletellus) Michener, 1965		
789	Insecta	Colletidae	Leioproctus (Colletopsis) contrarius Michener, 1965 (<i>a short-tongued bee</i>)	native	P3
790	Insecta	Colletidae	Leioproctus (Euryglossidia) Cockerell, 1910		
791	Insecta	Colletidae	Leioproctus (Exleycolletes) microdontus (Cockerell, 1929)		
792	Insecta	Colletidae	Leioproctus (Leioproctus) Smith, 1853		
793	Insecta	Colletidae	Leioproctus (Leioproctus) cupreus (Smith, 1853)		
794	Insecta	Colletidae	Leioproctus (Protomorpha) Rayment, 1959		
795	Insecta	Colletidae	Leioproctus Smith, 1853		
796	Insecta	Colletidae	Pachyprosopis (Pachyprosopula) purnongensis (Rayment, 1928)		
797	Insecta	Colletidae	Trichocolletes Cockerell, 1912		
798	Insecta	Corduliidae	Hemicordulia australiae (Rambur, 1842)		
799	Insecta	Corduliidae	Hemicordulia tau (Selys, 1871)		
800	Insecta	Corduliidae	Procordulia affinis (Selys, 1871)		
801	Insecta	Coreidae	Coreidae		
802	Insecta	Coreidae	Mictis profana (Fabricius, 1803)		
803	Insecta	Crabronidae	Austrogorytes norrisi Bohart, 1984		
804	Insecta	Crabronidae	Pison		
805	Insecta	Crabronidae	Sericophorus froggatti Rayment, 1955		
806	Insecta	Crambidae	Hednota crypsichroa Lower, 1893		
807	Insecta	Crambidae	Hednota longipalpella (Meyrick, 1879)		
808	Insecta	Crambidae	Hednota pedionoma (Meyrick, 1885)		
809	Insecta	Curculionidae	Acantholophus lateralis (Boheman, 1842)		
810	Insecta	Curculionidae	Catasarcus spinipennis F&#xhxaeus, 1840		

811	Insecta	Curculionidae	Phlyctinus callosus (Schoenherr, 1826)		
812	Insecta	Curculionidae	Sitona discoideus Gyllenhal, 1834 (<i>Sitona Weevil</i>)		
813	Insecta	Curculionidae	Timareta figurata Pascoe, 1872		
814	Insecta	Cydnidae	Cydnidae		
815	Insecta	Cylindrachetidae	Cylindraustralia GÃ¼nther, 1992		
816	Insecta	Cylindrachetidae	Cylindraustralia kochii de Saussure, 1877		
817	Insecta	Derbidae	Derbidae		
818	Insecta	Dermestidae	Anthrenus (Nathrenus) verbasci (Linnaeus, 1767)		
819	Insecta	Dermestidae	Dermestes (Dermestes) ater De Geer, 1774		
820	Insecta	Dytiscidae	Rhantus suturalis (W. S. Macleay, 1825)		
821	Insecta	Erebidae Leach, 1815	Calathusa ischnodes (Turner, 1903)		
822	Insecta	Erebidae Leach, 1815	Pantydia capistrata T.P. Lucas, 1894		
823	Insecta	Fergusoninidae Tonnoir, 1937	Fergusonina lockharti Tonnoir, 1937		
824	Insecta	Fergusoninidae Tonnoir, 1937	Fergusonina newmani Tonnoir, 1937		
825	Insecta	Flatidae	Euphanta Melichar, 1902		
826	Insecta	Flatidae	Siphanta acuta (Walker, 1851)		
827	Insecta	Formicidae Latreille, 1809	Anonychomyrma itinerans perthensis (Forel, 1902)		
828	Insecta	Formicidae Latreille, 1809	Aphaenogaster poultoni Crawley, 1922		
829	Insecta	Formicidae Latreille, 1809	Calomyrmex similis (Mayr, 1876)		
830	Insecta	Formicidae Latreille, 1809	Cardiocondyla nuda (Mayr, 1866)		
831	Insecta	Formicidae Latreille, 1809	Chelaner leae (Forel, 1913)		
832	Insecta	Formicidae Latreille, 1809	Dolichoderus Lund, 1831		
833	Insecta	Formicidae Latreille, 1809	Dolichoderus clusor Forel, 1907		
834	Insecta	Formicidae Latreille, 1809	Dolichoderus nigricornis Clark, 1930		
835	Insecta	Formicidae Latreille, 1809	Dolichoderus ypsilon Forel, 1902		
836	Insecta	Formicidae Latreille, 1809	Iridomyrmex bicknelli Emery, 1898		
837	Insecta	Formicidae Latreille, 1809	Iridomyrmex calvus Emery, 1914		
838	Insecta	Formicidae Latreille, 1809	Iridomyrmex chasei Forel, 1902		
839	Insecta	Formicidae Latreille, 1809	Iridomyrmex conifer Forel, 1902		
840	Insecta	Formicidae Latreille, 1809	Iridomyrmex discors Forel, 1902		
841	Insecta	Formicidae Latreille, 1809	Iridomyrmex dromus Clark, 1938		
842	Insecta	Formicidae Latreille, 1809	Iridomyrmex rufoniger (Lowne, 1865)		
843	Insecta	Formicidae Latreille, 1809	Iridomyrmex splendens Forel, 1907		
844	Insecta	Formicidae Latreille, 1809	Meranoplus Smith, 1854		
845	Insecta	Formicidae Latreille, 1809	Monomorium fieldi Forel, 1910		
846	Insecta	Formicidae Latreille, 1809	Monomorium laeve Mayr, 1876		
847	Insecta	Formicidae Latreille, 1809	Monomorium sordidum Forel, 1902		
848	Insecta	Formicidae Latreille, 1809	Monomorium sydneyense Forel, 1902		
849	Insecta	Formicidae Latreille, 1809	Myrmecia Fabricius, 1804		
850	Insecta	Formicidae Latreille, 1809	Myrmecia nigriceps Mayr, 1862		
851	Insecta	Formicidae Latreille, 1809	Myrmecia rugosa Wheeler, 1933		
852	Insecta	Formicidae Latreille, 1809	Myrmecia vindex Smith, 1858		
853	Insecta	Formicidae Latreille, 1809	Paraparatrechina minutula (Forel, 1901)		
854	Insecta	Formicidae Latreille, 1809	Rhytidoponera violacea (Forel, 1907)		
855	Insecta	Gasteruptiidae	Gasteruption Latreille, 1796		
856	Insecta	Gelastocoridae	Nerthra adspersa (Stål, 1863)		
857	Insecta	Geometridae	Anachloris tofocolorata Schmidt, 2001		
858	Insecta	Geometridae	Chlenias basichorda Turner, 1919		
859	Insecta	Geometridae	Chlenias macrochorda Turner, 1919		
860	Insecta	Geometridae	Crypsiphona ocultaria (Donovan, 1805)		
861	Insecta	Gomphidae	Austrogomphus (Austrogomphus) collaris Hagen, 1854		
862	Insecta	Gryllacrididae	Hadrogryllacris magna magnifica Brunner von Wattenwyl, 1888		
863	Insecta	Gryllotalpidae Leach, 1815	Gryllotalpa Latreille, 1802		

864	Insecta	Halictidae	Lasioglossum (Chilalictus) Michener, 1965	mixed	
865	Insecta	Halictidae	Lasioglossum (Chilalictus) castor Walker, 1995		
866	Insecta	Halictidae	Lasioglossum (Chilalictus) hemichalceum (Cockerell, 1923)		
867	Insecta	Halictidae	Lasioglossum (Homalictus) Cockerell, 1919		
868	Insecta	Halictidae	Lasioglossum (Homalictus) dotatum (Cockerell, 1924)		
869	Insecta	Halictidae	Lasioglossum Curtis, 1833		
870	Insecta	Halictidae	Lipotriches (Austronomia) flavoviridis (Cockerell, 1905)		
871	Insecta	Hemerobiidae	Drepanacra binocula (Newman, 1838)		
872	Insecta	Hemerobiidae	Micromus tasmaniae (Walker, 1860)		
873	Insecta	Hepialidae	Hepialidae		
874	Insecta	Hesperiidae Latreille, 1809	Anisynta sphenosema (Meyrick & Lower, 1902)		
875	Insecta	Hesperiidae Latreille, 1809	Cephrenes augiades sperthias (C. Felder, 1862)		
876	Insecta	Hesperiidae Latreille, 1809	Croitana croites (Hewitson, 1874)		
877	Insecta	Hesperiidae Latreille, 1809	Mesodina cyanophracta Lower, 1911		
878	Insecta	Hesperiidae Latreille, 1809	Taractrocera papyria agraulia (Hewitson, 1868)		
879	Insecta	Hesperiidae Latreille, 1809	Trapezites argenteornatus (Hewitson, 1868)		
880	Insecta	Histeridae	Saprinus (Saprinus) cyaneus (Fabricius, 1775)		
881	Insecta	Hydrophilidae Latreille, 1802	Cercyon Leach, 1817		
882	Insecta	Hydrophilidae Latreille, 1802	Enochrus (Methyrus) eyrensis (Blackburn, 1895)		
883	Insecta	Hydrophilidae Latreille, 1802	Hydrophilus (Hydrophilus) albipes Castelnau, 1840		
884	Insecta	Hydrophilidae Latreille, 1802	Hydrophilus (Hydrophilus) latipalpus Castelnau, 1840		
885	Insecta	Hydrophilidae Latreille, 1802	Limnoxenus zealandicus (Broun, 1880)		
886	Insecta	Hydrophilidae Latreille, 1802	Paracymus pygmaeus (W. J. Macleay, 1871)		
887	Insecta	Hyocephalidae	Hyocephalidae		
888	Insecta	Hyocephalidae	Hyocephalus aprugnus Bergroth, 1906		
889	Insecta	Issidae	Issidae		
890	Insecta	Kalotermitidae	Kalotermes aemulus Sewell & Gay, 1978		
891	Insecta	Lepidopsocidae	Nepticulomima saltuaria Smithers, 1965		
892	Insecta	Lestidae	Austrolestes analis (Rambur, 1842)		
893	Insecta	Lestidae	Austrolestes annulosus (Selys, 1862)		
894	Insecta	Lestidae	Austrolestes io (Selys, 1862)		
895	Insecta	Libellulidae	Austrothemis nigrescens (Martin, 1901)		
896	Insecta	Libellulidae	Diplacodes bipunctata (Brauer, 1865)		
897	Insecta	Libellulidae	Diplacodes haematodes (Burmeister, 1839)		
898	Insecta	Libellulidae	Nannophya occidentalis (Tillyard, 1908)		
899	Insecta	Libellulidae	Orthetrum caledonicum (Brauer, 1865)		
900	Insecta	Libellulidae	Pantala flavescens (Fabricius, 1798)		
901	Insecta	Lucanidae	Ceratognathus niger Westwood, 1838		
902	Insecta	Lycaenidae	Erina acasta (Cox, 1873)		
903	Insecta	Lycaenidae	Lampides boeticus (Linnaeus, 1767)		
904	Insecta	Lycaenidae	Nacaduba biocellata biocellata (C. & R. Felder, 1865)		
905	Insecta	Lycaenidae	Neolucia agricola occidens Waterhouse & Lyell, 1914		
906	Insecta	Lycaenidae	Ogyris amaryllis meridionalis Bethune-Baker, 1905		
907	Insecta	Lygaeidae	Lygaeidae		
908	Insecta	Lygaeidae	Melanerythrus mactans (Stål, 1866)		
909	Insecta	Lygaeidae	Nysius vinitor Bergroth, 1891		
910	Insecta	Lygaeidae	Spilostethus pacificus (Boisduval, 1835)		
911	Insecta	Mantidae	Mantis octospilota Westwood, 1889		
912	Insecta	Mantispidae	Campion tenuistrigus (Gerstaecker, 1885)		
913	Insecta	Margarodidae	Margarodidae		

914	Insecta	Megachilidae	Coelioxys Latreille, 1809		
915	Insecta	Megachilidae	Coelioxys froggatti Cockerell, 1911		
916	Insecta	Megachilidae	Megachile (Austrochile) Michener, 1965		
917	Insecta	Megachilidae	Megachile (Austrochile) resinifera Meade-Waldo, 1915		
918	Insecta	Megachilidae	Megachile (Eutricharaea) chrysopyga Smith, 1853		
919	Insecta	Megachilidae	Megachile (Eutricharaea) macularis Dalla Torre, 1896		
920	Insecta	Megachilidae	Megachile (Eutricharaea) obtusa Smith, 1853		
921	Insecta	Megachilidae	Megachile (Eutricharaea) serricauda Cockerell, 1910		
922	Insecta	Megachilidae	Megachile (Eutricharaea) simplex Smith, 1853		
923	Insecta	Megachilidae	Megachile (Hackeriapis) Cockerell, 1922		
924	Insecta	Megachilidae	Megachile (Hackeriapis) canifrons Smith, 1853		
925	Insecta	Megachilidae	Megachile (Hackeriapis) oblonga Smith, 1879		
926	Insecta	Megachilidae	Megachile (Hackeriapis) tosticauda Cockerell, 1912		
927	Insecta	Megachilidae	Megachile (Mitchellapis) Michener, 1965		
928	Insecta	Megachilidae	Megachile Latreille, 1802		
929	Insecta	Megachilidae	Megachile apicata Smith, 1853		
930	Insecta	Megachilidae	Megachile aurifrons Smith, 1853		
931	Insecta	Megachilidae	Megachile callura (Cockerell, 1914)		
932	Insecta	Megachilidae	Megachile erythropyga Smith, 1853		
933	Insecta	Megachilidae	Megachile ferox Smith, 1879		
934	Insecta	Megachilidae	Megachile fultoni Cockerell, 1913		
935	Insecta	Megachilidae	Megachile heliophila Cockerell, 1913		
936	Insecta	Megachilidae	Megachile horatii Cockerell, 1913		
937	Insecta	Megachilidae	Megachile ignita Smith, 1853		
938	Insecta	Megachilidae	Megachile latericauda Cockerell, 1921		
939	Insecta	Megachilidae	Megachile rufolobata Cockerell, 1913		
940	Insecta	Megachilidae	Megachile semiluctuosa Smith, 1853		
941	Insecta	Megachilidae	Megachile speluncarum Meade-Waldo, 1915		
942	Insecta	Melyridae	Dicranolaius bellulus (Boisduval, 1835)		
943	Insecta	Melyridae	Malachiinae		
944	Insecta	Membracidae	Sextius		
945	Insecta	Miridae	Campylomma liebknehti (Girault, 1934)		
946	Insecta	Miridae	Coridromius pilbarensis Tatarnic & Cassis, 2008		
947	Insecta	Miridae	Creontiades dilutus (Stål, 1859)		
948	Insecta	Miridae	Rayieria acaciae Namyatova & Cassis, 2013		
949	Insecta	Miridae	Trigonotylus tenuis Reuter in Bergroth, 1893		
950	Insecta	Mycetophagidae	Typhaea stercorea (Linnaeus, 1758)		
951	Insecta	Myrmeleontidae	Austrogymnocnemis meteorica (Gerstaecker, 1885)		
952	Insecta	Myrmeleontidae	Dendroleon amabilis (Gerstaecker, 1885)		
953	Insecta	Myrmeleontidae	Distoleon bistrigatus (Rambur, 1842)		
954	Insecta	Myrmeleontidae	Distoleon somnolentus (Gerstaecker, 1885)		
955	Insecta	Myrmeleontidae	Escura nigrosignata (Tillyard, 1916)		
956	Insecta	Myrmeleontidae	Glenoleon osmyloides (Gerstaecker, 1885)		
957	Insecta	Myrmeleontidae	Heoclis fundata (Walker, 1853)		
958	Insecta	Myrmeleontidae	Myrmeleon acer Walker, 1853		
959	Insecta	Nepidae	Ranatra occidentalis Lansbury, 1972		
960	Insecta	Nitidulidae Latreille, 1802	Urophorus humeralis (Fabricius, 1798)		
961	Insecta	Noctuidae Latreille, 1809	Agrotis infusa (Boisduval, 1832)		
962	Insecta	Noctuidae Latreille, 1809	Australothys rubrescens (Walker, 1858)		
963	Insecta	Noctuidae Latreille, 1809	Chrysodeixis eriosoma (Doubleday, 1843)		
964	Insecta	Noctuidae Latreille, 1809	Helicoverpa punctigera (Wallengren, 1860)		
965	Insecta	Noctuidae Latreille, 1809	Heliothis punctifera Walker, 1857		
966	Insecta	Noctuidae Latreille, 1809	Proteuxoa interferens (Walker, 1857)		
967	Insecta	Nolidae	Earias huegeliana Gaede, 1938		

968	Insecta	Nolidae	Uraba lugens Walker, 1863		
969	Insecta	Nymphalidae Rafinesque, 1815	Danaus chrysippus petilia (Stoll, 1790)		
970	Insecta	Nymphalidae Rafinesque, 1815	Danaus plexippus (Linnaeus, 1758)		
971	Insecta	Nymphalidae Rafinesque, 1815	Geitoneura klugii (Guérin-Mèneville, 1830)		
972	Insecta	Nymphalidae Rafinesque, 1815	Geitoneura minyas (Waterhouse & Lyell, 1914)		
973	Insecta	Nymphalidae Rafinesque, 1815	Heteronympha merope duboulayi (Butler, 1867)		
974	Insecta	Nymphalidae Rafinesque, 1815	Heteronympha merope merope (Fabricius, 1775)		
975	Insecta	Nymphalidae Rafinesque, 1815	Junonia villida calybe (Godart, 1819)		
976	Insecta	Nymphalidae Rafinesque, 1815	Vanessa itea (Fabricius, 1775)		
977	Insecta	Nymphalidae Rafinesque, 1815	Vanessa kershawi (McCoy, 1868)		
978	Insecta	Osmylidae	Stenosmylus		
979	Insecta	Oxycarenidae	Oxycarenus Fieber, 1837		
980	Insecta	Papilionidae	Papilio (Princeps) demoleus sthenelus Macleay, 1826		
981	Insecta	Pentatomidae	Alcaeus Dallas, 1851		
982	Insecta	Pentatomidae	Cermatulus nasalis (Westwood, 1837)		
983	Insecta	Pentatomidae	Dictyotus inconspicuus Dallas, 1851		
984	Insecta	Pentatomidae	Neagenor Bergroth, 1891		
985	Insecta	Pentatomidae	Nezara viridula (Linnaeus, 1758)		
986	Insecta	Pentatomidae	Ocirrhoe inconspicua (Dallas, 1851)		
987	Insecta	Pentatomidae	Ocirrhoe unimaculata (Westwood, 1837)		
988	Insecta	Pentatomidae	Oechalia schellenbergii (Guérin, 1831)		
989	Insecta	Pentatomidae	Pentatomidae		
990	Insecta	Pentatomidae	Piezodorus oceanicus (Montrouzier, 1864)		
991	Insecta	Pentatomidae	Plautia affinis (Dallas, 1851)		
992	Insecta	Pentatomidae	Poecilometis Dallas, 1851		
993	Insecta	Pentatomidae	Poecilometis patruelis Stål, 1860		
994	Insecta	Pentatomidae	Pseudapines geminata (Van Duzee, 1905)		
995	Insecta	Pentatomidae	Theseus modestus		
996	Insecta	Pentatomidae	Tholosanus proximus (Dallas, 1851)		
997	Insecta	Pergidae	Lophyrotoma Ashmead, 1898		
998	Insecta	Pergidae	Lophyrotoma analis (Costa, 1864)		
999	Insecta	Phlaeothripidae	Idolothrips spectrum Haliday, 1852		
1000	Insecta	Pieridae	Eurema smilax (Donovan, 1805)		
1001	Insecta	Pompilidae	Calopompilus Ashmead, 1900		
1002	Insecta	Pompilidae	Pompilidae		
1003	Insecta	Pseudococcidae Heymons, 1915	Epicoccus acaciae (Maskell, 1897)		
1004	Insecta	Ptinidae	Lasioderma serricorne (Fabricius, 1792)		
1005	Insecta	Ptinidae	Mezium americanum (Laporte, 1840)		
1006	Insecta	Pygidicranidae	Dacnodes shortridgei (Burr, 1914)		
1007	Insecta	Reduviidae	Havinthus rufovarius Bergroth, 1895		
1008	Insecta	Reduviidae	Neohavinthus pentatoma (Herrich-Schaeffer, 1853)		
1009	Insecta	Reduviidae	Peiratinae		
1010	Insecta	Reduviidae	Piestolestes obscurus (Bergroth, 1895)		
1011	Insecta	Reduviidae	Reduviidae		
1012	Insecta	Reduviidae	Stenolemus bituberus Stål, 1874		
1013	Insecta	Reduviidae	Trachylestes turneri (Miller, 1958)		
1014	Insecta	Rhinotermitidae	Coptotermes acinaciformis raffrayi Wasmann, 1900		
1015	Insecta	Rhinotermitidae	Coptotermes michaelseni Silvestri, 1909		

1016	Insecta	Rhinotermitidae	Heterotermes platycephalus Froggatt, 1897		
1017	Insecta	Rhipiceridae	Rhipicera (Agathorhipis) femorata Kirby, 1818		
1018	Insecta	Rhyparochromidae	Dieuches Dohrn, 1860		
1019	Insecta	Rhyparochromidae	Laryngodus australiae Herrich-Schaeffer, 1850		
1020	Insecta	Rhyparochromidae	Plinthisus (Locutius) woodwardi Slater & Sweet, 1977		
1021	Insecta	Saldidae	Saldula Van Duzee, 1914		
1022	Insecta	Scarabaeidae	Aphodiinae		
1023	Insecta	Scarabaeidae	Colpochila efficax Britton, 1986		
1024	Insecta	Scarabaeidae	Heteronychus arator (Fabricius, 1775)		
1025	Insecta	Scarabaeidae	Melolonthinae		
1026	Insecta	Scarabaeidae	Onthophagus ferox Harold, 1867		
1027	Insecta	Scelionidae	Bracalba Dodd, 1930		
1028	Insecta	Scelionidae	Ceratobaeus cabon Iqbal & Austin, 2000		
1029	Insecta	Scelionidae	Ceratobaeus gallowayi Iqbal & Austin, 2000		
1030	Insecta	Scutelleridae	Choerocoris paganus (Fabricius, 1775)		
1031	Insecta	Scutelleridae	Choerocoris variegatus Dallas, 1851		
1032	Insecta	Scutelleridae	Coleotichus costatus (Fabricius, 1787)		
1033	Insecta	Silvanidae	Oryzaephilus surinamensis (Linnaeus, 1758)		
1034	Insecta	Sphingidae	Hippotion scrofa (Boisduval, 1832)		
1035	Insecta	Staphylinidae	Scaphisoma		
1036	Insecta	Tachinidae Robineau-Desvoidy, 1830	Chrysopasta elegans (Macquart, 1846)		
1037	Insecta	Tachinidae Robineau-Desvoidy, 1830	Rutilia Robineau-Desvoidy, 1830		
1038	Insecta	Tenebrionidae	Helea perforata (Latreille, 1817)		
1039	Insecta	Tenebrionidae	Homotrysis Pascoe, 1866		
1040	Insecta	Tenebrionidae	Lepturidea occidentalis (Blackburn, 1891)		
1041	Insecta	Tenebrionidae	Palorus subdepressus (Wollaston, 1864)		
1042	Insecta	Tephritidae Newman, 1834	Dirioxa pornia (Walker, 1849)		
1043	Insecta	Termitidae	Amitermes conformis Gay, 1968		
1044	Insecta	Termitidae	Amitermes heterognathus (Silvestri, 1909)		
1045	Insecta	Termitidae	Amitermes modicus (Hill, 1942)		
1046	Insecta	Termitidae	Ephelotermes argutus (Hill, 1929)		
1047	Insecta	Termitidae	Microcerotermes distinctus Silvestri, 1909		
1048	Insecta	Termitidae	Microcerotermes newmani Hill, 1927		
1049	Insecta	Termitidae	Occasitermes occasus (Silvestri, 1909)		
1050	Insecta	Termitidae	Tumulitermes apiocephalus (Silvestri, 1909)		
1051	Insecta	Termitidae	Xylochomitermes tomentosus (Gay, 1971)		
1052	Insecta	Tettigoniidae	Caedicia Stål, 1874		
1053	Insecta	Tettigoniidae	Dexerra turpis Walker, 1869		
1054	Insecta	Tettigoniidae	Hemisaga denticulata (White, 1841)		
1055	Insecta	Tettigoniidae	Kawanaphila nartee Rentz, 1993		
1056	Insecta	Tettigoniidae	Metaballus frontalis (Walker, 1869)		
1057	Insecta	Tettigoniidae	Metaballus litus Rentz, 1985		
1058	Insecta	Tettigoniidae	Metaballus mucronatus Rentz, 1985		
1059	Insecta	Tettigoniidae	Pachysaga australis (Walker, 1869)		
1060	Insecta	Tettigoniidae	Phasmodes ranatriliformis Westwood, 1845		
1061	Insecta	Tettigoniidae	Psacadonotus diurnus Rentz, 1993		
1062	Insecta	Tettigoniidae	Requena verticalis Walker, 1869		
1063	Insecta	Therevidae	Neodialineura spinosa Winterton, 2009		
1064	Insecta	Tiphiidae	Elidothynnus Turner, 1910		
1065	Insecta	Tiphiidae	Oncorhinothynnus xanthospilus (Shuckard, 1841)		
1066	Insecta	Tiphiidae	Zaspilothynnus Ashmead, 1903		
1067	Insecta	Tortricidae	Cryptophlebia ombrodelta (Lower, 1898)		
1068	Insecta	Tortricidae	Epiphyas liadelpa (Meyrick, 1910)		

1069	Insecta	Vespidae	Metaparagia maculata (Meade-Waldo, 1910)		
1070	Malacostraca	Alpheidae Rafinesque, 1815	Alpheus strenuus cremnus Banner, 1982		
1071	Malacostraca	Armadillidae Brandt, 1831	Buddelundia Michaelsen, 1912		
1072	Malacostraca	Armadillidae Brandt, 1831	Buddelundia cinerascens (Budde-Lund, 1912)		
1073	Malacostraca	Armadillidae Brandt, 1831	Buddelundia nitidissima (Budde-Lund, 1912)		
1074	Malacostraca	Armadillidae Brandt, 1831	Cubaris Brandt, 1833		
1075	Malacostraca	Chiltoniidae J. L. Barnard, 1972	Austrochiltonia subtenuis (Sayce, 1902)		
1076	Malacostraca	Cirolanidae	Cirolana hesperia Bruce, 1986		
1077	Malacostraca	Grapsidae MacLeay, 1838	Planes minutus (Linnaeus, 1758)		
1078	Malacostraca	Ischyroceridae	Australoecetes sellicki (Sheard, 1936)		
1079	Malacostraca	Paranthuridae Menzies & Glynn, 1968	Paranthura Westwood & Bate, 1866		
1080	Malacostraca	Parastacidae	Cherax quinquecarinatus (Gray, 1845)		
1081	Malacostraca	Parastacidae	Cherax tenuimanus Smith, 2002	native	CR
1082	Malacostraca	Pinnotheridae De Haan, 1833	Discorsotheres subglobosus (Baker, 1907)		
1083	Malacostraca	Pinnotheridae De Haan, 1833	Nepinnotheres latipes (Hombron & Jacquinot, 1846)		
1084	Malacostraca	Platyarthridae Verhoeff, 1949	Platyarthridae Verhoeff, 1949		
1085	Malacostraca	Portunidae	Charybdis granulata (De Haan, 1833)		
1086	Mammalia	Balaenidae	Eubalaena australis (Desmoulins, 1822) (<i>Southern Right Whale</i>)	native	VU
1087	Mammalia	Balaenopteridae	Balaenoptera physalus (Linnaeus, 1758) (<i>Fin Whale</i>)	native	EN
1088	Mammalia	Balaenopteridae	Balaenoptera physalus quoyi Fischer, 1829 (<i>Fin Whale</i>)	native	Cons code inherited from parent
1089	Mammalia	Balaenopteridae	Megaptera novaeangliae Borowski, 1781	native	CD, MI
1090	Mammalia	Canidae	Canis familiaris L., 1758 (<i>Dog</i>)	alien	
1091	Mammalia	Canidae	Vulpes vulpes Linnaeus, 1758 (<i>Red Fox</i>)	alien	
1092	Mammalia	Dasyuridae	Dasyurus geoffroii Gould, 1841	native	VU
1093	Mammalia	Dasyuridae	Dasyurus geoffroii fortis Thomas, 1906 (<i>Chuditch</i>)	native	Cons code inherited from parent
1094	Mammalia	Dasyuridae	Dasyurus hallucatus Gould, 1842 (<i>Northern Quoll</i>)	native	EN
1095	Mammalia	Dasyuridae	Parantechinus apicalis (Gray, 1842) (<i>Dibbler</i>)	native	EN
1096	Mammalia	Dasyuridae	Phascogale tapoatafa wambenger Aplin, Rhind, Ten Have & Chesser, 2015 (<i>South-western Brush-tailed Phascogale</i>)	native	CD
1097	Mammalia	Dasyuridae	Sminthopsis fuliginosa fuliginosa (Gould, 1852)	native	
1098	Mammalia	Delphinidae	Tursiops		
1099	Mammalia	Delphinidae	Tursiops aduncus (Ehrenberg, 1833)	native	MI
1100	Mammalia	Delphinidae	Tursiops truncatus truncatus Montague, 1821 (<i>Bottlenose Dolphin</i>)	native	
1101	Mammalia	Felidae	Felis catus Linnaeus, 1758	alien	
1102	Mammalia	Leporidae	Oryctolagus cuniculus (Linnaeus, 1758) (<i>Rabbit</i>)	alien	
1103	Mammalia	Macropodidae	Notamacropus irma (Jourdan, 1837)	native	P4
1104	Mammalia	Macropodidae	Setonix brachyurus (Quoy & Gaimard, 1830) (<i>Quokka</i>)	native	VU
1105	Mammalia	Molossidae	Austronomus australis Gray, 1838 (<i>White-striped Free-tailed Bat</i>)	native	
1106	Mammalia	Muridae	Hydromys chrysogaster Geoffroy, 1804 (<i>Water-rat</i>)	native	P4
1107	Mammalia	Muridae	Mus musculus Linnaeus, 1758 (<i>House Mouse</i>)	alien	
1108	Mammalia	Muridae	Rattus fuscipes (Waterhouse, 1839) (<i>Western Bush Rat</i>)	native	
1109	Mammalia	Muridae	Rattus norvegicus (Berkenhout, 1769)	alien	
1110	Mammalia	Muridae	Rattus rattus (Linnaeus, 1758) (<i>Black Rat</i>)	alien	
1111	Mammalia	Myrmecobiidae	Myrmecobius fasciatus Waterhouse, 1836 (<i>Numbat</i>)	native	EN
1112	Mammalia	Neobalaenidae	Caperea marginata (Gray, 1846) (<i>Pygmy Right Whale</i>)	native	MI
1113	Mammalia	Otariidae	Arctocephalus forsteri (Lesson, 1828) (<i>New Zealand Fur</i>	native	OS

			<i>Seal)</i>		
1114	Mammalia	Otariidae	Arctocephalus tropicalis (Gray, 1872) (<i>Subantarctic fur-seal</i>)	native	VU
1115	Mammalia	Otariidae	Neophoca cinerea (Peron, 1816) (<i>Australian Sea-lion</i>)	native	EN
1116	Mammalia	Peramelidae	Isoodon fusciventer (Gray, 1841)	native	P4
1117	Mammalia	Peramelidae	Isoodon obesulus (Shaw, 1797)	native	
1118	Mammalia	Phalangeridae	Trichosurus vulpecula (Kerr, 1793)	native	
1119	Mammalia	Phalangeridae	Trichosurus vulpecula hypoleucus (Wagner, 1855)	native	
1120	Mammalia	Phocidae	Hydrurga leptonyx (de Blainville, 1820) (<i>Leopard Seal</i>)	native	
1121	Mammalia	Physeteridae	Physeter macrocephalus Linnaeus, 1758 (<i>Sperm Whale</i>)	native	VU
1122	Mammalia	Pseudocheiridae	Pseudocheirus occidentalis (Thomas, 1888) (<i>Western Ringtail Possum</i>)	native	CR
1123	Mammalia	Tachyglossidae	Tachyglossus aculeatus acanthion Collet, 1884 (<i>Short-beaked Echidna</i>)	native	
1124	Mammalia	Vespertilionidae	Chalinolobus gouldii (Gray, 1841) (<i>Gould's Wattled Bat</i>)	native	
1125	Mammalia	Ziphiidae	Mesoplodon bowdoini Andrews, 1908 (<i>Andrew's Beaked Whale</i>)	native	
1126	Polychaeta ClaparÃde, 1864	Nereididae	Australonereis ehlersi (Augener, 1913)		
1127	Polychaeta ClaparÃde, 1864	Nereididae	Neanthes bassi Wilson, 1984		
1128	Polychaeta ClaparÃde, 1864	Nereididae	Neanthes vaalii Kinberg, 1866		
1129	Polychaeta ClaparÃde, 1864	Nereididae	Nereis cockburnensis Augener, 1913		
1130	Polychaeta ClaparÃde, 1864	Scalibregmatidae	Hyboscolex dicranochaetus (Schmarda, 1861)		
1131	Polychaeta ClaparÃde, 1864	Serpulidae Rafinesque, 1815	Hydroides amri Sun, Wong, ten Hove, Hutchings, Williamson & Kupriyanova, 2015		
1132	Polyplacaphora	Cryptoplacidae	Cryptoplax striata (Lamarck, 1819)		
1133	Polyplacaphora	Ischnochitonidae Dall, 1889	Ischnochiton cariosus Carpenter & Pilsbry, 1892		
1134	Polyplacaphora	Ischnochitonidae Dall, 1889	Ischnochiton torri Iredale & May, 1916		
1135	Pycnogonida	None	Pycnothea flynni Williams, 1940		
1136	Pycnogonida	Ammotheidae	Nymphopsis bathursti Williams, 1940		
1137	Reptilia	Agamidae	Ctenophorus adelaidensis (Gray, 1841) (<i>Southern Heath Dragon</i>)	native	
1138	Reptilia	Agamidae	Moloch horridus Gray, 1841 (<i>Thorny Devil</i>)	native	
1139	Reptilia	Agamidae	Pogona minor (Sternfeld, 1919)	native	
1140	Reptilia	Agamidae	Pogona minor minor (Sternfeld, 1919) (<i>Western Bearded Dragon</i>)	native	
1141	Reptilia	Chelidae	Chelodina oblonga Gray, 1841	native	
1142	Reptilia	Chelidae	Pseudemydura umbrina Siebenrock, 1901 (<i>Western Swamp Tortoise</i>)	native	CR
1143	Reptilia	Cheloniidae	Caretta caretta Linnaeus, 1758 (<i>Loggerhead Turtle</i>)	native	EN
1144	Reptilia	Cheloniidae	Chelonia mydas (Linnaeus, 1758) (<i>Green Turtle</i>)	native	VU
1145	Reptilia	Cheloniidae	Eretmochelys imbricata (Linnaeus, 1766) (<i>Hawksbill Turtle</i>)	native	VU
1146	Reptilia	Dermochelyidae	Dermochelys coriacea (Vandelli, 1761) (<i>Leatherback Turtle</i>)	native	VU
1147	Reptilia	Diplodactylidae	Diplodactylus granariensis granariensis Storr, 1979 (<i>Western stone gecko</i>)	native	
1148	Reptilia	Diplodactylidae	Diplodactylus polyophthalmus GÃ¼nther, 1867 (<i>Spotted Sandplain Gecko</i>)	native	
1149	Reptilia	Diplodactylidae	Lucasium alboguttatum (Werner, 1910) (<i>White-spotted ground gecko</i>)	native	
1150	Reptilia	Diplodactylidae	Strophurus spinigerus (Gray, 1842)	native	
1151	Reptilia	Diplodactylidae	Strophurus spinigerus spinigerus (Gray, 1842) (<i>Soft spiny-tailed gecko</i>)	native	
1152	Reptilia	Elapidae	Brachyurophis fasciolatus fasciolatus (GÃ¼nther, 1872) (<i>Narrow-banded Shovel-nosed Snake</i>)	native	

1153	Reptilia	Elapidae	Brachyurophis semifasciatus (Günther, 1863) (<i>Southern Shovel-nosed Snake</i>)	native	
1154	Reptilia	Elapidae	Demansia reticulata (Gray, 1842) (<i>Reticulated Whipsnake</i>)		
1155	Reptilia	Elapidae	Echiopsis curta (Schlegel, 1837) (<i>Bardick</i>)	native	
1156	Reptilia	Elapidae	Hydrophis elegans (Gray, 1842) (<i>Elegant Seasnake</i>)	native	
1157	Reptilia	Elapidae	Hydrophis platurus platurus (Linnaeus, 1766) (<i>Yellow-bellied Seasnake</i>)	native	
1158	Reptilia	Elapidae	Narophis bimaculatus (A.M.C. Duméril, Bibron & A. Duméril, 1854) (<i>Black-naped Burrowing Snake</i>)		
1159	Reptilia	Elapidae	Neelaps calonotos (A.M.C. Duméril, Bibron & A. Duméril, 1854) (<i>Black-striped Snake</i>)	native	P3
1160	Reptilia	Elapidae	Notechis scutatus (Peters, 1861) (<i>Tiger Snake</i>)	native	
1161	Reptilia	Elapidae	Pseudechis australis (Gray, 1842) (<i>Mulga Snake</i>)	native	
1162	Reptilia	Elapidae	Pseudonaja affinis Gunther, 1872	native	
1163	Reptilia	Elapidae	Pseudonaja affinis affinis Günther, 1872 (<i>Dugite</i>)	native	
1164	Reptilia	Elapidae	Pseudonaja affinis tanneri (Worrell, 1961) (<i>Pygmy Dugite</i>)	native	P4
1165	Reptilia	Elapidae	Pseudonaja mengdeni Wells & Wellington, 1985 (<i>Western Brown Snake</i>)	native	
1166	Reptilia	Elapidae	Simoselaps bertholdi (Jan, 1859) (<i>Jan's Banded Snake</i>)	native	
1167	Reptilia	Elapidae	Suta gouldii (Gray, 1841) (<i>Gould's Hooded Snake</i>)		
1168	Reptilia	Gekkonidae	Christinus marmoratus (Gray, 1845)	native	
1169	Reptilia	Gekkonidae	Underwoodisaurus milii Bory de Saint-Vincent, 1825 (<i>Southern Barking Gecko</i>)	native	
1170	Reptilia	Pygopodidae	Aprasia repens (Fry, 1914)	native	
1171	Reptilia	Pygopodidae	Lialis burtonis Gray, 1835	native	
1172	Reptilia	Pygopodidae	Pletholax gracilis Cope, 1864 (<i>West Coast Keeled Legless Gecko</i>)	native	
1173	Reptilia	Scincidae	Acritoscincus trilineatus (Gray, 1839) (<i>Western Three-lined Skink</i>)	native	
1174	Reptilia	Scincidae	Cryptoblepharus Wiegmann, 1834		
1175	Reptilia	Scincidae	Cryptoblepharus buchananii (Gray, 1838)	native	
1176	Reptilia	Scincidae	Cryptoblepharus plagiocephalus	native	
1177	Reptilia	Scincidae	Ctenotus australis (Gray, 1838)	native	
1178	Reptilia	Scincidae	Ctenotus fallens Storr, 1974	native	
1179	Reptilia	Scincidae	Ctenotus gemmula Storr, 1974 (<i>Jewelled South-west Ctenotus (Swan Coastal Plain subpop P3)</i>)	native	Parent of conservation listed taxa
1180	Reptilia	Scincidae	Cyclodomorphus celatus Shea & Miller, 1995 (<i>Western Slender Blue-tongue</i>)	native	
1181	Reptilia	Scincidae	Egernia napoleonis (Gray, 1838) (<i>South-western Crevice-skink</i>)	native	
1182	Reptilia	Scincidae	Hemiergis quadrilineata (Dumeril & Bibron, 1839)	native	
1183	Reptilia	Scincidae	Hemiergis quadrilineatus (Dumeril, Shaw & Bibron, 1839)	native	
1184	Reptilia	Scincidae	Lerista elegans (Gray, 1845)	native	
1185	Reptilia	Scincidae	Lerista lineata Bell, 1883	native	P3
1186	Reptilia	Scincidae	Lerista lineopunctulata (Dumeril & Bibron, 1839)	native	
1187	Reptilia	Scincidae	Lerista praepedita (Boulenger, 1987) (<i>West Coast Worm-slider</i>)	native	
1188	Reptilia	Scincidae	Lissolepis luctuosa (Peters, 1866) (<i>Western Swamp Skink</i>)	native	
1189	Reptilia	Scincidae	Menetia greyii Gray, 1845	native	
1190	Reptilia	Scincidae	Morethia obscura (Storr, 1973)	native	
1191	Reptilia	Scincidae	Tiliqua rugosa (Gray, 1825)	native	
1192	Reptilia	Scincidae	Tiliqua rugosa rugosa (Gray, 1825)	native	
1193	Reptilia	Typhlopidae Merrem, 1820	Anilius australis Gray, 1845	native	
1194	Reptilia	Varanidae	Varanus gouldii (Gray, 1838) (<i>Bungarra or Sand Goanna, Bungarra or Sand Monitor</i>)	native	
1195	Reptilia	Varanidae	Varanus tristis (Schlegel, 1839)	native	
1196	Symphyla	Scolopendrellidae	Scolopendrella Gervais, 1839	uncertain	
1197	Thecostraca Gruvel,	Chelonibiidae Pilsbry, 1916	Chelonibia testudinaria (Linnaeus, 1758)		

	1905				
--	------	--	--	--	--

Plantae

1198	Arachnida	Tetragnathidae	Tetragnatha Latreille		
1199	Bangiophyceae	Bangiaceae	Porphyra lucasii Levring	native	
1200	Basidiomycetes	Agaricaceae Chevall.	Acetabularia caliculus J.V.Lamour.	native	
1201	Bryopsida	Bryaceae Schwagr.	Bryum Hedw.		
1202	Bryopsida	Bryaceae Schwagr.	Bryum argenteum Hedw.	native	
1203	Bryopsida	Bryaceae Schwagr.	Bryum lanatum (P.Beauv.) Brid.	native	
1204	Bryopsida	Bryaceae Schwagr.	Gemmabryum dichotomum (Hedw.) J.R.Spence & H.P.Ramsay	native	
1205	Bryopsida	Bryaceae Schwagr.	Gemmabryum exile (Dozy & Molk.) J.R.Spence & H.P.Ramsay	native	
1206	Bryopsida	Bryaceae Schwagr.	Gemmabryum pachythea (MÄ¼ll.Hal.) J.R.Spence & H.P.Ramsay	native	
1207	Bryopsida	Bryaceae Schwagr.	Gemmabryum preissianum (Hampe) J.R.Spence & H.P.Ramsay	native	
1208	Bryopsida	Bryaceae Schwagr.	Rosulabryum albolimbatum (Hampe) J.R.Spence	native	
1209	Bryopsida	Bryaceae Schwagr.	Rosulabryum billarderii (SchwÄgr.) J.R.Spence	native	
1210	Bryopsida	Bryaceae Schwagr.	Rosulabryum campylothecium (Taylor) J.R.Spence	native	
1211	Bryopsida	Bryaceae Schwagr.	Rosulabryum torquescens (De Not.) J.R.Spence	native	
1212	Bryopsida	Dicranaceae Schimp.	Campylopus flindersii Catches. & J.-P.Frahm	native	
1213	Bryopsida	Dicranaceae Schimp.	Campylopus introflexus (Hedw.) Brid.	alien	
1214	Bryopsida	Ditrichaceae Limpr.	Ceratodon purpureus (Hedw.) Brid.	native	
1215	Bryopsida	Fabroniaceae Schimp.	Fabronia hampeana Sond.	native	P2
1216	Bryopsida	Fissidentaceae	Fissidens curvatus Hornsch. var. curvatus	native	
1217	Bryopsida	Fissidentaceae	Fissidens megalotis MÄ¼ll.Hal.	native	
1218	Bryopsida	Funariaceae	Funaria hygrometrica Hedw.	native	
1219	Bryopsida	Meesiaceae Schimp.	Leptobryum pyriforme (Hedw.) Wilson	native	
1220	Bryopsida	Orthotrichaceae Arn.	Zygodon menziesii (Schwagr.) Arn.	native	
1221	Bryopsida	Pottiaceae Schimp.	Barbula calycina SchwÄgr.	native	
1222	Bryopsida	Pottiaceae Schimp.	Bryoerythrophyllum dubium (SchwÄgr.) P.Sollman	native	
1223	Bryopsida	Pottiaceae Schimp.	Didymodon torquatus (Taylor) Catches.	native	
1224	Bryopsida	Pottiaceae Schimp.	Gymnostomum calcareum Nees & Hornsch.	native	
1225	Bryopsida	Pottiaceae Schimp.	Pseudocrossidium crinitum (Schultz) R.H.Zander	native	
1226	Bryopsida	Pottiaceae Schimp.	Pseudocrossidium hornschuchianum (Schultz) R.H.Zander	native	
1227	Bryopsida	Pottiaceae Schimp.	Syntrichia antarctica (Hampe) R.H.Zander	native	
1228	Bryopsida	Pottiaceae Schimp.	Syntrichia laevipila Brid.	native	
1229	Bryopsida	Pottiaceae Schimp.	Tortella flavovirens (F.Muell.) Broth.	native	
1230	Bryopsida	Pottiaceae Schimp.	Tortula muralis Hedw.	native	
1231	Bryopsida	Pottiaceae Schimp.	Trichostomopsis australasiae (Hook. & Grev.) H.Rob.	native	
1232	Bryopsida	Pottiaceae Schimp.	Trichostomum eckelianum R.H.Zander	native	
1233	Bryopsida	Pottiaceae Schimp.	Weissia controversa Hedw.	native	
1234	Bryopsida	Racopilaceae	Racopilum cuspidigerum var. convolutaceum (MÄ¼ll.Hal.) Zanten & Ängstr.	native	
1235	Charophyceae	Characeae Gray	Chara fibrosa Bruzelius		
1236	Charophyceae	Characeae Gray	Nitella gelatinifera var. afoliolata (R.D.Wood) Raam		
1237	Charophyceae	Characeae Gray	Nitella gelatinifera var. microcephala (A.Braun) Raam		
1238	Charophyceae	Characeae Gray	Nitella tasmanica A.Braun	native	
1239	Chlorophyceae Wille	Chaetophoraceae	Pleurococcus Meneghini		
1240	Cycadopsida	Zamiaceae Horan.	Macrozamia fraseri Miq.	native	
1241	Cycadopsida	Zamiaceae Horan.	Macrozamia riedlei (Gaudich.) C.A.Gardner	native	
1242	Florideophyceae	Areschougiaceae J.Agardh	Areschougia Harv.		
1243	Florideophyceae	Areschougiaceae J.Agardh	Erythroclonium muelleri Sond.	native	
1244	Florideophyceae	Areschougiaceae J.Agardh	Erythroclonium sedoides (Harv.) Kylin	native	
1245	Florideophyceae	Areschougiaceae J.Agardh	Erythroclonium sonderi Harv.	native	

1246	Florideophyceae	Areschougiaceae J.Agardh	Tikvahiella candida Kraft & Gabrielson	native	
1247	Florideophyceae	Bonnemaisoniaceae F.Schmitz	Asparagopsis taxiformis (Delile) Trevis.	native	
1248	Florideophyceae	Callithamniaceae K����tz.	Callithamnion perpusillum P.C.Silva	native	
1249	Florideophyceae	Callithamniaceae K����tz.	Carpothamnion K����tz.		
1250	Florideophyceae	Callithamniaceae K����tz.	Euptilocladia spongiosa E.M.Woll.	native	
1251	Florideophyceae	Callithamniaceae K����tz.	Ptilocladia Sond.		
1252	Florideophyceae	Ceramiaceae Dumort.	Acrothamnion preissii (Sond.) E.M.Woll.	native	
1253	Florideophyceae	Ceramiaceae Dumort.	Centroceras clavulatum (C.Agardh) Mont.	native	
1254	Florideophyceae	Ceramiaceae Dumort.	Ceramium macilentum J.Agardh	native	
1255	Florideophyceae	Champiaceae K����tz.	Champia zostericola (Harv.) Reedman & Womersley	native	
1256	Florideophyceae	Clavicoloniaceae Kraft & G.W.Saunders	Clavicolonium ovatum (J.V.Lamour.) Kraft & Min-Thein	native	
1257	Florideophyceae	Colaconemataceae J.T.Harper & G.W.Saunders	Colaconema daviesii (Dillwyn) Stegenga	native	
1258	Florideophyceae	Colaconemataceae J.T.Harper & G.W.Saunders	Colaconema savianum (Menegh.) R.Nielsen	native	
1259	Florideophyceae	Corallinaceae J.V.Lamour.	Jania affinis Harv.	native	
1260	Florideophyceae	Cystocloniaceae K����tz.	Hypnea J.V.Lamour.		
1261	Florideophyceae	Cystocloniaceae K����tz.	Hypnea charoides J.V.Lamour.	native	
1262	Florideophyceae	Cystocloniaceae K����tz.	Hypnea musciformis (Wulfen) J.V.Lamour.	native	
1263	Florideophyceae	Cystocloniaceae K����tz.	Hypnea ramentacea (C.Agardh) J.Agardh	native	
1264	Florideophyceae	Cystocloniaceae K����tz.	Hypnea valentiae (Turner) Mont.	native	
1265	Florideophyceae	Cystocloniaceae K����tz.	Rhodophyllis volans Harv.	native	
1266	Florideophyceae	Dasyaceae K����tz.	Dasya C.Agardh		
1267	Florideophyceae	Dasyaceae K����tz.	Dasya elongata Sond.	native	
1268	Florideophyceae	Dasyaceae K����tz.	Heterosiphonia muelleri (Sond.) G.De Toni	native	
1269	Florideophyceae	Delesseriaceae Bory	Heterodoxia denticulata (Kuntze) J.Agardh	native	
1270	Florideophyceae	Dumontiaceae Bory	Rhodopeltis australis (Harv.) Harv.	native	
1271	Florideophyceae	Faucheaceae I.Strachan, G.W.Saunders & Kraft	Gloioderma J.Agardh		
1272	Florideophyceae	Faucheaceae I.Strachan, G.W.Saunders & Kraft	Gloioderma halymenioides (Harv.) J.Agardh	native	
1273	Florideophyceae	Gelidiaceae K����tz.	Gelidium J.V.Lamour.		
1274	Florideophyceae	Gelidiaceae K����tz.	Gelidium pusillum (Stackh.) Le Jol.	native	
1275	Florideophyceae	Gelidiaceae K����tz.	Ptilophora prolifera (Harv.) J.Agardh	native	
1276	Florideophyceae	Gigartinaceae	Chondracanthus acicularis (Roth) Fredericq	native	
1277	Florideophyceae	Gigartinaceae	Gigartina disticha Sond.	native	
1278	Florideophyceae	Gigartinaceae	Sarcothalia radula (Esper) Edyvane & Womersley	uncertain	
1279	Florideophyceae	Gracilariaceae N����geli	Gracilaria Greville	uncertain	
1280	Florideophyceae	Gracilariaceae N����geli	Gracilaria cliftonii Withell, A.Millar & Kraft	native	
1281	Florideophyceae	Gracilariaceae N����geli	Gracilaria flagelliformis (Sond.) Womersley	native	
1282	Florideophyceae	Gracilariaceae N����geli	Gracilaria preissiana (Sond.) Womersley	native	
1283	Florideophyceae	Gracilariaceae N����geli	Gracilaria transtasmanica (M.Preuss, N.Muangmai & Zuccarello) Lyra, Iha, J.M.C.Nunes & C.C.Davis	alien	
1284	Florideophyceae	Halymeniaceae Bory	Codiophyllum flabelliforme (Sond.) F.Schmitz	native	
1285	Florideophyceae	Halymeniaceae Bory	Gelinaria ulvoidea Sond.	native	
1286	Florideophyceae	Halymeniaceae Bory	Grateloupia C.Agardh		
1287	Florideophyceae	Halymeniaceae Bory	Grateloupia filicina (J.V.Lamour.) C.Agardh	native	
1288	Florideophyceae	Halymeniaceae Bory	Grateloupia imbricata Holmes	alien	
1289	Florideophyceae	Halymeniaceae Bory	Grateloupia subpectinata Holmes	alien	
1290	Florideophyceae	Halymeniaceae Bory	Thamnoclonium K����tz.		
1291	Florideophyceae	Halymeniaceae Bory	Thamnoclonium lemannianum Harv.	native	
1292	Florideophyceae	Hapalidiaceae J.E.Gray	Melobesia J.V.Lamour.		
1293	Florideophyceae	Hymenocladiaceae L.Le Gall, Dalen & G.W.Saunders	Hymenocladia chondricola (Sond.) J.A.Lewis	native	

1294	Florideophyceae	Kallymeniaceae Kylin	Leiomenia cribrosa (Harv.) Huisman & G.W.Saunders	native	
1295	Florideophyceae	Liagoraceae KÅ¼tz.	Helminthocladia australis Harv.	native	
1296	Florideophyceae	Liagoraceae KÅ¼tz.	Helminthora australis Levring	native	
1297	Florideophyceae	Lithophyllaceae Athanas.	Amphiroa anceps (Lam.) Decne.	native	
1298	Florideophyceae	Lomentariaceae	Fushitsunagia catenata (Harv.) Filloramo & G.W.Saunders	alien	
1299	Florideophyceae	Mychodeaceae Kylin	Mychodea aciculare (J.Agardh) Kraft	native	
1300	Florideophyceae	Placentophoraceae Dumilag, W.A.Nelson & Kraft	Callophycus Trevis.		
1301	Florideophyceae	Placentophoraceae Dumilag, W.A.Nelson & Kraft	Callophycus dorsifer (C.Agardh) P.C.Silva	native	
1302	Florideophyceae	Placentophoraceae Dumilag, W.A.Nelson & Kraft	Callophycus oppositifolius (C.Agardh) P.C.Silva	native	
1303	Florideophyceae	Plocamiaceae KÅ¼tz.	Plocamium mertensii (Grev.) Harv.	native	
1304	Florideophyceae	Plocamiaceae KÅ¼tz.	Plocamium preissianum Sond.	native	
1305	Florideophyceae	Plocamiaceae KÅ¼tz.	Plocamium pusillum Sond.	native	
1306	Florideophyceae	Pterocliadiaceae G.P.Felicini & C.Perrone	Pterocliadiella capillacea (J.F.Gmelin) Santelices & Hommersand	native	
1307	Florideophyceae	Rhodomelaceae Horan.	Chiracanthia Falkenb.		
1308	Florideophyceae	Rhodomelaceae Horan.	Chondria C.Agardh		
1309	Florideophyceae	Rhodomelaceae Horan.	Chondria fusifolia (Hook.f. & Harv.) Harv.	native	
1310	Florideophyceae	Rhodomelaceae Horan.	Chondria succulenta (J.Agardh) Falkenb.	native	
1311	Florideophyceae	Rhodomelaceae Horan.	Cladurus elatus (Sond.) Falkenb.	native	
1312	Florideophyceae	Rhodomelaceae Horan.	Coeloclonium umbellatum (Harv.) J.Agardh	native	
1313	Florideophyceae	Rhodomelaceae Horan.	Dictyomenia Greville		
1314	Florideophyceae	Rhodomelaceae Horan.	Dictyomenia sonderi Harv.	native	
1315	Florideophyceae	Rhodomelaceae Horan.	Dictyomenia tridens (Turner) Grev.	native	
1316	Florideophyceae	Rhodomelaceae Horan.	Echinothamnion Kylin		
1317	Florideophyceae	Rhodomelaceae Horan.	Echinothamnion hystrix (Hook.f. & Harv.) Kylin	native	
1318	Florideophyceae	Rhodomelaceae Horan.	Herposiphonia rostrata (Sond.) Reinbold	native	
1319	Florideophyceae	Rhodomelaceae Horan.	Kuetzingia canaliculata (Grev.) Sond.	native	
1320	Florideophyceae	Rhodomelaceae Horan.	Laurencia J.V.Lamour.		
1321	Florideophyceae	Rhodomelaceae Horan.	Laurencia filiformis (C.Agardh) Mont.	native	
1322	Florideophyceae	Rhodomelaceae Horan.	Laurencia obtusa (Huds.) J.V.Lamour.	native	
1323	Florideophyceae	Rhodomelaceae Horan.	Lenormandia Sonder		
1324	Florideophyceae	Rhodomelaceae Horan.	Lenormandia spectabilis Sond.	native	
1325	Florideophyceae	Rhodomelaceae Horan.	Neurymenia fraxinifolia (Turner) J.Agardh	native	
1326	Florideophyceae	Rhodomelaceae Horan.	Osmundaria prolifera J.V.Lamour.	native	
1327	Florideophyceae	Rhodomelaceae Horan.	Pollexfenia lobata (Hook.f. & Harv.) Falkenb.	native	
1328	Florideophyceae	Rhodomelaceae Horan.	Pollexfenia pedicellata Harv.	native	
1329	Florideophyceae	Rhodomelaceae Horan.	Polysiphonia Grev.		
1330	Florideophyceae	Rhodomelaceae Horan.	Polysiphonia subtilissima Mont.	native	
1331	Florideophyceae	Rhodomelaceae Horan.	Vertebrata decipiens (Mont.) Kuntze	native	
1332	Florideophyceae	Rhodomelaceae Horan.	Vidalia spiralis (J.V.Lamour.) J.Agardh	native	
1333	Florideophyceae	Rhodymeniaceae Harv.	Chrysymenia brownii (Harv.) De Toni	native	
1334	Florideophyceae	Rhodymeniaceae Harv.	Halopeltis australis (J.Agardh) G.W.Saunders	native	
1335	Florideophyceae	Rhodymeniaceae Harv.	Rhodymenia Greville		
1336	Florideophyceae	Solieriaceae J.Agardh	Betaphycus speciosus (Sond.) P.C.Silva	native	
1337	Florideophyceae	Solieriaceae J.Agardh	Sarconema filiforme (Sond.) Kylin	native	
1338	Florideophyceae	Solieriaceae J.Agardh	Solieria robusta (Grev.) Kylin	native	
1339	Florideophyceae	Spyridiaceae J.Agardh	Spyridia filamentosa (Wulfen) Harv.	native	
1340	Florideophyceae	Wrangeliaceae J.Agardh	Griffithsia C.Agardh		
1341	Florideophyceae	Wrangeliaceae J.Agardh	Griffithsia crassiuscula C.Agardh	native	
1342	Florideophyceae	Wrangeliaceae J.Agardh	Griffithsia monilis Harv.	native	
1343	Florideophyceae	Wrangeliaceae J.Agardh	Haloplegma preissii (Harv.) Mont.	native	

1344	Flordeophyceae	Wrangeliaceae J.Agardh	Muellerena F.Schmitz		
1345	Jungermannioipsida	Cephaloziellaceae Douin	Cephaloziella exiliflora (Taylor) Douin	native	
1346	Liliopsida	Alliaceae Borkh.	Allium ampeloprasum L.	alien	
1347	Liliopsida	Alliaceae Borkh.	Allium neapolitanum Cirillo (<i>Naples Onion</i>)	alien	
1348	Liliopsida	Alliaceae Borkh.	Allium triquetrum L. (<i>Three-cornered Garlic</i>)	alien	
1349	Liliopsida	Alliaceae Borkh.	Nothoscordum gracile (Aiton) Stearn	alien	
1350	Liliopsida	Amaryllidaceae J.St.-Hil.	Leucojum aestivum L.	alien	
1351	Liliopsida	Amaryllidaceae J.St.-Hil.	Narcissus papyraceus Ker Gawl.	alien	
1352	Liliopsida	Amaryllidaceae J.St.-Hil.	Narcissus tazetta L. subsp. tazetta	alien	
1353	Liliopsida	Amaryllidaceae J.St.-Hil.	Narcissus tazetta subsp. aureus (Loisel.) Baker	alien	
1354	Liliopsida	Amaryllidaceae J.St.-Hil.	Narcissus tazetta subsp. italicus (Ker Gawl.) Baker	alien	
1355	Liliopsida	Anarthriaceae D.F.Cutler & Airy Shaw	Lyginia barbata R.Br.	native	
1356	Liliopsida	Anarthriaceae D.F.Cutler & Airy Shaw	Lyginia excelsa B.G.Briggs & L.A.S.Johnson	native	P2
1357	Liliopsida	Anarthriaceae D.F.Cutler & Airy Shaw	Lyginia imberbis R.Br.	native	
1358	Liliopsida	Araceae Juss.	Lazarum peltandroides (A.Hay, M.D.Barrett & R.L.Barrett) M.D.Barrett, A.Hay & Hett	native	P1
1359	Liliopsida	Araceae Juss.	Zantedeschia aethiopica (L.) Spreng. (<i>Arum Lily</i>)	alien	
1360	Liliopsida	Arecaceae Bercht. & J.Presl	Phoenix canariensis Chabaud (<i>Canary Islands Date Palm</i>)	alien	
1361	Liliopsida	Asparagaceae Juss.	Acanthocarpus preissii Lehm.	native	
1362	Liliopsida	Asparagaceae Juss.	Agave americana L. (<i>Century Plant</i>)	alien	
1363	Liliopsida	Asparagaceae Juss.	Agave angustifolia Haw.	alien	
1364	Liliopsida	Asparagaceae Juss.	Albuca flaccida Jacq.	alien	
1365	Liliopsida	Asparagaceae Juss.	Asparagus asparagoides (L.) Druce (<i>Bridal Creeper</i>)	alien	
1366	Liliopsida	Asparagaceae Juss.	Asparagus declinatus L.	alien	
1367	Liliopsida	Asparagaceae Juss.	Asparagus plumosus Baker	alien	
1368	Liliopsida	Asparagaceae Juss.	Dichopogon capillipes (Endl.) Brittan	native	
1369	Liliopsida	Asparagaceae Juss.	Dichopogon preissii (Endl.) Brittan	native	
1370	Liliopsida	Asparagaceae Juss.	Furcraea foetida (L.) Haw.	alien	
1371	Liliopsida	Asparagaceae Juss.	Hyacinthoides non-scripta Rothm.	alien	
1372	Liliopsida	Asparagaceae Juss.	Lachenalia bulbifera (Cirillo) Asch. & Graebn.	alien	
1373	Liliopsida	Asparagaceae Juss.	Lachenalia flava Andrews	alien	
1374	Liliopsida	Asparagaceae Juss.	Lachenalia mutabilis Sweet	alien	
1375	Liliopsida	Asparagaceae Juss.	Lachenalia reflexa Thunb.	alien	
1376	Liliopsida	Asparagaceae Juss.	Laxmannia squarrosa Lindl.	native	
1377	Liliopsida	Asparagaceae Juss.	Lomandra caespitosa (Benth.) Ewart (<i>Tufted Mat Rush</i>)	native	
1378	Liliopsida	Asparagaceae Juss.	Lomandra hermaphrodita (C.R.P.Andrews) C.A.Gardner	native	
1379	Liliopsida	Asparagaceae Juss.	Lomandra maritima T.S.Choo (<i>Maritime Mat Rush</i>)	native	
1380	Liliopsida	Asparagaceae Juss.	Lomandra micrantha (Endl.) Ewart subsp. micrantha (<i>Small-flower Mat Rush</i>)	native	
1381	Liliopsida	Asparagaceae Juss.	Lomandra nigricans T.Macfarlane	native	
1382	Liliopsida	Asparagaceae Juss.	Lomandra preissii (Endl.) Ewart (<i>Preiss' Mat Rush</i>)	native	
1383	Liliopsida	Asparagaceae Juss.	Lomandra suaveolens (Endl.) Ewart	native	
1384	Liliopsida	Asparagaceae Juss.	Muscari comosum (L.) Mill.	alien	
1385	Liliopsida	Asparagaceae Juss.	Ornithogalum arabicum L. (<i>Lesser Cape Lily</i>)	alien	
1386	Liliopsida	Asparagaceae Juss.	Sowerbaea laxiflora Lindl. (<i>Purple Tassels</i>)	native	
1387	Liliopsida	Asparagaceae Juss.	Thysanotus R.Br.		
1388	Liliopsida	Asparagaceae Juss.	Thysanotus arenarius Brittan (<i>Sand-dune Fringed Lily</i>)	native	
1389	Liliopsida	Asparagaceae Juss.	Thysanotus manglesianus Kunth (<i>Fringed Lily, Mangles' Fringed Lily</i>)	native	
1390	Liliopsida	Asparagaceae Juss.	Thysanotus patersonii R.Br.	native	
1391	Liliopsida	Asparagaceae Juss.	Thysanotus sparteus R.Br. (<i>Leafless Fringed Lily</i>)	native	
1392	Liliopsida	Asparagaceae Juss.	Thysanotus thyrsoides Baker	native	
1393	Liliopsida	Asparagaceae Juss.	Thysanotus triandrus (Labill.) R.Br. (<i>Three-stamened Fringe Lily</i>)	native	

1394	Liliopsida	Asphodelaceae Juss.	Asphodelus fistulosus L. (<i>Onion Weed</i>)	alien	
1395	Liliopsida	Asphodelaceae Juss.	Trachyandra divaricata (Jacq.) Kunth	alien	
1396	Liliopsida	Colchicaceae DC.	Burchardia congesta Lindl.	native	
1397	Liliopsida	Colchicaceae DC.	Wurmbea monantha (Endl.) T.Macfarlane	native	
1398	Liliopsida	Cymodoceaceae Vines	Amphibolis griffithii (J.M.Black) Hartog	native	
1399	Liliopsida	Cyperaceae Juss.	Ammothryon grandiflorum (Lehm.) R.L.Barrett, K.L.Wilson & J.J.Bruhl (<i>Large Flowered Bog-rush</i>)	native	
1400	Liliopsida	Cyperaceae Juss.	Carex divisa Huds. (<i>Divided Sedge</i>)	alien	
1401	Liliopsida	Cyperaceae Juss.	Carex thecata Boott	native	
1402	Liliopsida	Cyperaceae Juss.	Chaetospora curvifolia R.Br.	native	
1403	Liliopsida	Cyperaceae Juss.	Cyathochaeta teretifolia W.Fitzg.	native	P3
1404	Liliopsida	Cyperaceae Juss.	Cyperus gymnocaulos Steud.	native	
1405	Liliopsida	Cyperaceae Juss.	Cyperus polystachyos Rottb.	mixed	
1406	Liliopsida	Cyperaceae Juss.	Cyperus tenuiflorus Rottb.	alien	
1407	Liliopsida	Cyperaceae Juss.	Cyperus vaginatus R.Br.	native	
1408	Liliopsida	Cyperaceae Juss.	Ficinia marginata (Thunb.) Fourc.		
1409	Liliopsida	Cyperaceae Juss.	Ficinia nodosa (Rottb.) Goetgh., Muasya & D.A.Simpson (<i>Knotted Club Rush</i>)	native	
1410	Liliopsida	Cyperaceae Juss.	Fimbristylis velata R.Br.	native	
1411	Liliopsida	Cyperaceae Juss.	Gahnia trifida Labill. (<i>Coast Saw-sedge</i>)	native	
1412	Liliopsida	Cyperaceae Juss.	Isolepis cernua var. setiformis (Benth.) Muasya	native	
1413	Liliopsida	Cyperaceae Juss.	Lepidosperma Labill.		
1414	Liliopsida	Cyperaceae Juss.	Lepidosperma angustatum R.Br.	native	
1415	Liliopsida	Cyperaceae Juss.	Lepidosperma calcicola R.L.Barrett & K.L.Wilson	native	
1416	Liliopsida	Cyperaceae Juss.	Lepidosperma costale Nees	native	
1417	Liliopsida	Cyperaceae Juss.	Lepidosperma gladiatum Labill. (<i>Coast Sword-sedge</i>)	native	
1418	Liliopsida	Cyperaceae Juss.	Lepidosperma leptostachyum Benth.	native	
1419	Liliopsida	Cyperaceae Juss.	Lepidosperma oldhamii R.L.Barrett (<i>Oldham's Sword Sedge</i>)	native	
1420	Liliopsida	Cyperaceae Juss.	Lepidosperma pubisquameum Steud.	native	
1421	Liliopsida	Cyperaceae Juss.	Lepidosperma scabrum Nees	native	
1422	Liliopsida	Cyperaceae Juss.	Machaerina articulata (R.Br.) T.Koyama (<i>Jointed Rush</i>)	native	
1423	Liliopsida	Cyperaceae Juss.	Machaerina juncea (R.Br.) T.Koyama (<i>Bare Twigrush</i>)	native	
1424	Liliopsida	Cyperaceae Juss.	Machaerina laxa (Nees) T.Koyama	native	
1425	Liliopsida	Cyperaceae Juss.	Machaerina preissii (Nees) L.A.S.Johnson & T.Koyama	native	
1426	Liliopsida	Cyperaceae Juss.	Machaerina vaginalis (Benth.) T.Koyama	native	
1427	Liliopsida	Cyperaceae Juss.	Mesomelaena pseudostygia (K����k.) K.L.Wilson	native	
1428	Liliopsida	Cyperaceae Juss.	Morelotia octandra (Nees) R.L.Barrett & J.J.Bruhl	native	
1429	Liliopsida	Cyperaceae Juss.	Netrostylis sp. Chandala (G.J. Keighery 17055)	native	P2
1430	Liliopsida	Cyperaceae Juss.	Schoenoplectus pungens (Vahl) Palla (<i>Sharpleaf Rush</i>)	native	
1431	Liliopsida	Cyperaceae Juss.	Schoenus capillifolius D.A.Cooke	native	P3
1432	Liliopsida	Cyperaceae Juss.	Schoenus clandestinus S.T.Blake	native	
1433	Liliopsida	Cyperaceae Juss.	Schoenus lanatus Labill. (<i>Woolly Bog-rush</i>)	native	
1434	Liliopsida	Cyperaceae Juss.	Schoenus sculptus (Nees) Boeckeler (<i>Gimlet Bog-rush</i>)	native	
1435	Liliopsida	Cyperaceae Juss.	Schoenus subfascicularis K����k.	native	
1436	Liliopsida	Dasypogonaceae Dumort.	Calectasia grandiflora L.Preiss (<i>Blue Tinsel Lily</i>)	native	P2
1437	Liliopsida	Dasypogonaceae Dumort.	Calectasia narragara R.L.Barrett & K.W.Dixon	native	
1438	Liliopsida	Dioscoreaceae R.Br.	Dioscorea hastifolia Nees	native	
1439	Liliopsida	Haemodoraceae R.Br.	Anigozanthos flavidus DC.	native	
1440	Liliopsida	Haemodoraceae R.Br.	Anigozanthos humilis Lindl. (<i>Catspaw</i>)	native	
1441	Liliopsida	Haemodoraceae R.Br.	Anigozanthos humilis Lindl. subsp. humilis (<i>Catspaw</i>)	native	
1442	Liliopsida	Haemodoraceae R.Br.	Anigozanthos manglesii D.Don	native	
1443	Liliopsida	Haemodoraceae R.Br.	Anigozanthos manglesii D.Don subsp. manglesii (<i>Mangles' Kangaroo Paw</i>)	native	
1444	Liliopsida	Haemodoraceae R.Br.	Conostylis aculeata R.Br.	native	

1445	Liliopsida	Haemodoraceae R.Br.	Conostylis aculeata subsp. cygnorum Hopper	native	
1446	Liliopsida	Haemodoraceae R.Br.	Conostylis aculeata subsp. preissii (Endl.) J.W.Green	native	
1447	Liliopsida	Haemodoraceae R.Br.	Conostylis aurea Lindl.	native	
1448	Liliopsida	Haemodoraceae R.Br.	Conostylis bracteata Lindl.	native	P3
1449	Liliopsida	Haemodoraceae R.Br.	Conostylis candicans Endl.	native	
1450	Liliopsida	Haemodoraceae R.Br.	Conostylis candicans Endl. subsp. candicans	native	
1451	Liliopsida	Haemodoraceae R.Br.	Conostylis candicans subsp. calcicola Hopper	native	
1452	Liliopsida	Haemodoraceae R.Br.	Conostylis setigera R.Br.	native	
1453	Liliopsida	Haemodoraceae R.Br.	Conostylis setigera R.Br. subsp. setigera	native	
1454	Liliopsida	Haemodoraceae R.Br.	Conostylis setosa Lindl.	native	
1455	Liliopsida	Haemodoraceae R.Br.	Haemodorum laxum R.Br.	native	
1456	Liliopsida	Haemodoraceae R.Br.	Haemodorum paniculatum Lindl.	native	
1457	Liliopsida	Haemodoraceae R.Br.	Haemodorum spicatum R.Br. (<i>Bohn</i>)	native	
1458	Liliopsida	Haemodoraceae R.Br.	Tribonanthes brachypetala Lindl. (<i>Nodding Tiurndin</i>)	native	
1459	Liliopsida	Hemerocallidaceae R.Br.	Arnocrinum preissii Endl.	native	
1460	Liliopsida	Hemerocallidaceae R.Br.	Caesia micrantha Lindl. (<i>Pale Grass Lily</i>)	native	
1461	Liliopsida	Hemerocallidaceae R.Br.	Corynotheca micrantha (Lindl.) Druce	native	
1462	Liliopsida	Hemerocallidaceae R.Br.	Dianella revoluta R.Br. (<i>Blueberry Lily</i>)	native	
1463	Liliopsida	Hemerocallidaceae R.Br.	Dianella revoluta var. divaricata (R.Br.) R.J.F.Hend. (<i>Flax Lily</i>)	native	
1464	Liliopsida	Hemerocallidaceae R.Br.	Johnsonia pubescens subsp. cygnorum Keighery	native	P2
1465	Liliopsida	Hemerocallidaceae R.Br.	Stypandra glauca R.Br.	native	
1466	Liliopsida	Hemerocallidaceae R.Br.	Tricoryne elatior R.Br. (<i>Yellow Autumn Lily</i>)	native	
1467	Liliopsida	Hydrocharitaceae Juss.	Halophila ovalis (R.Br.) Hook.f.	native	
1468	Liliopsida	Hydrocharitaceae Juss.	Najas marina L.	native	
1469	Liliopsida	Iridaceae Juss.	Babiana angustifolia Sweet	alien	
1470	Liliopsida	Iridaceae Juss.	Babiana nana (Andr.) Spreng.	alien	
1471	Liliopsida	Iridaceae Juss.	Babiana tubulosa var. tubiflora (L.f.) G.J.Lewis	alien	
1472	Liliopsida	Iridaceae Juss.	Chasmanthe floribunda (Salisb.) N.E.Br. (<i>African Cornflag</i>)	alien	
1473	Liliopsida	Iridaceae Juss.	Ferraria crispa Burm. (<i>Black Flag</i>)	alien	
1474	Liliopsida	Iridaceae Juss.	Ferraria crispa Burm. subsp. crispa	alien	
1475	Liliopsida	Iridaceae Juss.	Freesia Klatt		
1476	Liliopsida	Iridaceae Juss.	Freesia leichtlinii subsp. alba x leichtlinii subsp. leichtlinii		
1477	Liliopsida	Iridaceae Juss.	Gladiolus angustus L. (<i>Long Tubed Painted Lady</i>)	alien	
1478	Liliopsida	Iridaceae Juss.	Gladiolus caryophyllaceus (Burm.f.) Poir. (<i>Wild Gladiolus</i>)	alien	
1479	Liliopsida	Iridaceae Juss.	Gladiolus undulatus L. (<i>Wild Gladiolus</i>)	alien	
1480	Liliopsida	Iridaceae Juss.	Hesperantha falcata (L.f.) Ker Gawl.	alien	
1481	Liliopsida	Iridaceae Juss.	Ixia L.		
1482	Liliopsida	Iridaceae Juss.	Ixia fuscocitrina Redoute	alien	
1483	Liliopsida	Iridaceae Juss.	Ixia polystachya L.	alien	
1484	Liliopsida	Iridaceae Juss.	Moraea flaccida (Sweet) Steud. (<i>One-leaf Cape Tulip</i>)	alien	
1485	Liliopsida	Iridaceae Juss.	Moraea setifolia (L.f.) Druce	alien	
1486	Liliopsida	Iridaceae Juss.	Orthrosanthus laxus (Endl.) Benth.	native	
1487	Liliopsida	Iridaceae Juss.	Orthrosanthus laxus (Endl.) Benth. var. laxus (<i>Morning Iris</i>)	native	
1488	Liliopsida	Iridaceae Juss.	Patersonia occidentalis R.Br.	native	
1489	Liliopsida	Iridaceae Juss.	Romulea flava (Lam.) M.P.deVos	alien	
1490	Liliopsida	Iridaceae Juss.	Romulea flava var. minor (Beg.) M.P.deVos	alien	
1491	Liliopsida	Iridaceae Juss.	Romulea rosea (L.) Eckl. (<i>Guildford Grass</i>)	alien	
1492	Liliopsida	Iridaceae Juss.	Romulea rosea var. australis (Ewart) M.P.de Vos (<i>Guildford Grass</i>)	alien	
1493	Liliopsida	Iridaceae Juss.	Romulea rosea var. communis M.P.de Vos.	alien	
1494	Liliopsida	Iridaceae Juss.	Sisyrinchium rosulatum E.P.Bicknell	alien	
1495	Liliopsida	Iridaceae Juss.	Sparaxis bulbifera (L.) Ker Gawl.	alien	
1496	Liliopsida	Iridaceae Juss.	Sparaxis pillansii L.Bolus (<i>Harlequin Flower</i>)	alien	
1497	Liliopsida	Iridaceae Juss.	Watsonia meriana (L.) Mill. var. meriana	alien	

1498	Liliopsida	Juncaceae Juss.	Juncus kraussii subsp. australiensis (Buchenau) Snogerup	native	
1499	Liliopsida	Juncaceae Juss.	Juncus oxycarpus Kunth	alien	
1500	Liliopsida	Juncaceae Juss.	Juncus pallidus R.Br.	native	
1501	Liliopsida	Juncaceae Juss.	Juncus subsecundus N.A.Wakef.	native	
1502	Liliopsida	Juncaginaceae Rich.	Cycnogeton huegelii Endl.	native	
1503	Liliopsida	Juncaginaceae Rich.	Cycnogeton lineare (Endl.) Sond.	native	
1504	Liliopsida	Juncaginaceae Rich.	Triglochin striata Ruiz & Pav.	native	
1505	Liliopsida	Juncaginaceae Rich.	Triglochin trichophora Nees	native	
1506	Liliopsida	Orchidaceae Juss.	Caladenia R.Br.		
1507	Liliopsida	Orchidaceae Juss.	Caladenia arenicola Hopper & A.P.Br. (<i>Carousel Spider Orchid</i>)	native	
1508	Liliopsida	Orchidaceae Juss.	Caladenia discoidea Lindl.	native	
1509	Liliopsida	Orchidaceae Juss.	Caladenia flava R.Br. (<i>Cowslip Orchid</i>)	native	
1510	Liliopsida	Orchidaceae Juss.	Caladenia flava R.Br. subsp. flava	native	
1511	Liliopsida	Orchidaceae Juss.	Caladenia georgei Hopper & A.P.Br. (<i>Tuart Spider Orchid</i>)	native	
1512	Liliopsida	Orchidaceae Juss.	Caladenia huegelii Rchb.f. (<i>Grand Spider Orchid</i>)	native	CR
1513	Liliopsida	Orchidaceae Juss.	Caladenia latifolia R.Br.	native	
1514	Liliopsida	Orchidaceae Juss.	Caladenia longicauda Lindl.	native	
1515	Liliopsida	Orchidaceae Juss.	Caladenia longicauda subsp. calcigena Hopper & A.P.Br. (<i>Coastal White Spider Orchid</i>)	native	
1516	Liliopsida	Orchidaceae Juss.	Caladenia x spectabilis Hopper & A.P.Br.	native	
1517	Liliopsida	Orchidaceae Juss.	Corysanthes recurva (D.L.Jones) D.L.Jones & M.A.Clem.	native	
1518	Liliopsida	Orchidaceae Juss.	Cyanicula gemmata (Lindl.) Hopper & A.P.Br.	native	
1519	Liliopsida	Orchidaceae Juss.	Cyanicula ixioides (Lindl.) Hopper & A.P.Br.	native	Parent of conservation listed taxa
1520	Liliopsida	Orchidaceae Juss.	Disa bracteata Sw.	alien	
1521	Liliopsida	Orchidaceae Juss.	Diuris corymbosa Lindl. (<i>Common Donkey Orchid</i>)	native	
1522	Liliopsida	Orchidaceae Juss.	Diuris drummondii Lindl.	native	EN
1523	Liliopsida	Orchidaceae Juss.	Diuris laxiflora Lindl. (<i>Bee Orchid</i>)	native	
1524	Liliopsida	Orchidaceae Juss.	Diuris longifolia R.Br.	native	
1525	Liliopsida	Orchidaceae Juss.	Diuris magnifica D.L.Jones	native	
1526	Liliopsida	Orchidaceae Juss.	Elythranthera brunonis (Endl.) A.S.George	native	
1527	Liliopsida	Orchidaceae Juss.	Eriochilus dilatatus Lindl. subsp. dilatatus	native	
1528	Liliopsida	Orchidaceae Juss.	Eriochilus dilatatus subsp. multiflorus (Lindl.) Hopper & A.P.Br.	native	
1529	Liliopsida	Orchidaceae Juss.	Leporella fimbriata (Lindl.) A.S.George	native	
1530	Liliopsida	Orchidaceae Juss.	Leptoceras menziesii (R.Br.) Lindl.	native	
1531	Liliopsida	Orchidaceae Juss.	Lyperanthus serratus Lindl.	native	
1532	Liliopsida	Orchidaceae Juss.	Pheladenia deformis (R.Br.) D.L.Jones & M.A.Clem.	native	
1533	Liliopsida	Orchidaceae Juss.	Prasophyllum R.Br.		
1534	Liliopsida	Orchidaceae Juss.	Prasophyllum elatum R.Br. (<i>Tall Leek Orchid</i>)	native	
1535	Liliopsida	Orchidaceae Juss.	Prasophyllum giganteum Lindl. (<i>Bronze Leek Orchid</i>)	native	
1536	Liliopsida	Orchidaceae Juss.	Pterostylis aspera D.L.Jones & M.A.Clem.	native	
1537	Liliopsida	Orchidaceae Juss.	Pterostylis brevispala (D.L.Jones & C.J.French) D.L.Jones & C.J.French	native	
1538	Liliopsida	Orchidaceae Juss.	Pterostylis ectypha (D.L.Jones & C.J.French) D.L.Jones & C.J.French (<i>Thick-sepaled Snail Orchid</i>)	native	
1539	Liliopsida	Orchidaceae Juss.	Pterostylis recurva Benth.	native	
1540	Liliopsida	Orchidaceae Juss.	Pterostylis robusta R.S.Rogers		
1541	Liliopsida	Orchidaceae Juss.	Pterostylis sanguinea D.L.Jones & M.A.Clem. (<i>Dark Banded Greenhood</i>)	native	
1542	Liliopsida	Orchidaceae Juss.	Pterostylis sp. Bloated snail orchid (W. Jackson BJ 486)	native	
1543	Liliopsida	Orchidaceae Juss.	Pterostylis vittata Lindl.	native	
1544	Liliopsida	Orchidaceae Juss.	Thelymitra antennifera (Lindl.) Hook.f. (<i>Lemon-scented Sun Orchid, Vanilla Orchid</i>)	native	
1545	Liliopsida	Orchidaceae Juss.	Thelymitra benthamiana Rchb.f.	native	

1546	Liliopsida	Orchidaceae Juss.	Thelymitra campanulata Lindl. (<i>Bell Sun Orchid, Shirt Orchid</i>)	native	
1547	Liliopsida	Orchidaceae Juss.	Thelymitra crinita Lindl.	native	
1548	Liliopsida	Orchidaceae Juss.	Thelymitra fuscolutea R.Br. (<i>Chestnut Sun Orchid</i>)	native	
1549	Liliopsida	Orchidaceae Juss.	Thelymitra macrophylla Lindl.	native	
1550	Liliopsida	Orchidaceae Juss.	Thelymitra variegata (Lindl.) F.Muell. (<i>Queen of Sheba</i>)	native	CR
1551	Liliopsida	Poaceae Barnhart	Aira L.		
1552	Liliopsida	Poaceae Barnhart	Aira caryophyllea L.	alien	
1553	Liliopsida	Poaceae Barnhart	Aira cupaniana Guss. (<i>Silvery Hairgrass</i>)	alien	
1554	Liliopsida	Poaceae Barnhart	Aira praecox L.	alien	
1555	Liliopsida	Poaceae Barnhart	Ammophila arenaria (L.) Link	alien	
1556	Liliopsida	Poaceae Barnhart	Amphipogon laguroides R.Br.	native	
1557	Liliopsida	Poaceae Barnhart	Amphipogon turbinatus R.Br.	native	
1558	Liliopsida	Poaceae Barnhart	Arundo donax L. (<i>Giant Reed</i>)	alien	
1559	Liliopsida	Poaceae Barnhart	Austrostipa S.W.L.Jacobs & J.Everett		
1560	Liliopsida	Poaceae Barnhart	Austrostipa campylachne (Nees) S.W.L.Jacobs & J.Everett	native	
1561	Liliopsida	Poaceae Barnhart	Austrostipa compressa (R.Br.) S.W.L.Jacobs & J.Everett	native	
1562	Liliopsida	Poaceae Barnhart	Austrostipa drummondii (Steud.) S.W.L.Jacobs & J.Everett	native	
1563	Liliopsida	Poaceae Barnhart	Austrostipa elegantissima (Labill.) S.W.L.Jacobs & J.Everett	native	
1564	Liliopsida	Poaceae Barnhart	Austrostipa flavescens (Labill.) S.W.L.Jacobs & J.Everett	native	
1565	Liliopsida	Poaceae Barnhart	Austrostipa hemipogon (Benth.) S.W.L.Jacobs & J.Everett	native	
1566	Liliopsida	Poaceae Barnhart	Austrostipa mundula (J.M.Black) S.W.L.Jacobs & J.Everett	native	P3
1567	Liliopsida	Poaceae Barnhart	Austrostipa semibarbata (R.Br.) S.W.L.Jacobs & J.Everett	native	
1568	Liliopsida	Poaceae Barnhart	Austrostipa variabilis (Hughes) S.W.L.Jacobs & J.Everett	native	
1569	Liliopsida	Poaceae Barnhart	Avena L.		
1570	Liliopsida	Poaceae Barnhart	Avena barbata Link	alien	
1571	Liliopsida	Poaceae Barnhart	Avena fatua L.	alien	
1572	Liliopsida	Poaceae Barnhart	Axonopus fissifolius (Raddi) Kuhlms.	alien	
1573	Liliopsida	Poaceae Barnhart	Briza maxima L.	alien	
1574	Liliopsida	Poaceae Barnhart	Briza minor L.	alien	
1575	Liliopsida	Poaceae Barnhart	Bromus L.		
1576	Liliopsida	Poaceae Barnhart	Bromus diandrus Roth (<i>Great Brome</i>)	alien	
1577	Liliopsida	Poaceae Barnhart	Bromus hordeaceus L.	alien	
1578	Liliopsida	Poaceae Barnhart	Bromus madritensis L.	alien	
1579	Liliopsida	Poaceae Barnhart	Bromus rubens L. (<i>Red Brome</i>)	alien	
1580	Liliopsida	Poaceae Barnhart	Catapodium rigidum (L.) C.E.Hubb.	alien	
1581	Liliopsida	Poaceae Barnhart	Cenchrus purpureus (Schumacher.) Morrone (<i>Elephant Grass</i>)	alien	
1582	Liliopsida	Poaceae Barnhart	Cenchrus setaceus (Forssk.) Morrone (<i>Fountain Grass</i>)	alien	
1583	Liliopsida	Poaceae Barnhart	Cenchrus spinifex Cav. (<i>Spiny Burrgrass</i>)	alien	
1584	Liliopsida	Poaceae Barnhart	Cortaderia selloana (Schult. & Schult.f.) Asch. & Graebn. subsp. selloana	alien	
1585	Liliopsida	Poaceae Barnhart	Cynodon dactylon (L.) Pers.	alien	
1586	Liliopsida	Poaceae Barnhart	Dichelachne crinita (L.f.) Hook.f. (<i>Longhair Plumegrass</i>)	native	
1587	Liliopsida	Poaceae Barnhart	Digitaria ciliaris (Retz.) Koeler	alien	
1588	Liliopsida	Poaceae Barnhart	Echinochloa colona (L.) Link	alien	
1589	Liliopsida	Poaceae Barnhart	Ehrharta brevifolia Schrad.	alien	
1590	Liliopsida	Poaceae Barnhart	Ehrharta brevifolia var. cuspidata Nees	alien	
1591	Liliopsida	Poaceae Barnhart	Ehrharta calycina Sm. (<i>Perennial Veldt Grass</i>)	alien	
1592	Liliopsida	Poaceae Barnhart	Ehrharta longiflora Sm. (<i>Annual Veldt Grass</i>)	alien	
1593	Liliopsida	Poaceae Barnhart	Eragrostis curvula (Schrad.) Nees (<i>African Lovegrass</i>)	alien	
1594	Liliopsida	Poaceae Barnhart	Hordeum leporinum Link (<i>Barley Grass</i>)	alien	
1595	Liliopsida	Poaceae Barnhart	Hordeum vulgare L. (<i>Barley</i>)	alien	
1596	Liliopsida	Poaceae Barnhart	Hyparrhenia hirta (L.) Stapf	alien	
1597	Liliopsida	Poaceae Barnhart	Lachnagrostis aemula (R.Br.) Trin.	native	

1598	Liliopsida	Poaceae Barnhart	Lachnagrostis drummondiana (Steud.) S.W.L.Jacobs	native	P1
1599	Liliopsida	Poaceae Barnhart	Lachnagrostis filiformis (G.Forst.) Trin.	native	
1600	Liliopsida	Poaceae Barnhart	Lagurus ovatus L.	alien	
1601	Liliopsida	Poaceae Barnhart	Lolium L.		
1602	Liliopsida	Poaceae Barnhart	Lolium perenne L. (<i>Perennial Ryegrass</i>)	alien	
1603	Liliopsida	Poaceae Barnhart	Lolium rigidum Gaudin (<i>Wimmera Ryegrass</i>)	alien	
1604	Liliopsida	Poaceae Barnhart	Lolium temulentum L. (<i>Drake</i>)	alien	
1605	Liliopsida	Poaceae Barnhart	Lolium temulentum forma arvense (With.) Junge	alien	
1606	Liliopsida	Poaceae Barnhart	Melinis repens (Willd.) Zizka	alien	
1607	Liliopsida	Poaceae Barnhart	Micraira brevis M.D.Barrett & R.L.Barrett	native	Parent of conservation listed taxa
1608	Liliopsida	Poaceae Barnhart	Microlaena stipoides (Labill.) R.Br. (<i>Weeping Grass</i>)	native	
1609	Liliopsida	Poaceae Barnhart	Oloptum miliaceum (L.) M.RÄ¶iser & H.R.Hamasha	alien	
1610	Liliopsida	Poaceae Barnhart	Panicum L.		
1611	Liliopsida	Poaceae Barnhart	Paspalum dilatatum Poir.	alien	
1612	Liliopsida	Poaceae Barnhart	Pentameris pallida (Thunb.) Galley & H.P.Linder	alien	
1613	Liliopsida	Poaceae Barnhart	Phalaris minor Retz. (<i>Lesser Canary Grass</i>)	alien	
1614	Liliopsida	Poaceae Barnhart	Phleum arenarium L.	alien	
1615	Liliopsida	Poaceae Barnhart	Poa annua L. (<i>Winter Grass</i>)	alien	
1616	Liliopsida	Poaceae Barnhart	Poa bulbosa L.	alien	
1617	Liliopsida	Poaceae Barnhart	Poa drummondiana Nees (<i>Knotted Poa</i>)	native	
1618	Liliopsida	Poaceae Barnhart	Poa poiformis (Labill.) Druce (<i>Coastal Poa</i>)	native	
1619	Liliopsida	Poaceae Barnhart	Poa porphyroclados Nees	native	
1620	Liliopsida	Poaceae Barnhart	Polypogon monspeliensis (L.) Desf.	alien	
1621	Liliopsida	Poaceae Barnhart	Rostraria cristata (L.) Tzvelev	alien	
1622	Liliopsida	Poaceae Barnhart	Rytidosperma caespitosum (Gaudich.) Connor & Edgar	native	
1623	Liliopsida	Poaceae Barnhart	Rytidosperma occidentale (Vickery) Connor & Edgar	native	
1624	Liliopsida	Poaceae Barnhart	Setaria italica (L.) P.Beauv. (<i>Italian Millet</i>)	alien	
1625	Liliopsida	Poaceae Barnhart	Spinifex longifolius R.Br. (<i>Beach Spinifex</i>)	native	
1626	Liliopsida	Poaceae Barnhart	Spinifex sericeus R.Br.	alien	
1627	Liliopsida	Poaceae Barnhart	Spinifex x alterniflorus Nees	native	
1628	Liliopsida	Poaceae Barnhart	Sporobolus virginicus (L.) Kunth (<i>Marine Couch</i>)	native	
1629	Liliopsida	Poaceae Barnhart	Stenotaphrum secundatum (Walter) Kuntze (<i>Buffalo Grass</i>)	alien	
1630	Liliopsida	Poaceae Barnhart	Stipa L.		
1631	Liliopsida	Poaceae Barnhart	Thinopyrum distichum (Thunb.) Ä.Ä¶ive	alien	
1632	Liliopsida	Poaceae Barnhart	Tribolium echinatum (Thunb.) Renvoize	native	
1633	Liliopsida	Poaceae Barnhart	Triticum aestivum L. (<i>Wheat</i>)	alien	
1634	Liliopsida	Poaceae Barnhart	Vulpia bromoides (L.) Gray	alien	
1635	Liliopsida	Poaceae Barnhart	Vulpia fasciculata (Forssk.) Fritsch	alien	
1636	Liliopsida	Poaceae Barnhart	Vulpia myuros (L.) C.C.Gmel.	alien	
1637	Liliopsida	Potamogetonaceae Bercht. & J. Presl	Potamogeton crispus L.	native	
1638	Liliopsida	Potamogetonaceae Bercht. & J. Presl	Stuckenia pectinata (L.) BÄ¶lrner (<i>Fennel Pondweed</i>)	native	
1639	Liliopsida	Restionaceae R.Br.	Alexgeorgea nitens (Nees) L.A.S.Johnson & B.G.Briggs	native	
1640	Liliopsida	Restionaceae R.Br.	Desmocladus asper (Nees) B.G.Briggs & L.A.S.Johnson	native	
1641	Liliopsida	Restionaceae R.Br.	Desmocladus flexuosus (R.Br.) B.G.Briggs & L.A.S.Johnson	native	
1642	Liliopsida	Restionaceae R.Br.	Hypolaena exsulca R.Br.	native	
1643	Liliopsida	Restionaceae R.Br.	Hypolaena fastigiata R.Br.	native	
1644	Liliopsida	Restionaceae R.Br.	Lepidobolus preissianus Nees	native	
1645	Liliopsida	Restionaceae R.Br.	Leptocarpus tenax (Labill.) R.Br.	native	
1646	Liliopsida	Typhaceae Juss.	Typha orientalis C.Presl	native	
1647	Liliopsida	Xanthorrhoeaceae Dumort.	Xanthorrhoea brunonis Endl.	native	
1648	Liliopsida	Xanthorrhoeaceae Dumort.	Xanthorrhoea preissii Endl.	native	
1649	Magnoliopsida	Aizoaceae Martinov	Carpobrotus edulis (L.) N.E.Br. subsp. edulis	alien	

1650	Magnoliopsida	Aizoaceae Martinov	Carpobrotus virescens (Haw.) Schwantes	native	
1651	Magnoliopsida	Aizoaceae Martinov	Tetragonia decumbens Mill. (<i>Sea Spinach</i>)	alien	
1652	Magnoliopsida	Amaranthaceae Juss.	Amaranthus L.		
1653	Magnoliopsida	Amaranthaceae Juss.	Amaranthus hybridus L.	alien	
1654	Magnoliopsida	Amaranthaceae Juss.	Ptilotus drummondii (Moq.) F.Muell. (<i>Narrowleaf Mulla Mulla</i>)	native	
1655	Magnoliopsida	Amaranthaceae Juss.	Ptilotus drummondii (Moq.) F.Muell. var. drummondii	native	
1656	Magnoliopsida	Amaranthaceae Juss.	Ptilotus esquamatus (Benth.) F.Muell.	native	
1657	Magnoliopsida	Amaranthaceae Juss.	Ptilotus polystachyus (Gaudich.) F.Muell. (<i>Prince of Wales Feather</i>)	native	
1658	Magnoliopsida	Amaranthaceae Juss.	Ptilotus sericostachyus (Nees) F.Muell.	native	
1659	Magnoliopsida	Amaranthaceae Juss.	Ptilotus sericostachyus (Nees) F.Muell. subsp. sericostachyus	native	
1660	Magnoliopsida	Amaranthaceae Juss.	Ptilotus stirlingii (Lindl.) F.Muell. (<i>Stirling's Mulla Mulla</i>)	native	
1661	Magnoliopsida	Anacardiaceae R.Br.	Schinus terebinthifolia Raddi	alien	
1662	Magnoliopsida	Apiaceae Lindl.	Actinotus leucocephalus Benth.	native	
1663	Magnoliopsida	Apiaceae Lindl.	Apium annuum P.S.Short	native	
1664	Magnoliopsida	Apiaceae Lindl.	Apium prostratum Vent.	native	
1665	Magnoliopsida	Apiaceae Lindl.	Apium prostratum Vent. subsp. prostratum	native	
1666	Magnoliopsida	Apiaceae Lindl.	Daucus glochidiatus (Labill.) Fisch., C.A.Mey. & Ave-Lall. (<i>Australian Carrot</i>)	native	
1667	Magnoliopsida	Apiaceae Lindl.	Eryngium pinnatifidum Bunge (<i>Blue Devils</i>)	native	
1668	Magnoliopsida	Apiaceae Lindl.	Foeniculum vulgare Mill. (<i>Fennel</i>)	alien	
1669	Magnoliopsida	Apiaceae Lindl.	Homalosciadium homolocarpum (F.Muell.) H.Eichler	native	
1670	Magnoliopsida	Apiaceae Lindl.	Xanthosia huegelii (Benth.) Steud.	native	
1671	Magnoliopsida	Apocynaceae Juss.	Alyxia buxifolia R.Br.	native	
1672	Magnoliopsida	Apocynaceae Juss.	Gomphocarpus fruticosus (L.) W.T.Aiton (<i>Narrowleaf Cottonbush</i>)	alien	
1673	Magnoliopsida	Apocynaceae Juss.	Nerium oleander L.	alien	
1674	Magnoliopsida	Araliaceae Juss.	Hydrocotyle bonariensis Lam.	alien	
1675	Magnoliopsida	Araliaceae Juss.	Hydrocotyle diantha DC.	native	
1676	Magnoliopsida	Araliaceae Juss.	Hydrocotyle lemnoides Benth. (<i>Aquatic Pennywort</i>)	native	P4
1677	Magnoliopsida	Araliaceae Juss.	Hydrocotyle scutellifera Benth.	native	
1678	Magnoliopsida	Araliaceae Juss.	Hydrocotyle striata Benth.	native	P1
1679	Magnoliopsida	Araliaceae Juss.	Trachymene coerulea Graham (<i>Blue Lace Flower</i>)	native	
1680	Magnoliopsida	Araliaceae Juss.	Trachymene coerulea Graham subsp. coerulea (<i>Blue Lace Flower</i>)	native	
1681	Magnoliopsida	Araliaceae Juss.	Trachymene pilosa Sm. (<i>Native Parsnip</i>)	native	
1682	Magnoliopsida	Asteraceae Bercht. & J.Presl	Achillea L.		
1683	Magnoliopsida	Asteraceae Bercht. & J.Presl	Ageratina adenophora (Spreng.) R.M.King & H.Rob. (<i>Crofton Weed</i>)	alien	
1684	Magnoliopsida	Asteraceae Bercht. & J.Presl	Angianthus cunninghamii (DC.) Benth. (<i>Coast Angianthus</i>)	native	
1685	Magnoliopsida	Asteraceae Bercht. & J.Presl	Angianthus micropodioides (Benth.) Benth.	native	P3
1686	Magnoliopsida	Asteraceae Bercht. & J.Presl	Arctotheca calendula (L.) K.Lewin (<i>Cape Weed</i>)	alien	
1687	Magnoliopsida	Asteraceae Bercht. & J.Presl	Arctotheca populifolia (P.J.Bergius) Norl.	alien	
1688	Magnoliopsida	Asteraceae Bercht. & J.Presl	Arctotis stoechadifolia P.J.Bergius (<i>White Arctotis</i>)	alien	
1689	Magnoliopsida	Asteraceae Bercht. & J.Presl	Argyranthemum frutescens (L.) Sch.Bip.	alien	
1690	Magnoliopsida	Asteraceae Bercht. & J.Presl	Argyranthemum frutescens subsp. foeniculaceum (Pit. & Proust) Humphries	alien	
1691	Magnoliopsida	Asteraceae Bercht. & J.Presl	Asteridea pulverulenta Lindl.	native	
1692	Magnoliopsida	Asteraceae Bercht. & J.Presl	Bidens pilosa L. (<i>Cobbler's Pegs</i>)	alien	

1693	Magnoliopsida	Asteraceae Bercht. & J.Presl	Carduus pycnocephalus L. (<i>Slender Thistle</i>)	alien	
1694	Magnoliopsida	Asteraceae Bercht. & J.Presl	Centaurea melitensis L. (<i>Maltese Cockspur</i>)	alien	
1695	Magnoliopsida	Asteraceae Bercht. & J.Presl	Cosmos bipinnatus Cav.	alien	
1696	Magnoliopsida	Asteraceae Bercht. & J.Presl	Cotula australis (Spreng.) Hook.f.	native	
1697	Magnoliopsida	Asteraceae Bercht. & J.Presl	Cotula coronopifolia L.	alien	
1698	Magnoliopsida	Asteraceae Bercht. & J.Presl	Cotula cotuloides (Steetz) Druce (<i>Smooth Cotula</i>)	native	
1699	Magnoliopsida	Asteraceae Bercht. & J.Presl	Cotula turbinata L.	alien	
1700	Magnoliopsida	Asteraceae Bercht. & J.Presl	Crassocephalum crepidioides (Benth.) S.Moore	alien	
1701	Magnoliopsida	Asteraceae Bercht. & J.Presl	Crepis foetida L. subsp. foetida (<i>Stinking Hawksbeard</i>)	alien	
1702	Magnoliopsida	Asteraceae Bercht. & J.Presl	Dittrichia graveolens (L.) Greuter	alien	
1703	Magnoliopsida	Asteraceae Bercht. & J.Presl	Eclipta prostrata (L.) L.	alien	
1704	Magnoliopsida	Asteraceae Bercht. & J.Presl	Erigeron bonariensis L.	alien	
1705	Magnoliopsida	Asteraceae Bercht. & J.Presl	Erigeron canadensis L.	alien	
1706	Magnoliopsida	Asteraceae Bercht. & J.Presl	Erigeron karvinskianus DC.	alien	
1707	Magnoliopsida	Asteraceae Bercht. & J.Presl	Erigeron sumatrensis Retz.	alien	
1708	Magnoliopsida	Asteraceae Bercht. & J.Presl	Galinsoga parviflora Cav. (<i>Potato Weed</i>)	alien	
1709	Magnoliopsida	Asteraceae Bercht. & J.Presl	Gamochaeta americana (Mill.) Wedd.	alien	
1710	Magnoliopsida	Asteraceae Bercht. & J.Presl	Gamochaeta pensylvanica (Willd.) Cabrera	alien	
1711	Magnoliopsida	Asteraceae Bercht. & J.Presl	Gazania linearis (Thunb.) Druce	alien	
1712	Magnoliopsida	Asteraceae Bercht. & J.Presl	Glebionis coronaria (L.) Spach (<i>Summer Chrysanthemum</i>)	alien	
1713	Magnoliopsida	Asteraceae Bercht. & J.Presl	Gnephosis angianthoides (Steetz) Anderb.	native	
1714	Magnoliopsida	Asteraceae Bercht. & J.Presl	Helianthus debilis subsp. cucumerifolius (Torr. & A.Gray) Heiser	alien	
1715	Magnoliopsida	Asteraceae Bercht. & J.Presl	Hyalosperma cotula (Benth.) Paul G.Wilson	native	
1716	Magnoliopsida	Asteraceae Bercht. & J.Presl	Hypochaeris glabra L. (<i>Smooth Cats-ear</i>)	alien	
1717	Magnoliopsida	Asteraceae Bercht. & J.Presl	Hypochaeris radicata L. (<i>Flat Weed</i>)	alien	
1718	Magnoliopsida	Asteraceae Bercht. & J.Presl	Ixiolaena viscosa Benth.	native	
1719	Magnoliopsida	Asteraceae Bercht. & J.Presl	Lactuca serriola L. forma serriola	alien	
1720	Magnoliopsida	Asteraceae Bercht. & J.Presl	Lagenophora huegelii Benth.	native	
1721	Magnoliopsida	Asteraceae Bercht. & J.Presl	Leontodon rhagadioloides (L.) Enke & Zidorn (<i>Cretan Weed</i>)	alien	
1722	Magnoliopsida	Asteraceae Bercht. & J.Presl	Leucophyta brownii Cass.	native	
1723	Magnoliopsida	Asteraceae Bercht. & J.Presl	Mauranthemum paludosum (Poir.) Vogt & Oberpr.	alien	
1724	Magnoliopsida	Asteraceae Bercht. & J.Presl	Millotia myosotidifolia (Benth.) Steetz	native	

1725	Magnoliopsida	Asteraceae Bercht. & J.Presl	Millotia tenuifolia Cass. var. tenuifolia (<i>Soft Millotia</i>)	native	
1726	Magnoliopsida	Asteraceae Bercht. & J.Presl	Monoculus monstrosus (Burm.f.) B.Nord.	alien	
1727	Magnoliopsida	Asteraceae Bercht. & J.Presl	Olearia axillaris (DC.) Benth. (<i>Coastal Daisybush</i>)	native	
1728	Magnoliopsida	Asteraceae Bercht. & J.Presl	Olearia paucidentata (Steetz) Benth.	native	
1729	Magnoliopsida	Asteraceae Bercht. & J.Presl	Olearia rudis (Benth.) Benth. (<i>Rough Daisybush</i>)	native	
1730	Magnoliopsida	Asteraceae Bercht. & J.Presl	Osteospermum ecklonis (DC.) Norl.	alien	
1731	Magnoliopsida	Asteraceae Bercht. & J.Presl	Picris squarrosa Steetz	native	
1732	Magnoliopsida	Asteraceae Bercht. & J.Presl	Pithocarpa cordata (DC.) Schmidt-Leb. & R.L.Barrett (<i>Tangle Daisy</i>)	native	
1733	Magnoliopsida	Asteraceae Bercht. & J.Presl	Podolepis gracilis (Lehm.) Graham	native	
1734	Magnoliopsida	Asteraceae Bercht. & J.Presl	Podotheca angustifolia (Labill.) Less. (<i>Sticky Longheads</i>)	native	
1735	Magnoliopsida	Asteraceae Bercht. & J.Presl	Podotheca chrysantha (Steetz) Benth. (<i>Yellow Podotheca</i>)	native	
1736	Magnoliopsida	Asteraceae Bercht. & J.Presl	Podotheca gnaphalioides Graham	native	
1737	Magnoliopsida	Asteraceae Bercht. & J.Presl	Pseudognaphalium luteoalbum (L.) Hilliard & B.L.Burt	mixed	
1738	Magnoliopsida	Asteraceae Bercht. & J.Presl	Rhodanthe chlorocephala subsp. rosea (Hook.) Paul G.Wilson	native	
1739	Magnoliopsida	Asteraceae Bercht. & J.Presl	Rhodanthe corymbosa (A.Gray) Paul G.Wilson	native	
1740	Magnoliopsida	Asteraceae Bercht. & J.Presl	Senecio angulatus L.f.	alien	
1741	Magnoliopsida	Asteraceae Bercht. & J.Presl	Senecio condylus I.Thomps. (<i>Perth Groundsel</i>)	native	
1742	Magnoliopsida	Asteraceae Bercht. & J.Presl	Senecio depressicola I.Thomps.	mixed	
1743	Magnoliopsida	Asteraceae Bercht. & J.Presl	Senecio elegans L. (<i>Purple Groundsel</i>)	alien	
1744	Magnoliopsida	Asteraceae Bercht. & J.Presl	Senecio pinnatifolius A.Rich.	native	
1745	Magnoliopsida	Asteraceae Bercht. & J.Presl	Senecio pinnatifolius var. latilobus (Steetz) I.Thomps.	native	
1746	Magnoliopsida	Asteraceae Bercht. & J.Presl	Senecio pinnatifolius var. maritimus (Ali) I.Thomps.	native	
1747	Magnoliopsida	Asteraceae Bercht. & J.Presl	Senecio vulgaris L. (<i>Common Groundsel</i>)	alien	
1748	Magnoliopsida	Asteraceae Bercht. & J.Presl	Siloxerus humifusus Labill. (<i>Procumbent Siloxerus</i>)	native	
1749	Magnoliopsida	Asteraceae Bercht. & J.Presl	Silybum marianum (L.) Gaertn. (<i>Variegated Thistle</i>)	alien	
1750	Magnoliopsida	Asteraceae Bercht. & J.Presl	Solidago chilensis Meyen	alien	
1751	Magnoliopsida	Asteraceae Bercht. & J.Presl	Sonchus hydrophilus Boulos (<i>Native Sowthistle</i>)	native	
1752	Magnoliopsida	Asteraceae Bercht. & J.Presl	Sonchus oleraceus L. (<i>Common Sowthistle</i>)	alien	
1753	Magnoliopsida	Asteraceae Bercht. & J.Presl	Symphyotrichum squamatum (Spreng.) G.L.Nesom (<i>Bushy Starwort</i>)	alien	
1754	Magnoliopsida	Asteraceae Bercht. & J.Presl	Taraxacum F.H.Wigg.		
1755	Magnoliopsida	Asteraceae Bercht. & J.Presl	Taraxacum khatoonae Abedin (<i>Dandelion</i>)	alien	
1756	Magnoliopsida	Asteraceae Bercht. & J.Presl	Urospermum picroides (L.) F.W.Schmidt	alien	
		Asteraceae Bercht. &			

1757	Magnoliopsida	J.Presl	Ursinia anthemoides (L.) Poir. (<i>Ursinia</i>)	alien	
1758	Magnoliopsida	Asteraceae Bercht. & J.Presl	Ursinia anthemoides (L.) Poir. subsp. anthemoides	alien	
1759	Magnoliopsida	Asteraceae Bercht. & J.Presl	Verbesina encelioides (Cav.) A.Gray	alien	
1760	Magnoliopsida	Asteraceae Bercht. & J.Presl	Verbesina encelioides (Cav.) A.Gray var. encelioides	alien	
1761	Magnoliopsida	Asteraceae Bercht. & J.Presl	Waitzia J.C.Wendl.		
1762	Magnoliopsida	Asteraceae Bercht. & J.Presl	Waitzia nitida (Lindl.) Paul G.Wilson	native	
1763	Magnoliopsida	Asteraceae Bercht. & J.Presl	Waitzia suaveolens (Benth.) Druce (<i>Fragrant Waitzia</i>)	native	
1764	Magnoliopsida	Asteraceae Bercht. & J.Presl	Waitzia suaveolens (Benth.) Druce var. suaveolens	native	
1765	Magnoliopsida	Asteraceae Bercht. & J.Presl	Xanthium occidentale Bertol. (<i>Noogoora Burr</i>)	alien	
1766	Magnoliopsida	Boraginaceae Juss.	Amsinckia calycina (Moris) Chater	alien	
1767	Magnoliopsida	Boraginaceae Juss.	Heliotropium amplexicaule Vahl	alien	
1768	Magnoliopsida	Boraginaceae Juss.	Heliotropium curassavicum L. (<i>Smooth Heliotrope</i>)	native	
1769	Magnoliopsida	Boraginaceae Juss.	Wigandia urens var. caracasana (Kunth) D.N.Gibson	alien	
1770	Magnoliopsida	Brassicaceae Burnett	Brassica L.		
1771	Magnoliopsida	Brassicaceae Burnett	Brassica tournefortii Gouan (<i>Mediterranean Turnip</i>)	alien	
1772	Magnoliopsida	Brassicaceae Burnett	Brassica x napus L.	alien	
1773	Magnoliopsida	Brassicaceae Burnett	Cakile maritima Scop. (<i>Sea Rocket</i>)	alien	
1774	Magnoliopsida	Brassicaceae Burnett	Capsella bursa-pastoris (L.) Medik. (<i>Shepherd's Purse</i>)	alien	
1775	Magnoliopsida	Brassicaceae Burnett	Cardamine hirsuta L. (<i>Common Bittercress</i>)	alien	
1776	Magnoliopsida	Brassicaceae Burnett	Diplotaxis tenuifolia (L.) DC.	alien	
1777	Magnoliopsida	Brassicaceae Burnett	Heliophila pusilla L.f.	alien	
1778	Magnoliopsida	Brassicaceae Burnett	Lepidium L.		
1779	Magnoliopsida	Brassicaceae Burnett	Lepidium rotundum (Desv.) DC.	native	
1780	Magnoliopsida	Brassicaceae Burnett	Lobularia maritima (L.) Desv. (<i>Sweet Alyssum</i>)	alien	
1781	Magnoliopsida	Brassicaceae Burnett	Phlegmatospermum drummondii (Benth.) O.E.Schulz	native	
1782	Magnoliopsida	Brassicaceae Burnett	Raphanus raphanistrum L. (<i>Wild Radish</i>)	alien	
1783	Magnoliopsida	Brassicaceae Burnett	Sisymbrium irio L. (<i>London Rocket</i>)	alien	
1784	Magnoliopsida	Brassicaceae Burnett	Sisymbrium orientale L. (<i>Indian Hedge Mustard</i>)	alien	
1785	Magnoliopsida	Brassicaceae Burnett	Stenopetalum gracile Bunge	native	
1786	Magnoliopsida	Brassicaceae Burnett	Stenopetalum robustum Endl.	native	
1787	Magnoliopsida	Brassicaceae Burnett	Stenopetalum sphaerocarpum F.Muell.	native	
1788	Magnoliopsida	Brassicaceae Burnett	Succowia balearica (L.) Medik.	alien	
1789	Magnoliopsida	Byblidaceae Domin	Byblis gigantea Lindl. (<i>Rainbow Plant</i>)	native	P3
1790	Magnoliopsida	Cactaceae Juss.	Opuntia monacantha Haw.	alien	
1791	Magnoliopsida	Campanulaceae Juss.	Isotoma hypocrateriformis (R.Br.) Druce	native	
1792	Magnoliopsida	Campanulaceae Juss.	Lobelia anceps L.f. (<i>Angled Lobelia</i>)	native	
1793	Magnoliopsida	Campanulaceae Juss.	Lobelia gibbosa Labill.	native	
1794	Magnoliopsida	Campanulaceae Juss.	Lobelia tenuior R.Br. (<i>Slender Lobelia</i>)	native	
1795	Magnoliopsida	Campanulaceae Juss.	Lobelia tenuior R.Br. subsp. tenuior	native	
1796	Magnoliopsida	Campanulaceae Juss.	Wahlenbergia capensis (L.) A.DC.	alien	
1797	Magnoliopsida	Campanulaceae Juss.	Wahlenbergia preissii de Vriese	native	
1798	Magnoliopsida	Cannabaceae Martinov	Cannabis sativa L.	alien	
1799	Magnoliopsida	Caprifoliaceae Juss.	Centranthus macrosiphon Boiss.	alien	
1800	Magnoliopsida	Caprifoliaceae Juss.	Sixalix atropurpurea (L.) Greuter & Burdet	alien	
1801	Magnoliopsida	Caryophyllaceae Juss.	Cerastium glomeratum Thuill. (<i>Mouse Ear Chickweed</i>)	alien	
1802	Magnoliopsida	Caryophyllaceae Juss.	Minuartia mediterranea (Link) K.Maly	alien	
1803	Magnoliopsida	Caryophyllaceae Juss.	Moenchia erecta (L.) P.Gaertn., B.Mey. & Scherb.	alien	
1804	Magnoliopsida	Caryophyllaceae Juss.	Petrorhagia dubia (Raf.) G.Lopez & Romo	alien	
1805	Magnoliopsida	Caryophyllaceae Juss.	Sagina procumbens L. (<i>Spreading Pearlwort</i>)	alien	

1806	Magnoliopsida	Caryophyllaceae Juss.	Silene L.		
1807	Magnoliopsida	Caryophyllaceae Juss.	Silene gallica L. (<i>French Catchfly</i>)	alien	
1808	Magnoliopsida	Caryophyllaceae Juss.	Silene gallica L. var. gallica	alien	
1809	Magnoliopsida	Caryophyllaceae Juss.	Silene gallica var. quinquevulnera (L.) W.D.J.Koch	alien	
1810	Magnoliopsida	Caryophyllaceae Juss.	Silene nocturna L. (<i>Mediterranean Catchfly</i>)	alien	
1811	Magnoliopsida	Caryophyllaceae Juss.	Spergula arvensis L. (<i>Corn Spurry</i>)	alien	
1812	Magnoliopsida	Caryophyllaceae Juss.	Spergularia nesophila L.G.Adams	native	P3
1813	Magnoliopsida	Caryophyllaceae Juss.	Stellaria media (L.) Vill. (<i>Chickweed</i>)	alien	
1814	Magnoliopsida	Caryophyllaceae Juss.	Stellaria pallida (Dumort) Crep.	alien	
1815	Magnoliopsida	Casuarinaceae R.Br.	Allocasuarina L.A.S.Johnson		
1816	Magnoliopsida	Casuarinaceae R.Br.	Allocasuarina fraseriana (Miq.) L.A.S.Johnson	native	
1817	Magnoliopsida	Casuarinaceae R.Br.	Allocasuarina humilis (Otto & A.Dietr.) L.A.S.Johnson	native	
1818	Magnoliopsida	Casuarinaceae R.Br.	Allocasuarina lehmanniana (Miq.) L.A.S.Johnson subsp. lehmanniana (<i>Dune Sheoak</i>)	native	
1819	Magnoliopsida	Casuarinaceae R.Br.	Casuarina glauca Spreng.	alien	
1820	Magnoliopsida	Celastraceae R.Br.	Tripterococcus brunonis Endl.	native	
1821	Magnoliopsida	Celastraceae R.Br.	Tripterococcus sp. Brachylobus (A.S. George 14234)	native	P4
1822	Magnoliopsida	Chenopodiaceae Vent.	Atriplex amnicola Paul G.Wilson	native	
1823	Magnoliopsida	Chenopodiaceae Vent.	Atriplex hypoleuca Nees	native	
1824	Magnoliopsida	Chenopodiaceae Vent.	Atriplex isatidea Moq.	native	
1825	Magnoliopsida	Chenopodiaceae Vent.	Atriplex paludosa subsp. baudinii (Moq.) Aellen	native	
1826	Magnoliopsida	Chenopodiaceae Vent.	Atriplex paludosa subsp. cordata (Benth.) Aellen	native	
1827	Magnoliopsida	Chenopodiaceae Vent.	Atriplex prostrata DC. (<i>Hastate Orache</i>)	alien	
1828	Magnoliopsida	Chenopodiaceae Vent.	Atriplex semibaccata R.Br. (<i>Berry Saltbush</i>)	mixed	
1829	Magnoliopsida	Chenopodiaceae Vent.	Chenopodium macrospermum Hook.f.	alien	
1830	Magnoliopsida	Chenopodiaceae Vent.	Chenopodium murale L. (<i>Nettle-leaf Goosefoot</i>)	alien	
1831	Magnoliopsida	Chenopodiaceae Vent.	Dysphania ambrosioides (L.) Mosyakin & Clemants	alien	
1832	Magnoliopsida	Chenopodiaceae Vent.	Rhagodia baccata (Labill.) Moq.	native	
1833	Magnoliopsida	Chenopodiaceae Vent.	Rhagodia baccata (Labill.) Moq. subsp. baccata (<i>Berry Saltbush</i>)	native	
1834	Magnoliopsida	Chenopodiaceae Vent.	Rhagodia baccata subsp. dioica (Nees) Paul G.Wilson (<i>Sea Berry Saltbush</i>)	native	
1835	Magnoliopsida	Chenopodiaceae Vent.	Rhagodia preissii Moq. subsp. preissii	native	
1836	Magnoliopsida	Chenopodiaceae Vent.	Tecticornia pergranulata (J.M.Black) K.A.Sheph. & Paul G.Wilson	native	
1837	Magnoliopsida	Convolvulaceae Juss.	Convolvulus sabatius subsp. mauritanicus (Boiss.) Mirb.	alien	
1838	Magnoliopsida	Convolvulaceae Juss.	Cuscuta campestris Yunck. (<i>Golden dodder</i>)	alien	
1839	Magnoliopsida	Convolvulaceae Juss.	Cuscuta epithymum (L.) L. (<i>Lesser Dodder</i>)	alien	
1840	Magnoliopsida	Convolvulaceae Juss.	Distimake dissectus (Jacq.) A.R.Simões & Staples var. dissectus	alien	
1841	Magnoliopsida	Convolvulaceae Juss.	Ipomoea cairica (L.) Sweet	alien	
1842	Magnoliopsida	Convolvulaceae Juss.	Ipomoea indica (Burm.) Merr.	alien	
1843	Magnoliopsida	Convolvulaceae Juss.	Wilsonia backhousei Hook.f. (<i>Narrow-leaf Wilsonia</i>)	native	
1844	Magnoliopsida	Crassulaceae J.St.-Hil.	Aeonium arboreum (L.) Webb. & Berthel.	alien	
1845	Magnoliopsida	Crassulaceae J.St.-Hil.	Aeonium haworthii Berthel.	alien	
1846	Magnoliopsida	Crassulaceae J.St.-Hil.	Crassula L.		
1847	Magnoliopsida	Crassulaceae J.St.-Hil.	Crassula alata (Viv.) A.Berger	alien	
1848	Magnoliopsida	Crassulaceae J.St.-Hil.	Crassula alata (Viv.) A.Berger var. alata	alien	
1849	Magnoliopsida	Crassulaceae J.St.-Hil.	Crassula arborescens (Mill.) Willd.	alien	
1850	Magnoliopsida	Crassulaceae J.St.-Hil.	Crassula colorata (Nees) Ostenf.	native	
1851	Magnoliopsida	Crassulaceae J.St.-Hil.	Crassula colorata (Nees) Ostenf. var. colorata (<i>Dense Stonecrop</i>)	native	
1852	Magnoliopsida	Crassulaceae J.St.-Hil.	Crassula decumbens Thunb. var. decumbens	native	
1853	Magnoliopsida	Crassulaceae J.St.-Hil.	Crassula exserta (Reader) Ostenf.	native	
1854	Magnoliopsida	Crassulaceae J.St.-Hil.	Crassula glomerata P.J.Bergius	alien	
1855	Magnoliopsida	Crassulaceae J.St.-Hil.	Crassula natans var. minor (Eckl. & Zeyh.) G.D.Rowley	alien	

1856	Magnoliopsida	Crassulaceae J.St.-Hil.	Crassula thunbergiana Schult.	alien	
1857	Magnoliopsida	Crassulaceae J.St.-Hil.	Crassula thunbergiana Schult. subsp. thunbergiana	alien	
1858	Magnoliopsida	Cucurbitaceae Juss.	Citrullus amarus Schrad.	alien	
1859	Magnoliopsida	Dilleniaceae Salisb.	Hibbertia aurea Steud.	native	
1860	Magnoliopsida	Dilleniaceae Salisb.	Hibbertia cuneiformis (Labill.) Sm.	mixed	
1861	Magnoliopsida	Dilleniaceae Salisb.	Hibbertia diamesogenos (Steud.) J.R.Wheeler	native	
1862	Magnoliopsida	Dilleniaceae Salisb.	Hibbertia huegelii (Endl.) F.Muell.	native	
1863	Magnoliopsida	Dilleniaceae Salisb.	Hibbertia hypericoides (DC.) Benth. (<i>Yellow Buttercups</i>)	native	
1864	Magnoliopsida	Dilleniaceae Salisb.	Hibbertia hypericoides (DC.) Benth. subsp. hypericoides (<i>Yellow Buttercups</i>)	native	
1865	Magnoliopsida	Dilleniaceae Salisb.	Hibbertia leptotheca (J.R.Wheeler) K.R.Thiele	native	P3
1866	Magnoliopsida	Dilleniaceae Salisb.	Hibbertia polystachya Benth.	native	
1867	Magnoliopsida	Dilleniaceae Salisb.	Hibbertia racemosa (Endl.) Gilg (<i>Stalked Guinea Flower</i>)	native	
1868	Magnoliopsida	Dilleniaceae Salisb.	Hibbertia stellaris Endl. (<i>Orange Stars</i>)	native	
1869	Magnoliopsida	Dilleniaceae Salisb.	Hibbertia striata (Steud.) K.R.Thiele	native	
1870	Magnoliopsida	Dilleniaceae Salisb.	Hibbertia subvaginata (Steud.) F.Muell.	native	
1871	Magnoliopsida	Droseraceae Salisb.	Drosera bulbigena Morrison (<i>Midget Sundew</i>)	native	P2
1872	Magnoliopsida	Droseraceae Salisb.	Drosera drummondii Planch.	native	
1873	Magnoliopsida	Droseraceae Salisb.	Drosera erythrorhiza Lindl. (<i>Red Ink Sundew</i>)	native	
1874	Magnoliopsida	Droseraceae Salisb.	Drosera macrantha Endl.	native	
1875	Magnoliopsida	Droseraceae Salisb.	Drosera menziesii DC. (<i>Pink Rainbow</i>)	native	
1876	Magnoliopsida	Droseraceae Salisb.	Drosera paleacea DC. (<i>Dwarf Sundew</i>)	native	P1
1877	Magnoliopsida	Droseraceae Salisb.	Drosera pallida Lindl.	native	
1878	Magnoliopsida	Droseraceae Salisb.	Drosera porrecta Lehm.	native	
1879	Magnoliopsida	Droseraceae Salisb.	Drosera stolonifera Endl.	native	
1880	Magnoliopsida	Elaeocarpaceae Juss.	Tetratheca hirsuta Lindl.	native	
1881	Magnoliopsida	Elaeocarpaceae Juss.	Tetratheca hirsuta Lindl. subsp. hirsuta	native	
1882	Magnoliopsida	Ericaceae Juss.	Acrotriche cordata (Labill.) R.Br. (<i>Coast Ground Berry</i>)	native	
1883	Magnoliopsida	Ericaceae Juss.	Conostephium pendulum Benth. (<i>Pearl Flower</i>)	native	
1884	Magnoliopsida	Ericaceae Juss.	Conostephium preissii Sond.	native	
1885	Magnoliopsida	Ericaceae Juss.	Leucopogon parviflorus (Andrews) Lindl. (<i>Coast Beard-heath</i>)	native	
1886	Magnoliopsida	Ericaceae Juss.	Leucopogon polymorphus Sond.	native	
1887	Magnoliopsida	Ericaceae Juss.	Lysinema pentapetalum R.Br. (<i>Curry Flower</i>)	native	
1888	Magnoliopsida	Ericaceae Juss.	Needhamiella pumilio (R.Br.) L.Watson	native	
1889	Magnoliopsida	Ericaceae Juss.	Styphelia conostephioides (DC.) F.Muell.	native	
1890	Magnoliopsida	Ericaceae Juss.	Styphelia discolor (Sond.) Hislop, Crayn & Puente-Lel.	native	
1891	Magnoliopsida	Ericaceae Juss.	Styphelia filifolia Hislop & Puente-Lel.	native	P3
1892	Magnoliopsida	Ericaceae Juss.	Styphelia macrocalyx (Sond.) F.Muell. (<i>Swan Berry</i>)	native	
1893	Magnoliopsida	Ericaceae Juss.	Styphelia microcalyx (Sond.) F.Muell. (<i>Native Cranberry</i>)	native	
1894	Magnoliopsida	Ericaceae Juss.	Styphelia pallida (R.Br.) Spreng.	native	
1895	Magnoliopsida	Ericaceae Juss.	Styphelia propinqua (R.Br.) Spreng.	native	
1896	Magnoliopsida	Ericaceae Juss.	Styphelia racemulosa (DC.) F.Muell.	native	
1897	Magnoliopsida	Ericaceae Juss.	Styphelia xerophylla (DC.) F.Muell.	native	
1898	Magnoliopsida	Euphorbiaceae Juss.	Beyeria cinerea (M&A Arg.) Benth.	native	
1899	Magnoliopsida	Euphorbiaceae Juss.	Beyeria cinerea (M&A Arg.) Benth. subsp. cinerea	native	P3
1900	Magnoliopsida	Euphorbiaceae Juss.	Beyeria viscosa (Labill.) Miq. (<i>Pinkwood</i>)	native	
1901	Magnoliopsida	Euphorbiaceae Juss.	Euphorbia cyathophora Murray	alien	
1902	Magnoliopsida	Euphorbiaceae Juss.	Euphorbia dendroides L.	alien	
1903	Magnoliopsida	Euphorbiaceae Juss.	Euphorbia helioscopia L. (<i>Sun Spurge</i>)	alien	
1904	Magnoliopsida	Euphorbiaceae Juss.	Euphorbia lathyris L.	alien	
1905	Magnoliopsida	Euphorbiaceae Juss.	Euphorbia maculata L.	alien	
1906	Magnoliopsida	Euphorbiaceae Juss.	Euphorbia peplus L. (<i>Petty Spurge</i>)	alien	
1907	Magnoliopsida	Euphorbiaceae Juss.	Euphorbia terracina L. (<i>Geraldton Carnation Weed</i>)	alien	
1908	Magnoliopsida	Euphorbiaceae Juss.	Monotaxis grandiflora Endl.	native	

1909	Magnoliopsida	Euphorbiaceae Juss.	Monotaxis grandiflora Endl. var. grandiflora (<i>Diamond of the Desert</i>)	native	
1910	Magnoliopsida	Euphorbiaceae Juss.	Ricinocarpos cyanescens MÃ¼ll.Arg.	native	
1911	Magnoliopsida	Euphorbiaceae Juss.	Ricinocarpos glaucus Endl.	native	
1912	Magnoliopsida	Euphorbiaceae Juss.	Ricinocarpos stylosus Diels	native	
1913	Magnoliopsida	Euphorbiaceae Juss.	Ricinocarpos tuberculatus MÃ¼ll.Arg.	native	P2
1914	Magnoliopsida	Euphorbiaceae Juss.	Ricinocarpos undulatus Lehm. (<i>Wedding Bush</i>)	native	
1915	Magnoliopsida	Euphorbiaceae Juss.	Ricinus communis L. (<i>Castor Oil Plant</i>)	alien	
1916	Magnoliopsida	Fabaceae Lindl.	Acacia Mill.		
1917	Magnoliopsida	Fabaceae Lindl.	Acacia acuminata Benth. (<i>Jam</i>)	mixed	
1918	Magnoliopsida	Fabaceae Lindl.	Acacia applanata Maslin	native	
1919	Magnoliopsida	Fabaceae Lindl.	Acacia benthamii Meisn. (<i>Bentham's Wattle</i>)	native	P2
1920	Magnoliopsida	Fabaceae Lindl.	Acacia blakelyi Maiden	mixed	
1921	Magnoliopsida	Fabaceae Lindl.	Acacia cochlearis (Labill.) H.L.Wendl. (<i>Rigid Wattle</i>)	native	
1922	Magnoliopsida	Fabaceae Lindl.	Acacia consobrina R.S.Cowan & Maslin	native	
1923	Magnoliopsida	Fabaceae Lindl.	Acacia coriacea subsp. pendens R.S.Cowan & Maslin	native	
1924	Magnoliopsida	Fabaceae Lindl.	Acacia craspedocarpa F.Muell.	native	
1925	Magnoliopsida	Fabaceae Lindl.	Acacia cyclops G.Don (<i>Coastal Wattle</i>)	native	
1926	Magnoliopsida	Fabaceae Lindl.	Acacia denticulosa F.Muell. (<i>Sandpaper Wattle</i>)	native	EN
1927	Magnoliopsida	Fabaceae Lindl.	Acacia ephedroides Benth.	native	
1928	Magnoliopsida	Fabaceae Lindl.	Acacia ericifolia Benth.	native	
1929	Magnoliopsida	Fabaceae Lindl.	Acacia grasbyi Maiden (<i>Miniritchie</i>)	native	
1930	Magnoliopsida	Fabaceae Lindl.	Acacia heteroclita Meisn.	native	
1931	Magnoliopsida	Fabaceae Lindl.	Acacia horridula Meisn.	native	P3
1932	Magnoliopsida	Fabaceae Lindl.	Acacia huegelii Benth. (<i>Huegel's Wattle</i>)	native	
1933	Magnoliopsida	Fabaceae Lindl.	Acacia iteaphylla Benth.	alien	
1934	Magnoliopsida	Fabaceae Lindl.	Acacia jibberdingensis Maiden & Blakely	native	
1935	Magnoliopsida	Fabaceae Lindl.	Acacia lasiocalyx C.R.P.Andrews (<i>Silver Wattle</i>)	mixed	
1936	Magnoliopsida	Fabaceae Lindl.	Acacia lasiocarpa Benth.	mixed	
1937	Magnoliopsida	Fabaceae Lindl.	Acacia lasiocarpa Benth. var. lasiocarpa (<i>Panjang</i>)	mixed	
1938	Magnoliopsida	Fabaceae Lindl.	Acacia lasiocarpa var. bracteolata long peduncle variant (G.J. Keighery 5026)	native	P1
1939	Magnoliopsida	Fabaceae Lindl.	Acacia lasiocarpa var. lasiocarpa Cockleshell Gully variant (E.A. Griffin 2039)	native	P2
1940	Magnoliopsida	Fabaceae Lindl.	Acacia lateriticola Maslin	native	Parent of conservation listed taxa
1941	Magnoliopsida	Fabaceae Lindl.	Acacia ligustrina Meisn.	native	
1942	Magnoliopsida	Fabaceae Lindl.	Acacia longifolia subsp. sophorae (Labill.) Court	alien	
1943	Magnoliopsida	Fabaceae Lindl.	Acacia meisneri Meisn.	native	
1944	Magnoliopsida	Fabaceae Lindl.	Acacia merinthophora E.Pritz.	native	
1945	Magnoliopsida	Fabaceae Lindl.	Acacia microbotrya Benth. (<i>Manna Wattle</i>)	mixed	
1946	Magnoliopsida	Fabaceae Lindl.	Acacia oncinophylla subsp. patulifolia R.S.Cowan & Maslin	native	P4
1947	Magnoliopsida	Fabaceae Lindl.	Acacia paradoxa DC.	alien	
1948	Magnoliopsida	Fabaceae Lindl.	Acacia pulchella R.Br.	mixed	
1949	Magnoliopsida	Fabaceae Lindl.	Acacia pulchella R.Br. var. pulchella	mixed	
1950	Magnoliopsida	Fabaceae Lindl.	Acacia pulchella var. glaberrima Meisn. (<i>Prickly Moses</i>)	native	
1951	Magnoliopsida	Fabaceae Lindl.	Acacia rostellifera Benth.	native	
1952	Magnoliopsida	Fabaceae Lindl.	Acacia salicina Lindl.	native	
1953	Magnoliopsida	Fabaceae Lindl.	Acacia saligna (Labill.) H.L.Wendl. (<i>Orange Wattle</i>)	native	
1954	Magnoliopsida	Fabaceae Lindl.	Acacia stenoptera Benth.	native	
1955	Magnoliopsida	Fabaceae Lindl.	Acacia trachyphloia Tindale		
1956	Magnoliopsida	Fabaceae Lindl.	Acacia truncata Hoffmanns.	native	
1957	Magnoliopsida	Fabaceae Lindl.	Acacia willdenowiana H.L.Wendl.	native	
1958	Magnoliopsida	Fabaceae Lindl.	Acacia xanthina Benth. (<i>White-stemmed Wattle</i>)	native	
1959	Magnoliopsida	Fabaceae Lindl.	Bossiaea eriocarpa Benth. (<i>Common Brown Pea</i>)	native	

1960	Magnoliopsida	Fabaceae Lindl.	Chamaecytisus palmensis (Christ) F.A.Bisby & K.W.Nicholls	alien	
1961	Magnoliopsida	Fabaceae Lindl.	Chorizema rhombeum R.Br.	native	
1962	Magnoliopsida	Fabaceae Lindl.	Daviesia Sm.		
1963	Magnoliopsida	Fabaceae Lindl.	Daviesia angulata Lindl.	native	
1964	Magnoliopsida	Fabaceae Lindl.	Daviesia decurrens Meisn.	native	
1965	Magnoliopsida	Fabaceae Lindl.	Daviesia decurrens Meisn. subsp. decurrens (<i>Prickly Bitter-pea</i>)	native	
1966	Magnoliopsida	Fabaceae Lindl.	Daviesia divaricata Benth. (<i>Marno</i>)	native	
1967	Magnoliopsida	Fabaceae Lindl.	Daviesia divaricata Benth. subsp. divaricata (<i>Marno</i>)	native	
1968	Magnoliopsida	Fabaceae Lindl.	Daviesia nudiflora Meisn.	native	
1969	Magnoliopsida	Fabaceae Lindl.	Daviesia nudiflora Meisn. subsp. nudiflora	native	
1970	Magnoliopsida	Fabaceae Lindl.	Daviesia nudiflora subsp. drummondii (Meisn.) Crisp	native	P3
1971	Magnoliopsida	Fabaceae Lindl.	Daviesia polyphylla Lindl.	native	
1972	Magnoliopsida	Fabaceae Lindl.	Daviesia triflora Crisp	native	
1973	Magnoliopsida	Fabaceae Lindl.	Dillwynia Sm.		
1974	Magnoliopsida	Fabaceae Lindl.	Dillwynia dillwynioides (Meisn.) Druce	native	P3
1975	Magnoliopsida	Fabaceae Lindl.	Euchilopsis linearis (Benth.) F.Muell. (<i>Swamp Pea</i>)	native	
1976	Magnoliopsida	Fabaceae Lindl.	Eutaxia virgata Benth.	native	
1977	Magnoliopsida	Fabaceae Lindl.	Gastrolobium axillare Meisn.	native	
1978	Magnoliopsida	Fabaceae Lindl.	Gastrolobium capitatum (Benth.) G.Chandler & Crisp	native	
1979	Magnoliopsida	Fabaceae Lindl.	Gastrolobium linearifolium G.Chandler & Crisp	native	
1980	Magnoliopsida	Fabaceae Lindl.	Gastrolobium nervosum G.Chandler & Crisp	native	
1981	Magnoliopsida	Fabaceae Lindl.	Gompholobium aristatum Benth.	native	
1982	Magnoliopsida	Fabaceae Lindl.	Gompholobium confertum (DC.) Crisp	native	
1983	Magnoliopsida	Fabaceae Lindl.	Gompholobium tomentosum Labill. (<i>Hairy Yellow Pea</i>)	native	
1984	Magnoliopsida	Fabaceae Lindl.	Hardenbergia comptoniana (Andrews) Benth.	native	
1985	Magnoliopsida	Fabaceae Lindl.	Hovea R.Br.		
1986	Magnoliopsida	Fabaceae Lindl.	Hovea chorizemifolia (Sweet) DC. (<i>Holly-leaved Hovea</i>)	native	
1987	Magnoliopsida	Fabaceae Lindl.	Hovea pungens Benth. (<i>Devil's Pins</i>)	native	
1988	Magnoliopsida	Fabaceae Lindl.	Hovea trisperma Benth.	native	
1989	Magnoliopsida	Fabaceae Lindl.	Hovea trisperma Benth. var. trisperma (<i>Common Hovea</i>)	native	
1990	Magnoliopsida	Fabaceae Lindl.	Isotropis cuneifolia (Sm.) Heynh.	native	
1991	Magnoliopsida	Fabaceae Lindl.	Isotropis cuneifolia (Sm.) Heynh. subsp. cuneifolia	native	
1992	Magnoliopsida	Fabaceae Lindl.	Jacksonia calcicola Chappill	native	
1993	Magnoliopsida	Fabaceae Lindl.	Jacksonia cupulifera Meisn.	native	
1994	Magnoliopsida	Fabaceae Lindl.	Jacksonia furcellata (Bonpl.) DC.	native	
1995	Magnoliopsida	Fabaceae Lindl.	Jacksonia gracillima Chappill	native	P3
1996	Magnoliopsida	Fabaceae Lindl.	Jacksonia sericea Benth. (<i>Waldjumi</i>)	native	P4
1997	Magnoliopsida	Fabaceae Lindl.	Jacksonia sternbergiana Huegel	native	
1998	Magnoliopsida	Fabaceae Lindl.	Kennedia coccinea (Curtis) Vent.	native	
1999	Magnoliopsida	Fabaceae Lindl.	Kennedia prostrata R.Br. (<i>Scarlet Runner</i>)	native	
2000	Magnoliopsida	Fabaceae Lindl.	Kennedia rubicunda (Schneev.) Vent.		
2001	Magnoliopsida	Fabaceae Lindl.	Labichea lanceolata Benth.	mixed	
2002	Magnoliopsida	Fabaceae Lindl.	Lathyrus tingitanus L.	alien	
2003	Magnoliopsida	Fabaceae Lindl.	Leucaena leucocephala (Lam.) de Wit	alien	
2004	Magnoliopsida	Fabaceae Lindl.	Lotus angustissimus L. (<i>Narrowleaf Trefoil</i>)	alien	
2005	Magnoliopsida	Fabaceae Lindl.	Lupinus angustifolius L. (<i>Narrowleaf Lupin</i>)	alien	
2006	Magnoliopsida	Fabaceae Lindl.	Lupinus cosentinii Guss.	alien	
2007	Magnoliopsida	Fabaceae Lindl.	Medicago polymorpha L. (<i>Burr Medic</i>)	alien	
2008	Magnoliopsida	Fabaceae Lindl.	Medicago sativa L. (<i>Alfalfa</i>)	alien	
2009	Magnoliopsida	Fabaceae Lindl.	Melilotus indicus (L.) All.	alien	
2010	Magnoliopsida	Fabaceae Lindl.	Paraserianthes lophantha (Willd.) I.C.Nielsen subsp. lophantha	mixed	
2011	Magnoliopsida	Fabaceae Lindl.	Retama raetam (Forssk.) Webb	alien	
2012	Magnoliopsida	Fabaceae Lindl.	Robinia pseudoacacia L.	alien	

2013	Magnoliopsida	Fabaceae Lindl.	Sphaerolobium linophyllum (Huegel) Benth.	native	
2014	Magnoliopsida	Fabaceae Lindl.	Sphaerolobium macranthum Meisn.	native	
2015	Magnoliopsida	Fabaceae Lindl.	Sphaerolobium medium R.Br.	native	
2016	Magnoliopsida	Fabaceae Lindl.	Sphaerolobium vimineum Sm. (<i>Leafless Globe Pea</i>)	native	
2017	Magnoliopsida	Fabaceae Lindl.	Templetonia retusa (Vent.) R.Br.	native	
2018	Magnoliopsida	Fabaceae Lindl.	Trifolium L.		
2019	Magnoliopsida	Fabaceae Lindl.	Trifolium alexandrinum L. (<i>Berseem Clover</i>)	alien	
2020	Magnoliopsida	Fabaceae Lindl.	Trifolium angustifolium L. var. angustifolium	alien	
2021	Magnoliopsida	Fabaceae Lindl.	Trifolium argutum Banks & Sol. (<i>Dryhead Clover</i>)	alien	
2022	Magnoliopsida	Fabaceae Lindl.	Trifolium arvense L. var. arvense	alien	
2023	Magnoliopsida	Fabaceae Lindl.	Trifolium campestre Schreb. (<i>Hop Clover</i>)	alien	
2024	Magnoliopsida	Fabaceae Lindl.	Trifolium campestre Schreb. var. campestre (<i>Hop Clover</i>)	alien	
2025	Magnoliopsida	Fabaceae Lindl.	Trifolium cernuum Brot. (<i>Drooping Flower Clover</i>)	alien	
2026	Magnoliopsida	Fabaceae Lindl.	Trifolium dubium Sibth. (<i>Suckling Clover</i>)	alien	
2027	Magnoliopsida	Fabaceae Lindl.	Trifolium glomeratum L. (<i>Cluster Clover</i>)	alien	
2028	Magnoliopsida	Fabaceae Lindl.	Trifolium hirtum All. (<i>Rose Clover</i>)	alien	
2029	Magnoliopsida	Fabaceae Lindl.	Trifolium michelianum var. balansae (Boiss.) Azn.		
2030	Magnoliopsida	Fabaceae Lindl.	Trifolium nigrescens Viv.		
2031	Magnoliopsida	Fabaceae Lindl.	Trifolium ornithopodioides L. (<i>Birdsfoot Fenugreek</i>)	alien	
2032	Magnoliopsida	Fabaceae Lindl.	Trifolium purpureum var. desvauxii (Boiss. & C.I.Blanche) Post		
2033	Magnoliopsida	Fabaceae Lindl.	Trifolium repens L. var. repens	alien	
2034	Magnoliopsida	Fabaceae Lindl.	Trifolium resupinatum L. (<i>Shaftal Clover</i>)	alien	
2035	Magnoliopsida	Fabaceae Lindl.	Trifolium resupinatum L. var. resupinatum	alien	
2036	Magnoliopsida	Fabaceae Lindl.	Trifolium scabrum L.	alien	
2037	Magnoliopsida	Fabaceae Lindl.	Trifolium subterraneum L.	alien	
2038	Magnoliopsida	Fabaceae Lindl.	Trifolium suffocatum L.	alien	
2039	Magnoliopsida	Fabaceae Lindl.	Trifolium tomentosum L. (<i>Woolly Clover</i>)	alien	
2040	Magnoliopsida	Fabaceae Lindl.	Trifolium tomentosum L. var. tomentosum	alien	
2041	Magnoliopsida	Fabaceae Lindl.	Vachellia karroo (Hayne) Banfi & Galasso	alien	
2042	Magnoliopsida	Fabaceae Lindl.	Vicia hirsuta (L.) Gray	alien	
2043	Magnoliopsida	Fabaceae Lindl.	Vicia lutea L.		
2044	Magnoliopsida	Fabaceae Lindl.	Vicia sativa L. (<i>Common Vetch</i>)	alien	
2045	Magnoliopsida	Fabaceae Lindl.	Vicia sativa L. subsp. sativa	alien	
2046	Magnoliopsida	Fabaceae Lindl.	Vicia sativa subsp. nigra (L.) Ehrh.	alien	
2047	Magnoliopsida	Fabaceae Lindl.	Vicia tetrasperma (L.) Schreb.	alien	
2048	Magnoliopsida	Fabaceae Lindl.	Vicia villosa Roth	alien	
2049	Magnoliopsida	Fabaceae Lindl.	Vicia villosa subsp. eriocarpa (Hauskn.) P.W.Ball	alien	
2050	Magnoliopsida	Fabaceae Lindl.	Viminaria juncea (Schrad. & J.C.Wendl.) Hoffmanns. (<i>Swishbush</i>)	native	
2051	Magnoliopsida	Gentianaceae Juss.	Centaurium erythraea Rafn (<i>Common Centaury</i>)	alien	
2052	Magnoliopsida	Gentianaceae Juss.	Centaurium tenuiflorum (Hoffmanns. & Link) Fritsch	alien	
2053	Magnoliopsida	Gentianaceae Juss.	Schenkia australis (R.Br.) G.Mans.	native	
2054	Magnoliopsida	Geraniaceae Juss.	Erodium Aiton		
2055	Magnoliopsida	Geraniaceae Juss.	Erodium botrys (Cav.) Bertol. (<i>Long Storksbill</i>)	alien	
2056	Magnoliopsida	Geraniaceae Juss.	Erodium cicutarium (L.) L'Her. (<i>Common Storksbill</i>)	alien	
2057	Magnoliopsida	Geraniaceae Juss.	Erodium moschatum (L.) L'Her.	alien	
2058	Magnoliopsida	Geraniaceae Juss.	Geranium molle L. (<i>Dove's Foot Cranesbill</i>)	alien	
2059	Magnoliopsida	Geraniaceae Juss.	Geranium retrorsum DC.	native	
2060	Magnoliopsida	Geraniaceae Juss.	Geranium solanderi Carolin (<i>Native Geranium</i>)	native	
2061	Magnoliopsida	Geraniaceae Juss.	Pelargonium australe Willd. (<i>Wild Geranium</i>)	native	
2062	Magnoliopsida	Geraniaceae Juss.	Pelargonium capitatum (L.) Aiton (<i>Rose Pelargonium</i>)	alien	
2063	Magnoliopsida	Geraniaceae Juss.	Pelargonium x asperum Willd.	alien	
2064	Magnoliopsida	Geraniaceae Juss.	Pelargonium x domesticum L.H.Bailey	alien	
2065	Magnoliopsida	Goodeniaceae R.Br.	Dampiera linearis R.Br. (<i>Common Dampiera, Wedge-leaved Dampiera</i>)	native	

2066	Magnoliopsida	Goodeniaceae R.Br.	Dampiera triloba Lindl.	native	P3
2067	Magnoliopsida	Goodeniaceae R.Br.	Goodenia pinifolia de Vriese	native	
2068	Magnoliopsida	Goodeniaceae R.Br.	Lechenaultia biloba Lindl. (<i>Blue Leschenaultia</i>)	mixed	
2069	Magnoliopsida	Goodeniaceae R.Br.	Lechenaultia expansa R.Br.	native	
2070	Magnoliopsida	Goodeniaceae R.Br.	Lechenaultia floribunda Benth. (<i>Free-flowering Leschenaultia</i>)	native	
2071	Magnoliopsida	Goodeniaceae R.Br.	Lechenaultia formosa R.Br.	native	
2072	Magnoliopsida	Goodeniaceae R.Br.	Lechenaultia linarioides DC.	native	
2073	Magnoliopsida	Goodeniaceae R.Br.	Scaevola anchusifolia Benth. (<i>Silky Scaevola</i>)	native	
2074	Magnoliopsida	Goodeniaceae R.Br.	Scaevola calliptera Benth.	native	
2075	Magnoliopsida	Goodeniaceae R.Br.	Scaevola canescens Benth. (<i>Grey Scaevola</i>)	native	
2076	Magnoliopsida	Goodeniaceae R.Br.	Scaevola crassifolia Labill. (<i>Thick-leaved Fan-flower, Thick-leaved Scaevola</i>)	native	
2077	Magnoliopsida	Goodeniaceae R.Br.	Scaevola nitida R.Br.	native	
2078	Magnoliopsida	Goodeniaceae R.Br.	Scaevola repens de Vriese var. repens	native	
2079	Magnoliopsida	Goodeniaceae R.Br.	Scaevola repens var. angustifolia de Vriese	native	
2080	Magnoliopsida	Goodeniaceae R.Br.	Scaevola thesioides Benth.	native	
2081	Magnoliopsida	Goodeniaceae R.Br.	Scaevola thesioides Benth. subsp. thesioides	native	
2082	Magnoliopsida	Gyrostemonaceae A.Juss.	Gyrostemon ramulosus Desf. (<i>Corkybark</i>)	native	
2083	Magnoliopsida	Gyrostemonaceae A.Juss.	Tersonia cyathiflora (Fenzl) J.W.Green	native	
2084	Magnoliopsida	Haloragaceae R.Br.	Glischrocaryon angustifolium (Nees) M.L.Moody & Les	native	
2085	Magnoliopsida	Haloragaceae R.Br.	Gonocarpus pthyoides Nees	native	
2086	Magnoliopsida	Haloragaceae R.Br.	Meionectes brownii Hook.f. (<i>Swamp Raspwort</i>)	native	
2087	Magnoliopsida	Haloragaceae R.Br.	Myriophyllum tillaeoides Diels	native	
2088	Magnoliopsida	Hypericaceae Juss.	Hypericum canariense L.	alien	
2089	Magnoliopsida	Lamiaceae Martinov	Dasymalla axillaris Endl.	native	CR
2090	Magnoliopsida	Lamiaceae Martinov	Dicrastylis micrantha Munir	native	P3
2091	Magnoliopsida	Lamiaceae Martinov	Dicrastylis rugosifolia (Munir) Rye	native	
2092	Magnoliopsida	Lamiaceae Martinov	Dicrastylis soliparma Rye & Trudgen	native	
2093	Magnoliopsida	Lamiaceae Martinov	Hemiandra glabra Benth.	native	
2094	Magnoliopsida	Lamiaceae Martinov	Hemiandra linearis Benth. (<i>Speckled Snakebush</i>)	native	
2095	Magnoliopsida	Lamiaceae Martinov	Hemiandra pungens R.Br. (<i>Snakebush</i>)	native	
2096	Magnoliopsida	Lamiaceae Martinov	Hemiandra sp. Jurien (B.J. Conn & M.E. Tozer BJC 3885)	native	
2097	Magnoliopsida	Lamiaceae Martinov	Hemigenia sericea Benth. (<i>Silky Hemigenia</i>)	native	
2098	Magnoliopsida	Lamiaceae Martinov	Lachnostachys verbascifolia F.Muell.	native	
2099	Magnoliopsida	Lamiaceae Martinov	Lachnostachys verbascifolia F.Muell. var. verbascifolia	native	
2100	Magnoliopsida	Lamiaceae Martinov	Lavandula dentata var. candicans Batt.	alien	
2101	Magnoliopsida	Lamiaceae Martinov	Leonotis leonurus (L.) R.Br.	alien	
2102	Magnoliopsida	Lamiaceae Martinov	Leonotis nepetifolia (L.) R.Br.	alien	
2103	Magnoliopsida	Lamiaceae Martinov	Salvia L.		
2104	Magnoliopsida	Lamiaceae Martinov	Salvia coccinea Buc'hoz ex Etl.	mixed	
2105	Magnoliopsida	Lamiaceae Martinov	Stachys arvensis (L.) L. (<i>Staggerweed</i>)	alien	
2106	Magnoliopsida	Lamiaceae Martinov	Westringia dampieri R.Br.	native	
2107	Magnoliopsida	Lauraceae Juss.	Cassytha Osbeck		
2108	Magnoliopsida	Lauraceae Juss.	Cassytha flava Nees	native	
2109	Magnoliopsida	Lauraceae Juss.	Cassytha pomiformis Nees	native	
2110	Magnoliopsida	Lauraceae Juss.	Cassytha racemosa Nees	native	
2111	Magnoliopsida	Lentibulariaceae Rich.	Utricularia gibba L.	mixed	
2112	Magnoliopsida	Loganiaceae Mart.	Logania vaginalis (Labill.) F.Muell. (<i>White Spray</i>)	native	
2113	Magnoliopsida	Loganiaceae Mart.	Mitrasacme polymorpha R.Br.		
2114	Magnoliopsida	Loranthaceae Juss.	Amyema miquelii (Miq.) Tiegh. (<i>Stalked Mistletoe</i>)	native	
2115	Magnoliopsida	Loranthaceae Juss.	Nuytsia floribunda (Labill.) G.Don (<i>Christmas Tree</i>)	native	
2116	Magnoliopsida	Lythraceae J.St.-Hil.	Lythrum hyssopifolia L. (<i>Lesser Loosestrife</i>)	alien	
2117	Magnoliopsida	Macarthuriaceae Christenh.	Macarthuria australis Endl.	native	

2118	Magnoliopsida	Malvaceae Juss.	Brachychiton Schott & Endl.		
2119	Magnoliopsida	Malvaceae Juss.	Brachychiton populneus (Schott & Endl.) R.Br.	alien	
2120	Magnoliopsida	Malvaceae Juss.	Brachychiton populneus (Schott & Endl.) R.Br. subsp. populneus	alien	
2121	Magnoliopsida	Malvaceae Juss.	Hibiscus tridactylites Lindl. (<i>Bladder Ketmia</i>)	alien	
2122	Magnoliopsida	Malvaceae Juss.	Lagunaria patersonia (Andrews) G.Don	alien	
2123	Magnoliopsida	Malvaceae Juss.	Lasiopetalum membranaceum (Steud.) Benth.	native	P3
2124	Magnoliopsida	Malvaceae Juss.	Lawrenzia spicata Hook.	native	
2125	Magnoliopsida	Malvaceae Juss.	Malva arborea (L.) Webb. & Berthel. (<i>Tree Mallow</i>)	alien	
2126	Magnoliopsida	Malvaceae Juss.	Malva parviflora L. (<i>Marshmallow</i>)	alien	
2127	Magnoliopsida	Malvaceae Juss.	Pavonia hastata Cav.	alien	
2128	Magnoliopsida	Malvaceae Juss.	Seringia integrifolia (Steud.) F.Muell. (<i>Common firebush</i>)	native	
2129	Magnoliopsida	Malvaceae Juss.	Sida fallax Walp.	alien	
2130	Magnoliopsida	Malvaceae Juss.	Thomasia cognata Steud.	native	
2131	Magnoliopsida	Malvaceae Juss.	Thomasia foliosa J.Gay	native	
2132	Magnoliopsida	Malvaceae Juss.	Thomasia petalocalyx F.Muell.	native	
2133	Magnoliopsida	Malvaceae Juss.	Thomasia pygmaea (Turcz.) Benth. (<i>Tiny Thomasia</i>)	native	P3
2134	Magnoliopsida	Malvaceae Juss.	Thomasia triphylla (Labill.) J.Gay	native	
2135	Magnoliopsida	Meliaceae Juss.	Melia azedarach L.	mixed	
2136	Magnoliopsida	Montiaceae Raf.	Calandrinia Kunth		
2137	Magnoliopsida	Montiaceae Raf.	Calandrinia brevipedata F.Muell. (<i>Short-stalked Purslane</i>)	native	
2138	Magnoliopsida	Montiaceae Raf.	Calandrinia calyptрата Hook.f. (<i>Pink Purslane</i>)	native	
2139	Magnoliopsida	Montiaceae Raf.	Calandrinia corrigioloides Benth. (<i>Strap Purslane</i>)	native	
2140	Magnoliopsida	Montiaceae Raf.	Calandrinia liniflora Fenzl (<i>Parakeelya</i>)	native	
2141	Magnoliopsida	Montiaceae Raf.	Calandrinia tholiformis Obbens	native	
2142	Magnoliopsida	Moraceae Gaudich.	Ficus carica L.	alien	
2143	Magnoliopsida	Moraceae Gaudich.	Ficus macrophylla Desf. ex Pers.	mixed	
2144	Magnoliopsida	Moraceae Gaudich.	Morus alba L.	alien	
2145	Magnoliopsida	Myrtaceae Juss.	Agonis flexuosa (Willd.) Sweet (<i>Peppermint</i>)	mixed	
2146	Magnoliopsida	Myrtaceae Juss.	Agonis flexuosa (Willd.) Sweet var. flexuosa (<i>Peppermint</i>)	mixed	
2147	Magnoliopsida	Myrtaceae Juss.	Beaufortia R.Br.		
2148	Magnoliopsida	Myrtaceae Juss.	Callistemon phoeniceus Lindl.	mixed	
2149	Magnoliopsida	Myrtaceae Juss.	Calothamnus gilesii F.Muell.	native	
2150	Magnoliopsida	Myrtaceae Juss.	Calothamnus gracilis R.Br.	native	
2151	Magnoliopsida	Myrtaceae Juss.	Calothamnus graniticus Hawkeswood	mixed	Parent of conservation listed taxa
2152	Magnoliopsida	Myrtaceae Juss.	Calothamnus graniticus subsp. leptophyllus (Benth.) Hawkeswood	native	P4
2153	Magnoliopsida	Myrtaceae Juss.	Calothamnus macrocarpus Hawkeswood	native	P2
2154	Magnoliopsida	Myrtaceae Juss.	Calothamnus quadrifidus R.Br. (<i>One-sided Bottlebrush</i>)	mixed	
2155	Magnoliopsida	Myrtaceae Juss.	Calothamnus quadrifidus R.Br. subsp. quadrifidus (<i>One-sided Bottlebrush</i>)	mixed	
2156	Magnoliopsida	Myrtaceae Juss.	Calothamnus quadrifidus subsp. angustifolius (Ewart) A.S.George & N.Gibson	native	
2157	Magnoliopsida	Myrtaceae Juss.	Calothamnus quadrifidus subsp. homalophyllus (F.Muell.) A.S.George & N.Gibson	mixed	
2158	Magnoliopsida	Myrtaceae Juss.	Calothamnus rupestris Schauer	mixed	
2159	Magnoliopsida	Myrtaceae Juss.	Calothamnus validus S.Moore	mixed	
2160	Magnoliopsida	Myrtaceae Juss.	Calytrix angulata Lindl.	native	
2161	Magnoliopsida	Myrtaceae Juss.	Calytrix aurea Lindl.	native	
2162	Magnoliopsida	Myrtaceae Juss.	Calytrix flavescens A.Cunn. (<i>Summer Starflower</i>)	native	
2163	Magnoliopsida	Myrtaceae Juss.	Calytrix fraseri A.Cunn.	native	
2164	Magnoliopsida	Myrtaceae Juss.	Calytrix sylvana Craven	native	
2165	Magnoliopsida	Myrtaceae Juss.	Chamelaucium sp. Winchester (C. Chapman s.n. PERTH 07879180)	native	
2166	Magnoliopsida	Myrtaceae Juss.	Chamelaucium uncinatum Schauer (<i>Geraldton Wax</i> ,	mixed	

			<i>Wembley Wax)</i>		
2167	Magnoliopsida	Myrtaceae Juss.	Corymbia calophylla (Lindl.) K.D.Hill & L.A.S.Johnson (<i>Marri</i>)	native	
2168	Magnoliopsida	Myrtaceae Juss.	Corymbia citriodora (Hook.) K.D.Hill & L.A.S.Johnson	alien	
2169	Magnoliopsida	Myrtaceae Juss.	Corymbia maculata (Hook.) K.D.Hill & L.A.S.Johnson	alien	
2170	Magnoliopsida	Myrtaceae Juss.	Darwinia Rudge		
2171	Magnoliopsida	Myrtaceae Juss.	Darwinia citriodora (Endl.) Benth. (<i>Lemon-scented Darwinia</i>)	native	
2172	Magnoliopsida	Myrtaceae Juss.	Eremaea pauciflora (Endl.) Druce	native	
2173	Magnoliopsida	Myrtaceae Juss.	Eremaea pauciflora (Endl.) Druce var. pauciflora	native	
2174	Magnoliopsida	Myrtaceae Juss.	Eucalyptus L'Her.		
2175	Magnoliopsida	Myrtaceae Juss.	Eucalyptus arachnaea Brooker & Hopper subsp. arachnaea	native	
2176	Magnoliopsida	Myrtaceae Juss.	Eucalyptus caesia Benth. (<i>Caesia</i>)	native	Parent of conservation listed taxa
2177	Magnoliopsida	Myrtaceae Juss.	Eucalyptus caesia Benth. subsp. caesia	native	P4
2178	Magnoliopsida	Myrtaceae Juss.	Eucalyptus caesia subsp. magna Brooker & Hopper	native	P4
2179	Magnoliopsida	Myrtaceae Juss.	Eucalyptus cladocalyx subsp. petila D.Nicolle	alien	
2180	Magnoliopsida	Myrtaceae Juss.	Eucalyptus cometae-vallis Maiden (<i>Comet Vale Mallee, Cowcowing Mallee</i>)	native	
2181	Magnoliopsida	Myrtaceae Juss.	Eucalyptus cylindrocarpa Blakely (<i>Woodline Mallee</i>)	native	
2182	Magnoliopsida	Myrtaceae Juss.	Eucalyptus decipiens Endl. (<i>Limestone Marlock, Moit, Redheart</i>)	native	
2183	Magnoliopsida	Myrtaceae Juss.	Eucalyptus dundasii Maiden (<i>Dundas Blackbutt</i>)	native	
2184	Magnoliopsida	Myrtaceae Juss.	Eucalyptus educta L.A.S.Johnson & K.D.Hill	native	P2
2185	Magnoliopsida	Myrtaceae Juss.	Eucalyptus erythrocorys F.Muell. (<i>Illyarrie</i>)	mixed	
2186	Magnoliopsida	Myrtaceae Juss.	Eucalyptus foecunda Schauer	native	
2187	Magnoliopsida	Myrtaceae Juss.	Eucalyptus foecunda Schauer subsp. foecunda	native	P4
2188	Magnoliopsida	Myrtaceae Juss.	Eucalyptus gomphocephala DC. (<i>Tuart</i>)	mixed	
2189	Magnoliopsida	Myrtaceae Juss.	Eucalyptus kruseana F.Muell.	native	P4
2190	Magnoliopsida	Myrtaceae Juss.	Eucalyptus marginata Sm. (<i>Jarrah</i>)	native	
2191	Magnoliopsida	Myrtaceae Juss.	Eucalyptus marginata Sm. subsp. marginata (<i>Jarrah</i>)	native	
2192	Magnoliopsida	Myrtaceae Juss.	Eucalyptus marginata subsp. thalassica Brooker & Hopper (<i>Blue-leaved Jarrah</i>)	native	
2193	Magnoliopsida	Myrtaceae Juss.	Eucalyptus petrensis Brooker & Hopper	native	
2194	Magnoliopsida	Myrtaceae Juss.	Eucalyptus rhodantha Blakely & H.Steedman (<i>Rose Mallee, Scott's Mallee</i>)	native	Parent of conservation listed taxa
2195	Magnoliopsida	Myrtaceae Juss.	Eucalyptus rhodantha Blakely & H.Steedman var. rhodantha	native	EN
2196	Magnoliopsida	Myrtaceae Juss.	Eucalyptus rudis Endl. (<i>Flooded Gum, Kulurda</i>)	native	
2197	Magnoliopsida	Myrtaceae Juss.	Eucalyptus stoatei C.A.Gardner (<i>Scarlet Pear Gum</i>)	native	P4
2198	Magnoliopsida	Myrtaceae Juss.	Eucalyptus x mundijongensis Maiden	native	P1
2199	Magnoliopsida	Myrtaceae Juss.	Gaudium laevigatum (Gaertn.) Peter G.Wilson		
2200	Magnoliopsida	Myrtaceae Juss.	Hypocalymma angustifolium (Endl.) Schauer (<i>White Myrtle</i>)	native	
2201	Magnoliopsida	Myrtaceae Juss.	Hypocalymma inopinatum Rye, Keighery & M.D.Barrett		P2
2202	Magnoliopsida	Myrtaceae Juss.	Hypocalymma magnificum Rye, Keighery & M.D.Barrett (<i>Superb Myrtle</i>)	native	EN
2203	Magnoliopsida	Myrtaceae Juss.	Hypocalymma quadrangulare Rye & Keighery (<i>West Coast Myrtle</i>)	native	P3
2204	Magnoliopsida	Myrtaceae Juss.	Hypocalymma robustum (Endl.) Lindl.	native	
2205	Magnoliopsida	Myrtaceae Juss.	Kunzea glabrescens Toelken	native	
2206	Magnoliopsida	Myrtaceae Juss.	Kunzea micrantha Schauer subsp. micrantha	native	
2207	Magnoliopsida	Myrtaceae Juss.	Leptospermopsis erubescens (Schauer) Peter G.Wilson	native	
2208	Magnoliopsida	Myrtaceae Juss.	Malleostemon tuberculatus (E.Pritz.) J.W.Green	native	
2209	Magnoliopsida	Myrtaceae Juss.	Melaleuca armillaris (Gaertn.) Sm. subsp. armillaris	alien	
2210	Magnoliopsida	Myrtaceae Juss.	Melaleuca calothamnoides F.Muell.	native	
2211	Magnoliopsida	Myrtaceae Juss.	Melaleuca cardiophylla F.Muell. (<i>Tangling Melaleuca</i>)	native	
2212	Magnoliopsida	Myrtaceae Juss.	Melaleuca elliptica Labill.	native	

2213	Magnoliopsida	Myrtaceae Juss.	Melaleuca fulgens R.Br. subsp. fulgens	native	
2214	Magnoliopsida	Myrtaceae Juss.	Melaleuca huegelii Endl.	native	
2215	Magnoliopsida	Myrtaceae Juss.	Melaleuca lanceolata Otto (<i>Rottnest Teatree</i>)	mixed	
2216	Magnoliopsida	Myrtaceae Juss.	Melaleuca leucadendra (L.) L.	native	
2217	Magnoliopsida	Myrtaceae Juss.	Melaleuca lutea Craven	native	
2218	Magnoliopsida	Myrtaceae Juss.	Melaleuca megacephala F.Muell.	mixed	
2219	Magnoliopsida	Myrtaceae Juss.	Melaleuca nesophila F.Muell.	mixed	
2220	Magnoliopsida	Myrtaceae Juss.	Melaleuca parviceps Lindl.	native	
2221	Magnoliopsida	Myrtaceae Juss.	Melaleuca pentagona Labill. var. pentagona	mixed	
2222	Magnoliopsida	Myrtaceae Juss.	Melaleuca quinquenervia (Cav.) S.T.Blake	alien	
2223	Magnoliopsida	Myrtaceae Juss.	Melaleuca systema Craven (<i>Coastal Honeymyrtle</i>)	native	
2224	Magnoliopsida	Myrtaceae Juss.	Melaleuca viminalis (Gaertn.) Byrnes	native	Parent of conservation listed taxa
2225	Magnoliopsida	Myrtaceae Juss.	Melaleuca viminea Lindl. subsp. viminea	native	
2226	Magnoliopsida	Myrtaceae Juss.	Phymatocarpus interioris Craven	native	
2227	Magnoliopsida	Myrtaceae Juss.	Pileanthus limacis Labill. (<i>Coastal Coppercups</i>)	native	
2228	Magnoliopsida	Myrtaceae Juss.	Regelia ciliata Schauer	native	
2229	Magnoliopsida	Myrtaceae Juss.	Scholtzia Schauer		
2230	Magnoliopsida	Myrtaceae Juss.	Scholtzia capitata Benth.	native	
2231	Magnoliopsida	Myrtaceae Juss.	Thryptomene Endl.		
2232	Magnoliopsida	Myrtaceae Juss.	Verticordia densiflora Lindl. (<i>Compacted Featherflower</i>)	native	
2233	Magnoliopsida	Myrtaceae Juss.	Verticordia densiflora Lindl. var. densiflora	native	
2234	Magnoliopsida	Myrtaceae Juss.	Verticordia eriocephala A.S.George	native	
2235	Magnoliopsida	Myrtaceae Juss.	Verticordia lindleyi Schauer subsp. lindleyi	native	P4
2236	Magnoliopsida	Myrtaceae Juss.	Verticordia monadelpha Turcz.	mixed	
2237	Magnoliopsida	Myrtaceae Juss.	Verticordia monadelpha Turcz. var. monadelpha	mixed	
2238	Magnoliopsida	Myrtaceae Juss.	Verticordia plumosa (Desf.) Druce var. plumosa	native	
2239	Magnoliopsida	Myrtaceae Juss.	Verticordia venusta A.S.George	native	P3
2240	Magnoliopsida	Nyctaginaceae Juss.	Mirabilis jalapa L.	alien	
2241	Magnoliopsida	Olacaceae R.Br.	Olax benthamiana Miq.	native	
2242	Magnoliopsida	Oleaceae Hoffmanns. & Link	Olea europaea L.	alien	
2243	Magnoliopsida	Oleaceae Hoffmanns. & Link	Olea europaea L. subsp. europaea	alien	
2244	Magnoliopsida	Onagraceae Juss.	Epilobium billardioreanum subsp. intermedium Raven & Engelhorn	native	
2245	Magnoliopsida	Onagraceae Juss.	Epilobium tetragonum L. (<i>Square-stalked Willowherb</i>)	alien	
2246	Magnoliopsida	Onagraceae Juss.	Oenothera drummondii Hook. (<i>Beach Evening Primrose</i>)	alien	
2247	Magnoliopsida	Onagraceae Juss.	Oenothera drummondii Hook. subsp. drummondii	alien	
2248	Magnoliopsida	Onagraceae Juss.	Oenothera laciniata Hill	alien	
2249	Magnoliopsida	Onagraceae Juss.	Oenothera speciosa Nutt. (<i>White Evening Primrose</i>)	alien	
2250	Magnoliopsida	Onagraceae Juss.	Oenothera stricta Link subsp. stricta	alien	
2251	Magnoliopsida	Orobanchaceae Vent.	Bellardia trixago (L.) All. (<i>Bellardia</i>)	alien	
2252	Magnoliopsida	Orobanchaceae Vent.	Orobanche minor Sm.	alien	
2253	Magnoliopsida	Orobanchaceae Vent.	Parentucellia latifolia (L.) Caruel	alien	
2254	Magnoliopsida	Oxalidaceae R.Br.	Oxalis caprina Thunb.	alien	
2255	Magnoliopsida	Oxalidaceae R.Br.	Oxalis corniculata L.	alien	
2256	Magnoliopsida	Oxalidaceae R.Br.	Oxalis glabra Thunb.	alien	
2257	Magnoliopsida	Oxalidaceae R.Br.	Oxalis perennans Haw.	native	
2258	Magnoliopsida	Oxalidaceae R.Br.	Oxalis pes-caprae L. (<i>Soursob</i>)	alien	
2259	Magnoliopsida	Oxalidaceae R.Br.	Oxalis purpurea L.	alien	
2260	Magnoliopsida	Oxalidaceae R.Br.	Oxalis violacea L.	alien	
2261	Magnoliopsida	Papaveraceae Juss.	Argemone ochroleuca Sweet subsp. ochroleuca	alien	
2262	Magnoliopsida	Papaveraceae Juss.	Fumaria bastardii Boreau	alien	
2263	Magnoliopsida	Papaveraceae Juss.	Fumaria capreolata L. (<i>Whiteflower Fumitory</i>)	alien	

2264	Magnoliopsida	Papaveraceae Juss.	Fumaria muralis W.D.J.Koch	alien	
2265	Magnoliopsida	Papaveraceae Juss.	Fumaria muralis W.D.J.Koch subsp. muralis	alien	
2266	Magnoliopsida	Papaveraceae Juss.	Romneya coulteri Harv. (<i>California Tree Poppy</i>)	alien	
2267	Magnoliopsida	Passifloraceae Roussel	Passiflora filamentosa Cav.	alien	
2268	Magnoliopsida	Phyllanthaceae Martinov	Lysiandra calycina (Labill.) R.W.Bouman (<i>False Boronia</i>)	native	
2269	Magnoliopsida	Phyllanthaceae Martinov	Moeroris tenella (Roxb.) R.W.Bouman	alien	
2270	Magnoliopsida	Phyllanthaceae Martinov	Phyllanthus L.		
2271	Magnoliopsida	Phyllanthaceae Martinov	Poranthera microphylla Brongn.	native	
2272	Magnoliopsida	Phyllanthaceae Martinov	Poranthera moorokatta R.L.Barrett	native	P2
2273	Magnoliopsida	Phytolaccaceae R.Br.	Phytolacca octandra L. (<i>Red Ink Plant</i>)	alien	
2274	Magnoliopsida	Pittosporaceae R.Br.	Billardiera fraseri (Hook.) L.Cayzer, Crisp & I.Telford	native	
2275	Magnoliopsida	Pittosporaceae R.Br.	Marianthus erubescens Putt.	native	
2276	Magnoliopsida	Pittosporaceae R.Br.	Marianthus mollis (E.M.Benn.) L.Cayzer & Crisp	native	P4
2277	Magnoliopsida	Pittosporaceae R.Br.	Pittosporum phillyreoides DC.	native	
2278	Magnoliopsida	Pittosporaceae R.Br.	Pittosporum undulatum Vent.	alien	
2279	Magnoliopsida	Plantaginaceae Juss.	Bacopa monnieri (L.) Pennell	alien	
2280	Magnoliopsida	Plantaginaceae Juss.	Cymbalaria muralis P.Gaertn., B.Mey. & Scherb. subsp. muralis	alien	
2281	Magnoliopsida	Plantaginaceae Juss.	Linaria Mill.		
2282	Magnoliopsida	Plantaginaceae Juss.	Misopates orontium (L.) Raf. (<i>Lesser Snapdragon</i>)	alien	
2283	Magnoliopsida	Plantaginaceae Juss.	Plantago lanceolata L.	alien	
2284	Magnoliopsida	Plantaginaceae Juss.	Plantago major L. (<i>Greater Plantain</i>)	alien	
2285	Magnoliopsida	Plantaginaceae Juss.	Veronica distans R.Br.	native	
2286	Magnoliopsida	Plumbaginaceae Juss.	Limonium hyblaeum Brullo	alien	
2287	Magnoliopsida	Polygalaceae Hoffmanns. & Link	Comesperma acerosum Steetz	native	
2288	Magnoliopsida	Polygalaceae Hoffmanns. & Link	Comesperma calymega Labill.	native	
2289	Magnoliopsida	Polygalaceae Hoffmanns. & Link	Comesperma confertum Labill.	native	
2290	Magnoliopsida	Polygalaceae Hoffmanns. & Link	Comesperma integerrimum Endl.	native	
2291	Magnoliopsida	Polygalaceae Hoffmanns. & Link	Comesperma volubile Labill.	native	
2292	Magnoliopsida	Polygalaceae Hoffmanns. & Link	Polygala myrtifolia L. (<i>Myrtleleaf Milkwort</i>)	alien	
2293	Magnoliopsida	Polygonaceae Juss.	Persicaria lapathifolia (L.) Delarbre	alien	
2294	Magnoliopsida	Polygonaceae Juss.	Polygonum aviculare L.	alien	
2295	Magnoliopsida	Polygonaceae Juss.	Rumex acetosella L. (<i>Sorrel</i>)	alien	
2296	Magnoliopsida	Polygonaceae Juss.	Rumex crispus L. (<i>Curled Dock</i>)	alien	
2297	Magnoliopsida	Polygonaceae Juss.	Rumex drummondii Meisn.	native	P4
2298	Magnoliopsida	Polygonaceae Juss.	Rumex hypogaeus T.M.Schust. & Reveal (<i>Doublegee</i>)	alien	
2299	Magnoliopsida	Primulaceae Borkh.	Lysimachia arvensis (L.) U.Manns & Anderb. (<i>Pimpernel</i>)	alien	
2300	Magnoliopsida	Primulaceae Borkh.	Samolus eremaeus S.W.L.Jacobs	native	
2301	Magnoliopsida	Primulaceae Borkh.	Samolus repens (J.R.Forst. & G.Forst.) Pers. (<i>Creeping Brookweed</i>)	native	
2302	Magnoliopsida	Primulaceae Borkh.	Samolus repens (J.R.Forst. & G.Forst.) Pers. var. repens	native	
2303	Magnoliopsida	Primulaceae Borkh.	Samolus repens var. paucifolius Benth.	native	
2304	Magnoliopsida	Proteaceae Juss.	Adenanthos cygnorum Diels subsp. cygnorum	native	
2305	Magnoliopsida	Proteaceae Juss.	Adenanthos cygnorum subsp. chamaephyton E.C.Nelson	native	P3
2306	Magnoliopsida	Proteaceae Juss.	Banksia ashbyi Baker f.	native	
2307	Magnoliopsida	Proteaceae Juss.	Banksia attenuata R.Br. (<i>Slender Banksia</i>)	native	
2308	Magnoliopsida	Proteaceae Juss.	Banksia grandis Willd.	native	
2309	Magnoliopsida	Proteaceae Juss.	Banksia ilicifolia R.Br.	native	
2310	Magnoliopsida	Proteaceae Juss.	Banksia littoralis R.Br.	native	
2311	Magnoliopsida	Proteaceae Juss.	Banksia menziesii R.Br. (<i>Firewood Banksia</i>)	native	
2312	Magnoliopsida	Proteaceae Juss.	Banksia nivea Labill. (<i>Honeypot Dryandra</i>)	native	

2313	Magnoliopsida	Proteaceae Juss.	<i>Banksia nivea</i> Labill. subsp. <i>nivea</i>	native	
2314	Magnoliopsida	Proteaceae Juss.	<i>Banksia prionotes</i> Lindl.	native	
2315	Magnoliopsida	Proteaceae Juss.	<i>Banksia sceptrum</i> Meisn.	native	
2316	Magnoliopsida	Proteaceae Juss.	<i>Banksia sessilis</i> (Knight) A.R.Mast & K.R.Thiele (<i>Parrot Bush</i>)	native	
2317	Magnoliopsida	Proteaceae Juss.	<i>Banksia sessilis</i> var. <i>cygnorum</i> (Gand.) A.R.Mast & K.R.Thiele	native	
2318	Magnoliopsida	Proteaceae Juss.	<i>Banksia sphaerocarpa</i> R.Br.	native	
2319	Magnoliopsida	Proteaceae Juss.	<i>Banksia telmatiaea</i> A.S.George (<i>Swamp Fox Banksia</i>)	native	
2320	Magnoliopsida	Proteaceae Juss.	<i>Banksia undata</i> A.R.Mast & K.R.Thiele var. <i>undata</i>	mixed	
2321	Magnoliopsida	Proteaceae Juss.	<i>Banksia victoriae</i> Meisn.	native	
2322	Magnoliopsida	Proteaceae Juss.	<i>Conospermum incurvum</i> Lindl.	native	
2323	Magnoliopsida	Proteaceae Juss.	<i>Conospermum stoechadis</i> Endl.	native	
2324	Magnoliopsida	Proteaceae Juss.	<i>Conospermum stoechadis</i> Endl. subsp. <i>stoechadis</i> (<i>Common Smokebush</i>)	native	
2325	Magnoliopsida	Proteaceae Juss.	<i>Conospermum triplinervium</i> R.Br.	native	
2326	Magnoliopsida	Proteaceae Juss.	<i>Conospermum undulatum</i> Lindl.	native	VU
2327	Magnoliopsida	Proteaceae Juss.	<i>Grevillea asparagoides</i> Meisn.	native	P3
2328	Magnoliopsida	Proteaceae Juss.	<i>Grevillea candolleana</i> Meisn.	native	P2
2329	Magnoliopsida	Proteaceae Juss.	<i>Grevillea crithmifolia</i> R.Br.	native	
2330	Magnoliopsida	Proteaceae Juss.	<i>Grevillea curviloba</i> McGill.	mixed	EN
2331	Magnoliopsida	Proteaceae Juss.	<i>Grevillea endlicheriana</i> Meisn. (<i>Spindly Grevillea</i>)	native	Parent of conservation listed taxa
2332	Magnoliopsida	Proteaceae Juss.	<i>Grevillea eryngioides</i> Benth. (<i>Curly Grevillea</i>)	native	
2333	Magnoliopsida	Proteaceae Juss.	<i>Grevillea fililoba</i> (McGill.) Olde & Marriott	native	P1
2334	Magnoliopsida	Proteaceae Juss.	<i>Grevillea myosodes</i> McGill.	native	
2335	Magnoliopsida	Proteaceae Juss.	<i>Grevillea ornithopoda</i> Meisn.	native	P2
2336	Magnoliopsida	Proteaceae Juss.	<i>Grevillea pilulifera</i> (Lindl.) Druce	native	
2337	Magnoliopsida	Proteaceae Juss.	<i>Grevillea pimeleoides</i> W.Fitzg.	native	P4
2338	Magnoliopsida	Proteaceae Juss.	<i>Grevillea pinifolia</i> Meisn. (<i>Pine-leaved Grevillea</i>)	native	P1
2339	Magnoliopsida	Proteaceae Juss.	<i>Grevillea preissii</i> Meisn.	native	
2340	Magnoliopsida	Proteaceae Juss.	<i>Grevillea thelemanniana</i> Endl. (<i>Spider Net Grevillea</i>)	native	CR
2341	Magnoliopsida	Proteaceae Juss.	<i>Grevillea vestita</i> (Endl.) Meisn.	native	
2342	Magnoliopsida	Proteaceae Juss.	<i>Grevillea vestita</i> (Endl.) Meisn. subsp. <i>vestita</i>	native	
2343	Magnoliopsida	Proteaceae Juss.	<i>Hakea bucculenta</i> C.A.Gardner	native	
2344	Magnoliopsida	Proteaceae Juss.	<i>Hakea costata</i> Meisn.	mixed	
2345	Magnoliopsida	Proteaceae Juss.	<i>Hakea incrassata</i> R.Br. (<i>Marble Hakea</i>)	native	
2346	Magnoliopsida	Proteaceae Juss.	<i>Hakea lissocarpha</i> R.Br. (<i>Honey Bush</i>)	native	
2347	Magnoliopsida	Proteaceae Juss.	<i>Hakea petiolaris</i> Meisn.	native	
2348	Magnoliopsida	Proteaceae Juss.	<i>Hakea prostrata</i> R.Br. (<i>Harsh Hakea</i>)	native	
2349	Magnoliopsida	Proteaceae Juss.	<i>Hakea pycnoneura</i> Meisn.	mixed	
2350	Magnoliopsida	Proteaceae Juss.	<i>Hakea ruscifolia</i> Labill. (<i>Candle Hakea</i>)	native	
2351	Magnoliopsida	Proteaceae Juss.	<i>Hakea trifurcata</i> (Sm.) R.Br. (<i>Two-leaf Hakea</i>)	native	
2352	Magnoliopsida	Proteaceae Juss.	<i>Hakea varia</i> R.Br.	native	
2353	Magnoliopsida	Proteaceae Juss.	<i>Isopogon drummondii</i> (<i>Autumn Isopogon</i>)	native	P3
2354	Magnoliopsida	Proteaceae Juss.	<i>Isopogon sphaerocephalus</i> Lindl.	native	
2355	Magnoliopsida	Proteaceae Juss.	<i>Lambertia multiflora</i> var. <i>darlingensis</i> Hnatiuk	native	
2356	Magnoliopsida	Proteaceae Juss.	<i>Persoonia saccata</i> R.Br. (<i>Snottygobble</i>)	native	
2357	Magnoliopsida	Proteaceae Juss.	<i>Petrophile brevifolia</i> Lindl.	native	
2358	Magnoliopsida	Proteaceae Juss.	<i>Petrophile brevifolia</i> Lindl. subsp. <i>brevifolia</i>	native	
2359	Magnoliopsida	Proteaceae Juss.	<i>Petrophile latericola</i> Keighery	native	CR
2360	Magnoliopsida	Proteaceae Juss.	<i>Petrophile linearis</i> R.Br.	native	
2361	Magnoliopsida	Proteaceae Juss.	<i>Petrophile macrostachya</i> R.Br.	native	
2362	Magnoliopsida	Proteaceae Juss.	<i>Petrophile serruriae</i> R.Br.	native	
2363	Magnoliopsida	Proteaceae Juss.	<i>Stirlingia latifolia</i> (R.Br.) Steud.	native	

2364	Magnoliopsida	Proteaceae Juss.	Synaphea spinulosa (Burm.f.) Merr.	native	
2365	Magnoliopsida	Proteaceae Juss.	Synaphea spinulosa (Burm.f.) Merr. subsp. spinulosa	native	
2366	Magnoliopsida	Ranunculaceae Juss.	Clematis linearifolia Steud. (<i>Slender Clematis</i>)	native	
2367	Magnoliopsida	Ranunculaceae Juss.	Clematis pubescens Endl.	native	
2368	Magnoliopsida	Ranunculaceae Juss.	Ranunculus colonorum Endl. (<i>Common Buttercup</i>)	native	
2369	Magnoliopsida	Ranunculaceae Juss.	Ranunculus muricatus L. (<i>Sharp Buttercup</i>)	alien	
2370	Magnoliopsida	Resedaceae Martinov	Reseda alba L. (<i>White Mingnonette</i>)	alien	
2371	Magnoliopsida	Rhamnaceae Juss.	Cryptandra arbutiflora Fenzl (<i>Waxy Cryptandra</i>)	native	
2372	Magnoliopsida	Rhamnaceae Juss.	Cryptandra arbutiflora Fenzl var. arbutiflora	native	
2373	Magnoliopsida	Rhamnaceae Juss.	Cryptandra arbutiflora var. tubulosa (Fenzl) Benth.	native	
2374	Magnoliopsida	Rhamnaceae Juss.	Cryptandra mutila Reissek	native	
2375	Magnoliopsida	Rhamnaceae Juss.	Cryptandra scoparia Reissek	native	
2376	Magnoliopsida	Rhamnaceae Juss.	Cryptandra spyridioides F.Muell.	native	
2377	Magnoliopsida	Rhamnaceae Juss.	Rhamnus alaternus L. (<i>Buckthorn</i>)	alien	
2378	Magnoliopsida	Rhamnaceae Juss.	Spyridium globulosum (Labill.) Benth. (<i>Basket Bush</i>)	native	
2379	Magnoliopsida	Rhamnaceae Juss.	Stenanthemum notiale subsp. chamelum Rye	native	
2380	Magnoliopsida	Rhamnaceae Juss.	Stenanthemum tridentatum (Steud.) Reissek	native	
2381	Magnoliopsida	Rhamnaceae Juss.	Trymalium ledifolium Fenzl	native	
2382	Magnoliopsida	Rhamnaceae Juss.	Trymalium ledifolium Fenzl var. ledifolium	native	
2383	Magnoliopsida	Rhamnaceae Juss.	Trymalium odoratissimum Lindl. subsp. odoratissimum	native	
2384	Magnoliopsida	Rosaceae Juss.	Aphanes arvensis L. (<i>Parsley Piert</i>)	alien	
2385	Magnoliopsida	Rubiaceae Juss.	Galium L.		
2386	Magnoliopsida	Rubiaceae Juss.	Galium aparine L. (<i>Goosegrass</i>)	alien	
2387	Magnoliopsida	Rubiaceae Juss.	Galium divaricatum Lam.	alien	
2388	Magnoliopsida	Rubiaceae Juss.	Galium murale (L.) All.	alien	
2389	Magnoliopsida	Rubiaceae Juss.	Opercularia vaginata Juss.	native	
2390	Magnoliopsida	Rutaceae Juss.	Boronia megastigma Bartl.	native	
2391	Magnoliopsida	Rutaceae Juss.	Boronia ovata Lindl.	native	
2392	Magnoliopsida	Rutaceae Juss.	Cyanothamnus ramosus subsp. anethifolius (Bartl.) Duretto & Heslewood	native	
2393	Magnoliopsida	Rutaceae Juss.	Diplolaena angustifolia Hook. (<i>Yanchep Rose</i>)	native	
2394	Magnoliopsida	Rutaceae Juss.	Diplolaena dampieri Desf. (<i>Southern Diplolaena</i>)	mixed	
2395	Magnoliopsida	Rutaceae Juss.	Philotheca spicata (A.Rich.) Paul G.Wilson	native	
2396	Magnoliopsida	Santalaceae R.Br.	Exocarpos sparteus R.Br.	native	
2397	Magnoliopsida	Santalaceae R.Br.	Korthalsella leucothrix Barlow	native	P1
2398	Magnoliopsida	Santalaceae R.Br.	Leptomeria empetriformis Miq.	native	
2399	Magnoliopsida	Santalaceae R.Br.	Leptomeria pauciflora R.Br.	native	
2400	Magnoliopsida	Santalaceae R.Br.	Leptomeria preissiana (Miq.) A.DC.	native	
2401	Magnoliopsida	Santalaceae R.Br.	Santalum acuminatum (R.Br.) A.DC.	native	
2402	Magnoliopsida	Sapindaceae Juss.	Acer negundo L.	alien	
2403	Magnoliopsida	Sapindaceae Juss.	Diplopeltis huegelii Endl.	native	
2404	Magnoliopsida	Sapindaceae Juss.	Diplopeltis huegelii Endl. subsp. huegelii	native	
2405	Magnoliopsida	Sapindaceae Juss.	Dodonaea aptera Miq.	native	
2406	Magnoliopsida	Sapindaceae Juss.	Dodonaea hackettiana W.Fitzg. (<i>Hackett's Hopbush</i>)	native	P4
2407	Magnoliopsida	Scrophulariaceae Juss.	Buddleja dysophylla (Benth.) Radlk.	alien	
2408	Magnoliopsida	Scrophulariaceae Juss.	Buddleja madagascariensis Lam.	alien	
2409	Magnoliopsida	Scrophulariaceae Juss.	Dischisma arenarium E.Mey.	alien	
2410	Magnoliopsida	Scrophulariaceae Juss.	Dischisma capitatum Choisy	alien	
2411	Magnoliopsida	Scrophulariaceae Juss.	Eremophila brevifolia (Bartl.) F.Muell. (<i>Spotted Eremophila</i>)	native	P2
2412	Magnoliopsida	Scrophulariaceae Juss.	Eremophila glabra (R.Br.) Ostenf. (<i>Tar Bush</i>)	native	
2413	Magnoliopsida	Scrophulariaceae Juss.	Eremophila glabra subsp. albicans (Bartl.) Chinnock	native	
2414	Magnoliopsida	Scrophulariaceae Juss.	Eremophila glabra subsp. chlorella (Gand.) Chinnock	native	EN
2415	Magnoliopsida	Scrophulariaceae Juss.	Myoporum caprarioides Benth. (<i>Slender Myoporum</i>)	native	
2416	Magnoliopsida	Scrophulariaceae Juss.	Myoporum insulare R.Br. (<i>Blueberry Tree</i>)	native	
2417	Magnoliopsida	Scrophulariaceae Juss.	Phyllopodium cordatum (Thunb.) Hilliard	alien	

2418	Magnoliopsida	Scrophulariaceae Juss.	Verbascum virgatum Stokes	alien	
2419	Magnoliopsida	Simaroubaceae DC.	Ailanthus altissima (Mill.) Swingle (<i>Tree of Heaven</i>)	alien	
2420	Magnoliopsida	Solanaceae Juss.	Anthocercis ilicifolia Hook.	native	
2421	Magnoliopsida	Solanaceae Juss.	Anthocercis ilicifolia Hook. subsp. ilicifolia	native	
2422	Magnoliopsida	Solanaceae Juss.	Anthocercis littorea Labill.	native	
2423	Magnoliopsida	Solanaceae Juss.	Lycium ferocissimum Miers (<i>African Boxthorn</i>)	alien	
2424	Magnoliopsida	Solanaceae Juss.	Nicotiana glauca Graham	alien	
2425	Magnoliopsida	Solanaceae Juss.	Solanum laciniatum Aiton (<i>Kangaroo Apple</i>)	alien	
2426	Magnoliopsida	Solanaceae Juss.	Solanum linnaeanum Hepper & P.-M.L.Jaeger	alien	
2427	Magnoliopsida	Solanaceae Juss.	Solanum lycopersicum L. (<i>Tomato</i>)	alien	
2428	Magnoliopsida	Solanaceae Juss.	Solanum nigrum L. (<i>Black Berry Nightshade</i>)	alien	
2429	Magnoliopsida	Solanaceae Juss.	Solanum torvum Sw.		
2430	Magnoliopsida	Stylidiaceae R.Br.	Levenhookia preissii (Sond.) F.Muell.	native	P1
2431	Magnoliopsida	Stylidiaceae R.Br.	Levenhookia stipitata (Benth.) Benth.	native	
2432	Magnoliopsida	Stylidiaceae R.Br.	Stylidium androsaceum Lindl. (<i>Book Triggerplant</i>)	native	
2433	Magnoliopsida	Stylidiaceae R.Br.	Stylidium brunonianum Benth.	native	
2434	Magnoliopsida	Stylidiaceae R.Br.	Stylidium carnosum Benth. (<i>Fleshy-leaved Triggerplant</i>)	native	
2435	Magnoliopsida	Stylidiaceae R.Br.	Stylidium dichotomum DC.		
2436	Magnoliopsida	Stylidiaceae R.Br.	Stylidium diversifolium R.Br. (<i>Touch-me-not</i>)	native	
2437	Magnoliopsida	Stylidiaceae R.Br.	Stylidium galioides C.A.Gardner (<i>Yellow Mountain Triggerplant</i>)	native	VU
2438	Magnoliopsida	Stylidiaceae R.Br.	Stylidium hispidum Lindl. (<i>White Butterfly Triggerplant</i>)	native	
2439	Magnoliopsida	Stylidiaceae R.Br.	Stylidium junceum R.Br.	native	
2440	Magnoliopsida	Stylidiaceae R.Br.	Stylidium maritimum Lowrie, Coates & Kenneally (<i>Coastal Triggerplant</i>)	native	P3
2441	Magnoliopsida	Stylidiaceae R.Br.	Stylidium neurophyllum Wege (<i>Coastal Plain Triggerplant</i>)	native	
2442	Magnoliopsida	Stylidiaceae R.Br.	Stylidium paludicola Wege	native	P3
2443	Magnoliopsida	Stylidiaceae R.Br.	Stylidium piliferum R.Br. (<i>Common Butterfly Triggerplant</i>)	native	
2444	Magnoliopsida	Stylidiaceae R.Br.	Stylidium repens R.Br. (<i>Matted Triggerplant</i>)	native	
2445	Magnoliopsida	Stylidiaceae R.Br.	Stylidium rigidulum Sond. (<i>Flagon Triggerplant</i>)	native	
2446	Magnoliopsida	Stylidiaceae R.Br.	Stylidium schoenoides DC. (<i>Cow Kicks</i>)	native	
2447	Magnoliopsida	Stylidiaceae R.Br.	Stylidium striatum Lindl.	native	P4
2448	Magnoliopsida	Thymelaeaceae Juss.	Pimelea calcicola Rye (<i>Coastal Banjine</i>)	native	P3
2449	Magnoliopsida	Thymelaeaceae Juss.	Pimelea leucantha Diels	native	
2450	Magnoliopsida	Thymelaeaceae Juss.	Pimelea rosea R.Br. (<i>Rose Banjine</i>)	native	
2451	Magnoliopsida	Thymelaeaceae Juss.	Pimelea rosea R.Br. subsp. rosea (<i>Rose Banjine</i>)	native	
2452	Magnoliopsida	Thymelaeaceae Juss.	Pimelea suaveolens Meisn. (<i>Scented Banjine</i>)	native	
2453	Magnoliopsida	Thymelaeaceae Juss.	Pimelea sulphurea Meisn. (<i>Yellow Banjine</i>)	native	
2454	Magnoliopsida	Thymelaeaceae Juss.	Pimelea sylvestris R.Br.	native	
2455	Magnoliopsida	Tropaeolaceae DC.	Tropaeolum majus L.	alien	
2456	Magnoliopsida	Ulmaceae Mirb.	Ulmus parvifolia Jacq.	alien	
2457	Magnoliopsida	Urticaceae Juss.	Parietaria debilis G.Forst.	native	
2458	Magnoliopsida	Urticaceae Juss.	Parietaria judaica L.	alien	
2459	Magnoliopsida	Urticaceae Juss.	Urtica urens L.	alien	
2460	Magnoliopsida	Verbenaceae J.St.-Hil.	Lantana camara L.	alien	
2461	Magnoliopsida	Verbenaceae J.St.-Hil.	Lantana camara L. var. camara	alien	
2462	Magnoliopsida	Verbenaceae J.St.-Hil.	Phyla nodiflora (L.) Greene var. nodiflora	alien	
2463	Magnoliopsida	Violaceae Batsch	Pigea calycina DC.	native	
2464	Magnoliopsida	Zygophyllaceae R.Br.	Roepera fruticulosa (DC.) G.Don (<i>Shrubby Twinleaf</i>)	native	
2465	Magnoliopsida	Zygophyllaceae R.Br.	Tribulus terrestris L. (<i>Caltrop</i>)	alien	
2466	Marchantiopsida	Lunulariaceae	Lunularia cruciata (L.) Dumort.	native	
2467	Phaeophyceae	Dictyotaceae Dumort.	Padina fraseri (Greville) Greville		
2468	Pinopsida	Cupressaceae Gray	Callitris Vent.		
2469	Pinopsida	Cupressaceae Gray	Callitris preissii Miq.	mixed	
2470	Pinopsida	Cupressaceae Gray	Callitris pyramidalis (Miq.) J.E.Piggin & J.J.Bruhl	mixed	

2471	Pinopsida	Cupressaceae Gray	Callitris roei (Endl.) F.Muell.	mixed	
2472	Pinopsida	Cupressaceae Gray	Callitris verrucosa (Endl.) F.Muell.	mixed	
2473	Pinopsida	Pinaceae F.Rudolphi	Pinus halepensis Mill.	alien	
2474	Pteridopsida	Pteridaceae E.D.M.Kirchn.	Adiantum capillus-veneris L. (<i>Maidenhair</i>)	native	P2
2475	Pteridopsida	Pteridaceae E.D.M.Kirchn.	Cheilanthes sieberi Kunze subsp. sieberi	native	
2476	Pteridopsida	Salviniaceae Martinov	Salvinia x molesta D.S.Mitch. (<i>Salvinia</i>)	alien	
2477	Ulvophyceae K.R.Mattox & K.D.Stewart	Boodleaceae BÃrgesen	Struvea plumosa Sond.	native	
2478	Ulvophyceae K.R.Mattox & K.D.Stewart	Bryopsidaceae Bory	Bryopsis J.V.Lamour.		
2479	Ulvophyceae K.R.Mattox & K.D.Stewart	Bryopsidaceae Bory	Bryopsis gemellipara J.Agardh		
2480	Ulvophyceae K.R.Mattox & K.D.Stewart	Bryopsidaceae Bory	Bryopsis plumosa (Huds.) C.Agardh	native	
2481	Ulvophyceae K.R.Mattox & K.D.Stewart	Bryopsidaceae Bory	Bryopsis vestita J.Agardh		
2482	Ulvophyceae K.R.Mattox & K.D.Stewart	Caulerpaceae KÃ¼tz.	Caulerpa J.V.Lamour.		
2483	Ulvophyceae K.R.Mattox & K.D.Stewart	Caulerpaceae KÃ¼tz.	Caulerpa cactoides (Turner) C.Agardh	native	
2484	Ulvophyceae K.R.Mattox & K.D.Stewart	Caulerpaceae KÃ¼tz.	Caulerpa cylindracea Sond.	native	
2485	Ulvophyceae K.R.Mattox & K.D.Stewart	Caulerpaceae KÃ¼tz.	Caulerpa lagara Carruth., D.I.Walker & Huisman	native	
2486	Ulvophyceae K.R.Mattox & K.D.Stewart	Caulerpaceae KÃ¼tz.	Caulerpa muelleri Sond.	native	
2487	Ulvophyceae K.R.Mattox & K.D.Stewart	Caulerpaceae KÃ¼tz.	Caulerpa racemosa (Forssk.) J.Agardh	native	
2488	Ulvophyceae K.R.Mattox & K.D.Stewart	Caulerpaceae KÃ¼tz.	Caulerpa scalpelliformis (Turner) C.Agardh	native	
2489	Ulvophyceae K.R.Mattox & K.D.Stewart	Caulerpaceae KÃ¼tz.	Caulerpa simpliciuscula (Turner) C.Agardh	native	
2490	Ulvophyceae K.R.Mattox & K.D.Stewart	Caulerpaceae KÃ¼tz.	Caulerpa taxifolia var. distichophylla (Sond.) M.Verlaque, Huisman & Procaccini	native	
2491	Ulvophyceae K.R.Mattox & K.D.Stewart	Caulerpaceae KÃ¼tz.	Caulerpa trifaria Harv.	native	
2492	Ulvophyceae K.R.Mattox & K.D.Stewart	Cladophoraceae Wille	Chaetomorpha aerea (Dillwyn) KÃ¼tz.	native	
2493	Ulvophyceae K.R.Mattox & K.D.Stewart	Cladophoraceae Wille	Cladophora KÃ¼tz.		
2494	Ulvophyceae K.R.Mattox & K.D.Stewart	Cladophoraceae Wille	Cladophora albida (Nees) KÃ¼tz.	native	
2495	Ulvophyceae K.R.Mattox & K.D.Stewart	Cladophoraceae Wille	Cladophora laetevirens (Dillwyn) KÃ¼tz.	native	
2496	Ulvophyceae K.R.Mattox & K.D.Stewart	Cladophoraceae Wille	Cladophora lehmanniana (Lindenb.) KÃ¼tz.	native	
	Ulvophyceae				

2497	K.R.Mattox & K.D.Stewart	Cladophoraceae Wille	Cladophora vagabunda (L.) C.Hoek	native	
2498	Ulvophyceae K.R.Mattox & K.D.Stewart	Cladophoraceae Wille	Cladophora valonioides Sond.	native	
2499	Ulvophyceae K.R.Mattox & K.D.Stewart	Cladophoraceae Wille	Lychaete feredayi (Harv.) M.J.Wynne	native	
2500	Ulvophyceae K.R.Mattox & K.D.Stewart	Cladophoraceae Wille	Lychaete herpestica (Mont.) M.J.Wynne	native	
2501	Ulvophyceae K.R.Mattox & K.D.Stewart	Cladophoraceae Wille	Rhizoclonium K����tz.		
2502	Ulvophyceae K.R.Mattox & K.D.Stewart	Cladophoraceae Wille	Rhizoclonium riparium (Roth) Harv.	native	
2503	Ulvophyceae K.R.Mattox & K.D.Stewart	Codiaceae K����tz.	Codium Stackh.		
2504	Ulvophyceae K.R.Mattox & K.D.Stewart	Codiaceae K����tz.	Codium australasicum P.C.Silva	native	
2505	Ulvophyceae K.R.Mattox & K.D.Stewart	Codiaceae K����tz.	Codium duthieae P.C.Silva	native	
2506	Ulvophyceae K.R.Mattox & K.D.Stewart	Codiaceae K����tz.	Codium galeatum J.Agardh	native	
2507	Ulvophyceae K.R.Mattox & K.D.Stewart	Codiaceae K����tz.	Codium harveyi P.C.Silva	native	
2508	Ulvophyceae K.R.Mattox & K.D.Stewart	Codiaceae K����tz.	Codium laminarioides Harv.	native	
2509	Ulvophyceae K.R.Mattox & K.D.Stewart	Codiaceae K����tz.	Codium muelleri K����tz.	native	
2510	Ulvophyceae K.R.Mattox & K.D.Stewart	Codiaceae K����tz.	Codium spinescens P.C.Silva & Womersley	native	
2511	Ulvophyceae K.R.Mattox & K.D.Stewart	Halimedaceae Link	Halimeda versatilis J.Agardh	native	
2512	Ulvophyceae K.R.Mattox & K.D.Stewart	Pseudocodiaceae Hillis-Col.	Pseudocodium devriesii Weber Bosse	alien	
2513	Ulvophyceae K.R.Mattox & K.D.Stewart	Ulotrichaceae	Ulothrix subflaccida Wille	native	
2514	Ulvophyceae K.R.Mattox & K.D.Stewart	Ulvaceae Dumort.	Ulva L.		
2515	Ulvophyceae K.R.Mattox & K.D.Stewart	Ulvaceae Dumort.	Ulva compressa L.	native	
2516	Ulvophyceae K.R.Mattox & K.D.Stewart	Ulvaceae Dumort.	Ulva flexuosa Wulfen	native	
2517	Ulvophyceae K.R.Mattox & K.D.Stewart	Ulvaceae Dumort.	Ulva intestinalis L.	native	
2518	Ulvophyceae K.R.Mattox & K.D.Stewart	Ulvaceae Dumort.	Ulva kraftiorum Huisman	native	
2519	Ulvophyceae K.R.Mattox & K.D.Stewart	Ulvaceae Dumort.	Ulva lactuca L.	native	

2520	Ulvophyceae K.R.Mattox & K.D.Stewart	Ulvaceae Dumort.	Ulva prolifera O.F.Mull.	native	
2521	Ulvophyceae K.R.Mattox & K.D.Stewart	Ulvaceae Dumort.	Ulva taeniata (Setch.) Setch. & N.L.Gardner	native	

Conservation status definitions

Threatened species

- CR – Critically Endangered
- EN – Endangered
- VU – Vulnerable
- EX – Extinct
- EW – Extinct in the Wild
- CD – Species of special conservation interest (conservation dependent)
- OS – Species otherwise in need of special protection (other specially protected)
- MI – Migratory
- SP – Specially protected species

Priority species

- P1 – Priority 1: Poorly-known species – known from few locations, none on conservation lands
- P2 – Priority 2: Poorly-known species – known from few locations, some on conservation lands
- P3 – Priority 3: Poorly-known species – known from several locations
- P4 – Priority 4: Rare, Near Threatened and other species in need of monitoring

Dandjoo specific codes

- Parent of conservation listed taxa
- Cons code inherited from parent, X

Read full definitions at <https://bio.wa.gov.au/guide/conservation-status-definitions>

Disclaimer

The production and usage of this report is deemed acceptance of Dandjoo's conditions of use. Details available via our web - [Dandjoo Conditions of Use | Biodiversity Information Office](#)

Further note, precise locations of [conservation listed species](#) are considered sensitive. To protect this information, [obfuscation](#) has been applied to conservation-listed species records. For these species, the true location is ± 10 km from the search area used to generate this species list.